

**Contaminants in Fish and Game Animals
on Rocky Mountain Arsenal 1977 - 1982**

David S. Thorne

December 1982

Contaminants in Fish and Game Animals on Rocky Mountain Arsenal
Results of Chemical Analyses 1977 to 1982

A biological monitoring program was begun on Rocky Mountain Arsenal (RMA) in 1977. Phase I of this program was a screening study to determine the general extent of contaminants in the biota. Some of the results of this study indicated that the fish and game animals on RMA were taking up contaminants.

Since the screening study in 1977, the fish and small game animals have been sampled annually to monitor their status of contamination. The following tables present the results of these studies to date. Deer were not routinely sampled. Deer samples taken since 1977 were obtained from fresh road kills and injured animals. These analyses are summarized in one table. Cottontail rabbits were not sampled in 1978. The only fish samples taken in 1978 were fourteen Rainbow trout from Lake Mary.

Samples of off-post game birds for comparison with RMA birds, were taken in 1980, 1981, and 1982. Those for 1980 and 1981 are designated as "controls" in the tables.

Sampling locations were selected rather than randomized and statistical analyses are not presented for the game birds or cottontails since, in most cases, only one or two samples were taken at any one location. Analyses are given for the fish samples where sufficient samples were taken at each location to justify a statistical analysis.

1977

Rocky Mountain Arsenal
Information Center
Commerce City, Colorado

FILE COPY

1 Contaminants in Pheasants on RMA - 1977

<u>Location</u>	<u>No. of Birds</u>	<u>Tissue</u>	<u>Contaminant (ug/g)</u>				
			<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>	<u>DDE</u>	<u>DDT</u>
Sects 1 & 2 "	3 "	EDP	0.11	BDL	-	0.03	BDL
		FEA	-	-	BDL	-	-
Sect 8 "	3 "	EDP	0.04	BDL	-	BDL	BDL
		FEA	-	-	BDL	-	-
Sect 24 "	3 "	EDP	0.04	BDL	-	0.04	BDL
		FEA	-	-	BDL	-	-
Sect 26 "	1 "	EDP	0.17	0.32	-	0.32	0.08
		FEA	-	-	0.20	-	-
Sect 36 "	2 "	EDP	0.20	0.37	-	0.22	0.11
		FEA	-	-	0.20	-	-

1/ Taken 1 - 3 Nov 77

2/ EDP (edible portion) = breast and leg meat; FEA = feathers

<u>3/ Contaminants</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfone	CPMO2	0.20
Chlorophenylmethylsulfoxide	CPMSO	0.20
Dichlorodiphenyltrichloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

ALDN, CPMO2, CPMSO, DIMP, DITH, ISOD and OXAT in edible portion and AS and CD in feathers were below detectable levels (BDL).

Contaminants in Breast Meat of Mourning Doves on RMA - 1977^{1/}

<u>Location</u>	<u>No. of Birds</u>	<u>2/ Contaminant (ug/g)</u>		
		<u>DLDN</u>	<u>ENDN</u>	<u>DDE</u>
Sects 1,2,6,12	6	0.08	BDL	0.03
Sects 8,9	6	0.14	BDL	0.17
Sect 24	5	1.23	BDL	0.03
Sect 26	5	1.01	0.14	BDL
Sect 36	3	0.53	BDL	0.04

1/ Taken 4 - 15 Aug 77

<u>2/ Contaminants</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfone	CPM02	0.20
Chlorophenylmethylsulfoxide	CPMS0	0.20
Dichlorodiphenylchloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Die�drin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

ALDN, CPM02, CPMS0, DDT, DIMP, DITH, ISOD and OXAT in breast meat and AS, CD and HG in feathers were below their detectable levels (BDL).

1/
Contaminants in Waterfowl on RMA - 1977

<u>Water</u>	<u>Species</u>	<u>No. of Birds</u>	<u>Tissue</u>	<u>2/</u>								<u>3/</u> <u>Contaminant (ug/g)</u>			
				<u>ALDN</u>	<u>CPMSO</u>	<u>DIMP</u>	<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>	<u>ISOD</u>	<u>DDE</u>	<u>DDT</u>			
Lower Derby	Mallard	3	EDP	0.20	BDL	BDL	4.27	BDL	-	0.13	0.47	0.96			
" "	"	"	FEA	-	-	-	-	-	BDL	-	-	-			
Ladora	"	"	EDP	BDL	BDL	BDL	0.40	0.15	-	BDL	0.39	0.08			
" "	"	"	FEA	-	-	-	-	-	BDL	-	-	-			
R&G Pond	"	"	EDP	BDL	BDL	BDL	0.08	BDL	-	BDL	0.14	BDL			
" "	"	"	FEA	-	-	-	-	-	BDL	-	-	-			
Lower Derby	G.B.Heron	1	EDP	BDL	0.24	0.05	1.23	0.29	-	BDL	0.52	0.20			
" "	"	"	FEA	-	-	-	-	-	2.20	-	-	-			
R&G Pond	"	"	EDP	BDL	BDL	0.06	6.20	1.54	-	BDL	2.91	1.54			
" "	"	"	FEA	-	-	-	-	-	2.00	-	-	-			
" "	"	"	EDP	BDL	BDL	0.05	BDL	0.77	-	0.09	1.43	0.70			
" "	"	"	FEA	-	-	-	-	-	1.00	-	-	-			

1/ Taken 26 Jul - 4 Aug 77

2/ EDP (edible portion) = breast and leg meat; FEA = feathers

3/ Contaminants

	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfone	CPMO2	0.20
Chlorophenylmethylsulfoxide	CPMSO	0.20
Dichlorodiphenylchloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

CPMO2, DITH and OXAT in edible portion and AS and CD in feathers were below their detectable levels (BDL).

4/ Pen-reared and wing-clipped. Placed on lakes for three months.

Dieldrin in Muscle Tissue of Cottontail Rabbits from RMA - 1977*

<u>Location</u>	<u>No. of Rabbits</u>	<u>ug/g Dieldrin</u>
Sect 2	3	0.44
Sect 8	1	0.04
Sect 26	3	0.37
Sect 36	3	0.21

* Taken 18 - 28 Oct 77. Aldrin, chlorophenylmethylsulfone, chlorophenyl-methylsulfoxide, DDE, DDT, diisopropylmethylphosphonate (DIMP), dithiane, endrin, isodrin and oxathiane in muscle tissue; and arsenic, cadmium and mercury in skin and fur were below detectable levels.

1/
Contaminants in Filets of Fish from RMA - 1977
2/

Water	Species	No. of Fish	Contaminant (ug/g)						
			ALDN	DIMP	DLDN	ENDN	HG	DDE	DDT
Lower Derby	L.M. Bass	2	0.04	0.06	0.89	BDL	-	0.12	BDL
"	Bl. Bullhead	2	0.29	0.06	3.19	0.17	BDL	0.11	0.03
Ladora Chan'l	L.M. Bass	2	BDL	0.09	0.51	BDL	0.40	0.15	BDL
"	Bl. Bullhead	2	0.06	0.09	0.69	0.08	BDL	0.10	BDL
TGY Pond	L.M. Bass	2	BDL	BDL	0.26	0.04	0.38	BDL	0.02
"	Bl. Bullhead	2	BDL	BDL	0.20	0.04	BDL	0.03	0.02
Lake Mary	Ch. Catfish	1	BDL	BDL	0.22	0.04	BDL	BDL	BDL

1/ Taken 5 Aug - 6 Oct 77

2/ Contaminants	Symbol	Detection Level (ppm)
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfone	CPM02	0.20
Chlorophenylmethylsulfoxide	CPMS0	0.20
Dichlorodiphenyldichloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

AS, CD, CPM02, CPMS0, DITH, ISOD and OXAT were below detectable levels (BDL).

1978

Chlorophenylmethylsulfide in Breast and Leg Meat of Pheasants

from RMA - 1978 *

<u>Location</u>	<u>ug/g PCPMS</u>
Sect 1	BDL
Sect 23	0.90
Sect 23	1.21
Sect 24	0.25
Sect 25	0.69

* Taken 6 - 29 Nov 78. Aldrin, Chlorophenylmethylsulfone, Chlorophenylmethylsulfoxide, Dibromochloropropane, Diisopropylmethylphosphonate (DIMP), Dithiane, Dieldrin, Endrin, Isodrin, Oxathiane, Arsenic, Cadmium and Mercury were below detectable levels (BDL).

Dieldrin in Breast Meat of Mourning Doves

from RMA - 1978 *

<u>Location</u>	<u>ug/g Dieldrin</u>
Sect 2	0.07
Sect 8	BDL
Sect 8	BDL
Sect 9	BDL
Sect 24	0.03
Sect 26	BDL

* Taken 21 Aug 78. Aldrin, Chlorophenylmethylsulfone, Chlorophenylmethylsulfoxide, Chlorophenylmethylsulfide, Dibromochloropropane, Diisopropylmethylphosphonate (DIMP), Dithiane, Endrin, Isodrin, Oxathiane, Arsenic, Cadmium and Mercury were below detectable levels (BDL).

1/

Contaminants in Breast and Leg Meat of Ducks from RMA - 1978

2/

Contaminant (ug/g)

<u>Location</u>	<u>Species</u>	<u>ALDN</u>	<u>CPMO2</u>	<u>CPMSO</u>	<u>DBCP</u>	<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>
Upper Derby	Mallard	BDL	BDL	BDL	BDL	2.55	BDL	BDL
"	"	2.03	BDL	BDL	BDL	BDL	BDL	BDL
"	"	BDL	BDL	BDL	BDL	0.38	BDL	BDL
"	B.W. Teal	BDL	BDL	BDL	0.06	0.07	BDL	0.30
Ladora Chan'l	Mallard	BDL	BDL	BDL	BDL	0.66	BDL	BDL
North Bog	"	BDL	0.31	BDL	BDL	0.63	BDL	BDL
"	"	BDL	0.24	BDL	BDL	0.28	BDL	BDL
"	"	BDL	0.51	BDL	BDL	0.20	BDL	BDL
"	B.W. Teal	BDL	BDL	1.30	BDL	3.09	0.11	BDL

1/ Taken 13 - 19 May 78.

2/ Contaminant

Contaminant	Symbol	Detection Level (ppm)
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPMO2	0.20
Cpm-sulfoxide	CPMSO	0.20
Dibromochloropropane	DBCP	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

AS, CD, PCPMS, DIMP, DITH, ISOD and OXAT were below detectable levels (BDL).

1/
Contaminants in Breast and Leg Meat of Ducks from RMA - 1978

<u>Location</u>	<u>Species</u>	<u>ALDN</u>	<u>Contaminant (ug/g)</u>					<u>ENDN</u>	<u>HG</u>
			<u>CPMO2</u>	<u>CPMSO</u>	<u>DBCP</u>	<u>DLDN</u>			
Upper Derby	Mallard	BDL	BDL	BDL	BDL	2.55	BDL	BDL	BDL
"	"	2.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL
"	"	BDL	BDL	BDL	BDL	0.38	BDL	BDL	BDL
"	B.W. Teal	BDL	BDL	BDL	0.06	0.07	BDL	0.30	
Ladora Chan'l	Mallard	BDL	BDL	BDL	BDL	0.66	BDL	BDL	
North Bog	"	BDL	0.31	BDL	BDL	0.63	BDL	BDL	
"	"	BDL	0.24	BDL	BDL	0.28	BDL	BDL	
"	"	BDL	0.51	BDL	BDL	0.20	BDL	BDL	
"	B.W. Teal	BDL	BDL	1.30	BDL	3.09	0.11	BDL	

1/ Taken 13 - 19 May 78.

<u>2/ Contaminant</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPMO2	0.20
Cpm-sulfoxide	CPMSO	0.20
Dibromochloropropane	DBCP	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

AS, CD, PCPMS, DIMP, DITH, ISOD and OXAT were below detectable levels (BDL).

Contaminants in Filets of Rainbow Trout
from Lake Mary - 1978

1/ Stocked prior to Jul 77; caught Mar 78

<u>2/ Contaminants</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPMO2	0.20
Cpm-sulfoxide	CPMSO	0.20
Dibromochloropropane	DBCP	0.02
Dichlorodiphenyltrichloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

AS, PCPMS, CPM02, CPMS0, DITH, ISOD and OXAT were below detectable levels (BDL).

1979

TABLE I. Contaminants in Game Animals (Edible Portion) - 1979

Species	Location	CPM02	CPMSO	Contaminant (ppm)*							
				DLDN	ENDN	HG	ISOD	OXAT	PCPMS	DDE	DDT
Pheasant	Section 6	14.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.02	BDL
	" 24	BDL	BDL	0.04	BDL	BDL	BDL	BDL	BDL	BDL	0.07
	" 30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 2	BDL	BDL	0.04	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.03	BDL
Mourning Dove	" 26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.06	BDL
	" 9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.04	BDL
	" 9	BDL	BDL	BDL	BDL	BDL	BDL	0.02	BDL	BDL	0.04
	" 36	BDL	BDL	1.81	0.05	BDL	BDL	BDL	BDL	BDL	0.05
	" 36	BDL	BDL	0.23	0.03	BDL	BDL	BDL	BDL	BDL	0.05
Mallard	Sewage Pond	BDL	0.20	3.58	BDL	1.20	BDL	0.20	BDL	BDL	BDL
	" "	BDL	0.24	2.84	BDL	2.40	BDL	0.20	BDL	BDL	BDL
	Lake Mary	BDL	0.25	0.70	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	"	BDL	0.26	0.20	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	"	BDL	0.26	BDL	BDL	BDL	BDL	BDL	BDL	0.04	BDL
	Bl.W. Teal	Upper Derby	BDL	BDL	0.18	BDL	BDL	BDL	BDL	BDL	BDL
Cottontail	Section 27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 1	BDL	BDL	0.04	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 1	BDL	BDL	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	" 1	BDL	BDL	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL

*CPM02 = Chlorophenylmethylsulfone; CPMSO = CPM sulfoxide; DLDN = Dieldrin; ENDN = Endrin; HG = Mercury; ISOD = Isodrin; OXAT = Oxathiane; PCPMS = CPM sulfide.

Aldrin, Arsenic, Cadmium, Dibromochloropropane (DBCP), Diisopropylmethylphosphonate (DIMP) and Dithiane were all Below Detectable Limits (BDL).

TABLE II. Contaminants in fish (Edible Portion) - 1979*

SPECIES	LOCATION	CONTAMINANT (PPM)					
		ALDN	DLDN	ENDN	HG	DDE	PCP
Rainbow Trout	Lake Mary	BDL	BDL	BDL	BDL	BDL	BDL
	"	BDL	0.06	BDL	EDL	0.05	BDL
	"	BDL	0.04	EDL	EDL	0.05	BDL
	"	BDL	0.05	BDL	BDL	0.06	BDL
	"	BDL	0.04	BDL	BDL	0.05	BDL
	"	BDL	0.04	BDL	BDL	0.04	BDL
	"	BDL	0.05	BDL	BDL	0.04	BDL
	"	BDL	BDL	BDL	0.25	0.17	BDL
	"	BDL	BDL	BDL	0.32	0.08	BDL
	"	0.04	0.10	BDL	EDL	0.05	BDL
Bass	Lake Ladora	BDL	0.19	BDL	BDL	BDL	BDL
	"	BDL	0.13	BDL	BDL	BDL	BDL
	"	BDL	0.12	BDL	BDL	BDL	BDL
	"	BDL	0.11	EDL	BDL	BDL	BDL
	"	BDL	0.06	EDL	BDL	BDL	BDL
	"	BDL	0.07	BDL	BDL	BDL	BDL
	"	Lower Derby	0.03	0.49	0.03	BDL	BDL
	"	"	0.02	0.24	0.02	BDL	BDL
	"	"	0.04	0.48	BDL	BDL	BDL
	"	"	0.03	0.50	BDL	BDL	BDL
N. Pike	Lake Ladora	BDL	0.05	BDL	BDL	0.10	0.03
	"	BDL	0.12	BDL	BDL	0.11	0.03
	"	BDL	0.06	BDL	BDL	0.05	BDL
	"	BDL	0.04	BDL	BDL	0.03	BDL
	"	BDL	0.04	BDL	BDL	BDL	BDL
	"	Lower Derby	BDL	0.25	BDL	0.03	EDL
	"	"	BDL	0.53	0.50	BDL	0.03
	"	"	BDL	0.15	BDL	BDL	BDL
	"	"	BDL	0.39	0.40	BDL	0.06
	"	"	BDL	0.13	BDL	BDL	BDL
"	"	"	DET	0.18	DET	DET	DET

TABLE II (continued).

Bullhead	Lake Ladora	BDL	0.11	BDL	BDL	BDL	BDL
"	"	BDL	0.11	BDL	BDL	BDL	BDL
"	"	BDL	0.10	BDL	BDL	0.10	EDL
"	"	BDL	0.16	0.03	BDL	0.09	BDL
"	"	BDL	0.20	0.03	BDL	0.10	0.03
"	"	BDL	0.09	BDL	BDL	0.06	BDL
"	Lower Derby	BDL	0.31	0.03	BDL	0.04	EDL
"	"	BDL	0.48	0.05	BDL	0.10	EDL
"	"	BDL	0.29	0.03	EDL	0.08	EDL
"	"	BDL	0.65	0.05	BDL	EDL	0.04
"	"	BDL	0.40	0.04	BDL	0.07	0.06
"	"	BDL	0.21	BDL	BDL	0.05	0.05

* All fish were caught in May 1979. The Rainbow trout were planted Lake Mary between November 1977 and September 1978.

ALDN = Aldrin; DLDN = Dieldrin; ENDN = Endrin; and HG = Mercury.

Arsenic, Cadmium, Chlorophenylmethyl sulfone, CPM-sulfoxide, CPM-sulfide, Dibromochloropropane, Dithiane, Isodrin, Oxathiane and Diisopropylmethyl-phosphonate were all Below Detectable Limits (BDL).

1980

TABLE 1. Contaminants in Breast and Leg Meat of Pheasants from RMA - 1980

LOCATION ^{2/}	CPM02	CONTAMINANT (ppm) ^{1/}						
		DBCP	DDE	DDT	DIMP	DLDN	ENDN	HG
Section 06-02	BDL	BDL	BDL	BDL	BDL	0.54	BDL	BDL
07-06	BDL	BDL	0.27	0.03	BDL	BDL	BDL	BDL
23-02	BDL	0.03	BDL	BDL	BDL	BDL	BDL	ND
24-10	BDL	0.03	BDL	BDL	BDL	BDL	BDL	BDL
24-10	BDL	BDL	BDL	BDL	BDL	0.15	BDL	0.38
24-15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
24-15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
26-14	1.90	BDL	0.19	0.09	1.54	0.96	0.09	BDL
30-05	BDL	BDL	0.08	BDL	BDL	0.06	0.04	BDL
30-09	BDL	BDL	0.10	BDL	BDL	BDL	BDL	BDL

^{1/} CPM02 = Chlorophenylmethyl sulfone
 DBCP = Dibromochloropropane (Nemagon)
 DDE = Dichlorodiphenyl dichloroethylene
 DDT = Dichlorodiphenyl trichloroethane
 DIMP = Diisopropylmethylphosphonate
 DLDN = Dieldrin
 ENDN = Endrin
 HG = Mercury
 BDL = Below detectable level
 ND = Not done

Aldrin (ALDN), arsenic (AS), cadmium (CD), chlorophenylmethyl sulfide (PCPMS), chlorophenylmethyl sulfoxide (CPMSO), dithiane (DITH), Isodrin (ISOD), and oxathiane (OXAT) were below detectable levels.

^{2/} Locations:

- Section 06-02 = Shoreline on arm of Upper Derby lake.
- Section 07-06 = Bank of Highline canal.
- Section 23-02 = North of 9th Ave, north of Basin F.
- Section 24-10 = North of sewage lagoon.
- Section 24-15 = Woodland east of bog.
- Section 26-14 = Immediately north of Basin F.
- Section 30-05 = East of E street.
- Section 30-09 = East of E street (north of 30-05).

TABLE II. Contaminants in Breast and Leg Meat of Pheasant Controls - 1980

LOCATION	CONTAMINANT (ppm) ^{1/}				
	ALDN	DLDN	ENDN	HG	ISOD
Larimer County, CO	0.05	0.03	BDL	5.0	BDL
" "	0.13	0.14	0.10	BDL	0.09
Weld County, CO	BDL	BDL	BDL	BDL	BDL
" "	0.05	BDL	BDL	BDL	BDL
" "	0.04	BDL	BDL	BDL	BDL

^{1/} AS, CD, CPM02, DBCP, DDE, DDT, DIMP, DITH, OXAT, CPM50, and PCPMS were below detectable levels. (See Table I for abbreviations)

TABLE III. Contaminants in Breast Meat of Mourning Doves from RMA - 1980

LOCATION ^{2/}	CONTAMINANT (ppm) ^{1/}								
	ALDN	DDE	DDT	DIMP	DIDN	ENDN	ISOD	PCPMS	
Section 02-07	BDL	0.53	BDL	BDL	0.61	BDL	0.13	BDL	
02-07	0.05	0.19	0.08	BDL	0.31	0.42	0.16	0.22	
09-02	0.09	0.55	BDL	BDL	BDL	0.14	0.14	1.46	
09-02	0.03	0.62	BDL	BDL	BDL	0.19	0.14	0.75	
12-14	BDL	0.10	BDL	BDL	0.07	0.10	0.11	0.20	
12-14	0.07	0.24	BDL	BDL	0.27	0.20	0.22	BDL	
23-02	0.03	0.24	BDL	0.10	0.57	0.25	BDL	0.30	
23-02	0.03	0.13	0.10	BDL	0.23	0.20	BDL	BDL	
24-15	0.05	0.15	BDL	BDL	0.09	0.08	0.14	0.20	
24-15	0.04	0.08	BDL	BDL	0.09	0.10	BDL	BDL	

^{1/} AS, CD, CPM02, CPM50, DBCP, DITH, HG and OXAT were below detectable levels. (See Table I for abbreviations)

^{2/} Locations:

Section 02-07 = Between Lake Ladora and Shell plant.

03-02 = Locust thicket east of post office buildings.

12-14 = Locust thicket southwest of Rod & Gun club.

23-02 = Fence north of Basin F.

24-15 = Trees east of bog.

TABLE IV. Contaminants in Breast Meat of Mourning Dove Controls - 1980

LOCATION	CONTAMINANT (ppm) ^{#/}					ISOD.
	ALDN	DDE	DDT	ENDN		
Adams County, CO	0.05	BDL	BDL	BDL	BDL	BDL
" " "	BDL	BDL	BDL	BDL	BDL	BDL
" " "	BDL	BDL	BDL	BDL	BDL	BDL
" " "	0.06	BDL	BDL	BDL	BDL	BDL
" " "	0.12	0.40	0.09	0.16	0.10	

^{#/ AS, CD, CPM02, CPM50, DBCP, DIMP, DITH, DLDN, HG, OXAT and PCPMS were below detectable levels. (See Table I for abbreviations)}

TABLE V. Contaminants in Breast and Leg Meat of Ducks from RMA - 1980

LOCATION	SPECIES	CONTAMINANT (ppm) ^{#/}						
		ALDN	DBCP	DDE	DDT	DLDN	ENDN	HG
Rod & Gun Club Pond	Mallard	0.05	BDL	BDL	BDL	0.10	0.07	21.80
" " "	B.W. Teal	0.16	BDL	BDL	0.12	0.41	0.23	8.90
Upper Derby Lake	" " "	0.10	BDL	BDL	0.19	0.45	0.11	2.10
" " "	" " "	0.17	BDL	BDL	BDL	0.68	0.10	5.30
" " "	" " "	0.12	0.36	0.07	BDL	0.12	BDL	2.10
" " "	Mallard	0.11	0.51	BDL	BDL	0.53	0.06	3.80
" " "	" " "	0.18	BDL	BDL	BDL	0.79	0.16	0.94
" " "	" " "	BDL	0.03	BDL	0.70	0.73	0.18	0.79
Sewage Pond	" " "	BDL	BDL	BDL	BDL	0.08	0.03	1.10
" " "	" " "	BDL	BDL	BDL	BDL	0.21	0.07	0.94

^{#/ AS, CD, CPM02, CPM50, DBCP, DIMP, DITH, ISOD, OXAT and PCPMS were below detectable levels. (See Table I for abbreviations)}

TABLE VI. Contaminants in Breast and Leg Meat of Duck Controls - 1980

<u>SPECIES</u>	<u>LOCATION</u>	<u>AGE</u>	<u>SEX</u>	<u>CONTAMINANTS (ppm) */</u>	<u>DDT</u>
DDE					
Mallard	Banner Lake	Ad	F	BDL	BDL
" "	"	"	"	0.03	BDL
" "	"	"	M	BDL	BDL
" "	"	"	"	BDL	BDL
" "	"	"	"	0.05	0.08

*/ ALDN, AS, CD, CPM02, CPMSO, DBCP, DIMP, DITH, DLDN, ENDN, HG, ISOD, OXAT, and PCPMS were below detectable levels, (see table 1 for abbreviations).

TABLE VIII. Contaminants in Edible Portion (Fillets) of Fish from RMA - 1980 /1

Lake	Species	No.	Weight (g)	Contaminants (ppm) /2						
				ALDN	AS	DLDN	ENDY	HG	ISOB	DDT
Lower Derby	L.M. Bass	1	612	.31	BDL	.46	.04	.38	BDL	BDL
	N. Bluegill	1	436	BDL	"	BDL	.03	.36	"	.37
	N. Pike	1	390	"	"	"	BDL	.64	BDL	BDL
	"	1	448	"	"	"	BDL	.28	"	"
	"	1	268	"	"	".07	.04	.29	"	".05
	Bl. Bullhead	1	279	"	"	.12	BDL	.28	"	"
	"	1	257	"	"	".12	BDL	.28	"	"
	"	1	273	.03	"	.44	.03	.24	"	.10
	"	1	280	BDL	"	BDL	BDL	.22	"	BDL
	"	1	268	"	"	"	"	".22	"	"
	"	1	223	.28	"	.12	"	.31	"	.05
	"	1	220	.06	"	.12	.14	.27	"	"
	"	1	241	.03	"	.12	BDL	.31	.03	BDL
	"	1	215	.04	"	.06	"	.21	.02	.12
	"	1	245	.04	"	.27	"	.31	BDL	BDL
	"	2	128/31	BDL	"	.03	"	"	"	.04
	"	1	153	"	"	.03	"	.26	BDL	BDL
	"	1	582	"	"	.05	"	1.33	"	"
	"	1	540	"	"	.05	"	1.77	"	"
	N. Bluegill	3	34/80/71	"	"	.05	"	15.3	"	"
	"	3	109/109/69	"	"	".04	"	.78	"	"
	"	3	102/92/64	"	"	.04	"	.70	"	"
	"	3	63/61/52	"	"	.03	"	.74	"	"
	Bl. Bullhead	1	274	"	"	.05	"	.68	"	"
	"	1	277	"	"	.15	"	.56	"	"
	"	1	261	"	"	.40	.03	.38	"	"
	"	1	303	"	"	.06	BDL	BDL	"	"
	"	1	273	"	"	.10	"	"	"	"
	"	1	306	"	"	.05	"	"	"	"
	"	1	302	"	"	.13	"	"	"	"
	"	1	284	"	"	.26	.03	.29	"	"
	"	1	240	"	"	.11	BDL	BDL	"	"
	"	1	218	"	"	.16	"	"	"	"

<u>Lake</u>	<u>Species</u>	<u>No.</u>	<u>Weight (g)</u>	Contaminants (ppm)							
				<u>ALDN</u>	<u>AS</u>	<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>	<u>ISOD</u>	<u>DDE</u>	<u>DDT</u>
L. Mary	C. Catfish	1	597	BDL	BDL	.16	BDL	BDL	BDL	BDL	BDL
"	" "	1	746	"	"	.22	"	.35	"	"	"
"	L.M. Bass	2	170/156	"	2.10	.11	"	BDL	.03	.06	"
"	" "	2	131/113	"	2.00	.10	"	.32	BDL	BDL	"
"	" "	2	126/120	"	BDL	.03	"	BDL	"	"	"
"	" "	2	125/124	"	2.10	.06	"	"	"	"	"
"	" "	2	247/110	"	2.20	BDL	"	"	"	"	"
"	" "	3	105/102/99	"	BDL	.08	"	.21	"	"	"
"	" "	2	127/109	"	"	.03	"	.35	"	"	"

1/ All fish were caught on 6-10-80

<u>Contaminant</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPMO2	0.20
Cpm-sulfoxide	CPMSO	0.20
Dibromochloropropane	DBCP	0.02
Dichlorodiphenyl dichloroethylene	DDE	0.02
Dichlorodiphenyl trichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

CD, CPMO2, PCPMS, DBCP, DIMP, DITH, CPMSO, and OXAT were all below detectable levels (BDL).

1981

TABLE I
Contaminants in Breast and Leg Meat of Pheasants
from RMA - 1981^{1/}

<u>Location</u> ^{2/}	<u>Sex</u>	<u>Age</u>	<u>CPMO2</u>	<u>DIMP</u>	<u>DLDN</u>	<u>ENDN</u>	<u>Contaminant (ppm)</u> ^{3/}
Section 01-11	M	Ad	BDL	BDL	0.04	BDL	1.20
01-11	M	Juv	BDL	BDL	0.16	BDL	0.23
06-05	F	Ad	BDL	BDL	0.04	BDL	BDL
06-05	M	Juv	BDL	BDL	0.02	0.02	0.32
24-10	M	Ad	BDL	BDL	BDL	BDL	0.26
24-10	M	Ad	BDL	BDL	BDL	BDL	BDL
31-13	M	Ad	BDL	BDL	BDL	BDL	BDL
26-06	M	Ad	BDL	0.10	0.06	BDL	BDL
26-06	M	Ad	BDL	0.10	0.02	BDL	BDL
26-11	M	Ad	0.36	0.34	2.83	0.03	BDL

1/ Taken 4-11 Sep 81

2/ Locations:

Section 01-11	North shore of Upper Derby
06-05	North of Upper Derby arm
24-10	North of sewage pond
31-13	Northwest corner of section 31
26-06	Just South of Basin F fence
26-11	Just East of Basin F fence

<u>Contaminant</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPMO2	0.20
Cpm-sulfoxide	CPMSO	0.20
Dibromochloropropane	DBCP	0.02
Dichlorodiphenyldichloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

ALDN, AS, CD, CPMSO, DBCP, DDE, DDT, DITH, ISOD, OXAT and PCPMS were below their detection levels (BDL).

TABLE II
Contaminants in Breast and Leg Meat of Mallard
Ducks from RMA - 1981 1/

<u>Location</u>	<u>Sex</u>	<u>Age</u>	<u>ALDN</u>	<u>DLDN</u>	<u>ENDN</u>	<u>DDE</u>	<u>DDT</u>	<u>Contaminant (ppm) 2/</u>
Lake Mary	F	Juv	BDL	BDL	BDL	0.21	BDL	
" "	F	Juv	BDL	0.08	0.03	0.10	0.03	
R&G Club Pond	M	Ad	BDL	0.97	0.03	BDL	0.03	
" "	F	Ad	BDL	0.06	BDL	0.09	0.02	
Pond, Sec 11	F	Juv	BDL	0.03	BDL	BDL	BDL	
" "	F	Juv	BDL	0.04	0.03	0.03	0.02	
Upper Derby	F	Juv	0.03	0.88	0.04	BDL	0.02	
" "	F	Juv	BDL	0.68	BDL	BDL	0.02	
Sewage Pond	F	Juv	0.02	0.42	0.02	BDL	0.02	
" "	F	Juv	BDL	0.28	0.02	BDL	0.02	

1/ Taken 3-11 Sep 81. All ducks assumed to be summer residents.

2/ See Table I for symbols. AS, CD, CPM02, CPMSO, DBCP, DIMP, DITH, HG, ISOD, OXAT, and PCPMS were below their detection levels (BDL).

TABLE III

Contaminants in the Breast Meat of Mourning Doves
from RMA - 1981 1/

<u>Location</u> 2/	<u>Sex</u>	<u>Age</u>	<u>CPMO2</u>	<u>DLDN</u>	<u>ENDN</u>	<u>DDE</u>	<u>Contaminant (ppm)</u> 3/
Section 02-10	?	Ad	0.22	0.24	0.03	BDL	
02-10	?	Ad	BDL	0.22	0.03	BDL	
04-02	?	Ad	BDL	BDL	BDL	BDL	
04-02	?	Ad	BDL	BDL	BDL	BDL	
12-14	?	Ad	BDL	BDL	BDL	0.03	
12-14	?	Ad	BDL	BDL	BDL	BDL	
35-13	?	Ad	0.22	BDL	BDL	BDL	
35-13	?	Ad	BDL	BDL	BDL	BDL	
26-11	?	Ad	0.53	3.40	0.30	BDL	
26-11	?	Ad	2.53	9.96	1.21	BDL	

1/ Taken on 31 Aug and 1 Sep 81.

2/ Locations:

- Section 02-10 Between Lake Ladora and South plants area
- 04-02 Southwest corner of section 4
- 12-14 North of Rod & Gun Club pond
- 35-13 Northwest corner of section 35
- 26-11 East fence of Basin F

3/ See Table I for symbols. ALDN, AS, CD, CPMSO, DBCP, DDT, DIMP, DITH, HG, ISOD, OXAT and PCPMS were below their detection levels (BDL).

TABLE IV

Contaminants in the Meat of Cottontail Rabbits from
RMA - 1981 1/

<u>Location</u> 2/	<u>Sex</u>	<u>Age</u>	<u>CPMO2</u>	<u>DLDN</u>	<u>HG</u>	<u>Contaminant (ppm)</u> 3/
Section 12-09	F	Ad	BDL	BDL	BDL	
12-09	M	Ad	BDL	BDL	BDL	
12-09	M	Ad	BDL	BDL	BDL	
01-07	F	Ad	BDL	BDL	BDL	
01-09	M	Ad	BDL	0.54	BDL	
01-09	M	Ad	BDL	0.41	0.20	
23-08	F	Ad	BDL	0.05	BDL	
23-08	F	Ad	BDL	0.06	BDL	
26-11	F	Ad	0.30	1.75	BDL	
26-11	F	Ad	0.28	1.87	BDL	

1/ Taken between 8 Oct and 4 Nov 81.

2/ Locations:

Section 12-09 Northwest corner of Section 12
 01-07 North shore of Upper Derby
 01-09 South plants area
 23-08 Southeast corner of section 23
 26-11 East of Basin F fence

3/ See Table I for symbols. ALDN, AS, CD, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD, OXAT and PCPMS were below their detection levels (BDL).

TABLE V

Contaminants in Edible Portions (Filets) of Fish
from RMA - 1981 /¹

<u>Lake</u>	<u>Species</u>	<u>No.</u>	<u>Wt(g)</u>	<u>DLDN</u>	<u>Contaminant</u> / ²			
					<u>ENDN</u>	<u>HG</u>	<u>ISOD</u>	<u>DDE</u>
Lower Derby	L.M. Bass	1	275	0.03	BDL	0.44	BDL	0.05
"	N. Pike	1	325	BDL	BDL	0.63	BDL	0.03
"	" "	1	286	BDL	BDL	0.49	BDL	0.03
"	" "	1	208	BDL	BDL	0.45	BDL	BDL
"	" "	1	549	0.06	BDL	0.49	BDL	0.03
"	" "	1	883	0.12	BDL	1.04	BDL	0.03
"	" "	1	690	BDL	BDL	0.45	BDL	BDL
"	" "	1	718	0.10	BDL	0.76	BDL	0.03
"	" "	1	1395	0.10	0.03	1.18	BDL	0.03
"	" "	1	1873	0.08	0.03	1.00	BDL	0.07
"	B1 Bullhead	1	344	0.31	0.04	0.76	BDL	BDL
"	" "	1	229	0.10	BDL	0.61	BDL	0.03
"	" "	1	275	0.14	BDL	0.61	BDL	BDL
"	" "	1	313	0.23	0.03	1.30	BDL	0.06
"	" "	1	275	0.29	0.04	0.48	BDL	0.06
"	" "	1	263	0.16	BDL	0.44	BDL	BDL
"	" "	1	257	0.30	0.04	9.00	BDL	BDL
"	" "	1	283	0.09	0.03	0.48	BDL	BDL
"	" "	1	261	0.10	0.03	0.35	BDL	BDL
"	" "	1	226	0.05	BDL	0.59	BDL	BDL
Ladora	L.M. Bass	1	817	BDL	BDL	0.47	BDL	BDL
"	" "	1	736	0.05	BDL	0.46	BDL	BDL
"	" "	1	692	0.06	BDL	BDL	BDL	BDL
"	" "	1	644	0.03	BDL	BDL	BDL	BDL
"	N. Bluegill	2	118/45	BDL	BDL	BDL	BDL	BDL
"	" "	2	89/42	BDL	BDL	BDL	BDL	BDL
"	" "	2	88/38	BDL	BDL	BDL	0.05	BDL
"	" "	4	40/25/37/32	0.03	BDL	BDL	0.19	BDL
"	N. Pike	1	3000	BDL	BDL	1.30	BDL	0.03
"	" "	1	2750	BDL	BDL	1.10	BDL	0.03
"	" "	1	2500	BDL	BDL	1.00	BDL	0.04
"	" "	1	2000	0.03	BDL	1.10	BDL	0.03
"	B1 Bullhead	1	229	BDL	BDL	0.23	BDL	BDL
"	" "	1	367	0.09	BDL	0.37	BDL	0.03
"	" "	1	344	0.06	BDL	0.25	BDL	BDL
"	" "	1	308	0.06	BDL	0.20	BDL	0.05
"	" "	1	253	0.13	BDL	0.26	BDL	0.04
"	" "	1	268	0.04	BDL	0.21	BDL	BDL
"	" "	1	257	0.05	BDL	0.22	BDL	BDL
"	" "	1	259	0.09	BDL	BDL	0.04	BDL
"	" "	1	196	0.08	BDL	BDL	0.06	BDL
"	" "	1	224	0.03	BDL	BDL	BDL	BDL

TABLE V
 Contaminants in Edible Portions (Filets) of Fish
 from RMA - 1981^{/1} (cont)

<u>Lake</u>	<u>Species</u>	<u>No.</u>	<u>Wt(g)</u>	<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>	<u>ISOD</u>	<u>DDE</u>
Mary	L.M. Bass	1	112	BDL	BDL	BDL	BDL	BDL
" "	" "	1	103	0.05	BDL	0.59	BDL	BDL
" "	" "	1	119	0.03	BDL	5.85	BDL	BDL
" "	" "	1	106	0.08	BDL	0.59	BDL	BDL
" "	" "	1	101	0.03	BDL	0.63	BDL	BDL
" "	" "	1	85	0.06	BDL	0.51	BDL	BDL
" "	" "	1	100	0.03	BDL	0.59	BDL	BDL
" "	" "	1	100	BDL	BDL	0.58	BDL	BDL
" "	" "	1	98	0.06	BDL	0.55	BDL	BDL
" "	" "	1	103	BDL	BDL	0.57	BDL	BDL
" "	" "	1	119	BDL	BDL	6.55	BDL	BDL
" "	" "	1	115	BDL	BDL	0.57	BDL	BDL

^{/1} All fish were caught on 3 June 1981

^{/2} See Table I for symbols. ALDN, AS, CD, CPM02, CPM50, DBCP, DDT, DIMP; DITH, OXAT, and PCPMS were below their detection levels (BDL).

Contaminants in "Control" Game Birds - 1981

Control game bird samples consisting of five each of pheasants, mallard ducks and mourning doves collected off post by the Colorado Division of Wildlife were below detectable levels for all contaminants except 0.03 ppm endrin and 0.09 ppm DDE in one duck (an adult mallard taken on the South Platte river near 78th Ave).

1982

TABLE I
Contaminants in Breast and Leg Meat of Pheasants
from RMA - 1982 ^{1/}

<u>Location</u> ^{2/}	<u>Sex</u>	<u>Age</u>	<u>Contaminant (ppm)</u> ^{3/}	
			<u>CPM02</u>	<u>DLDN</u>
Section 26-14	M	Ad	1.00	0.12
26-14	M	Juv	0.73	0.08
26-14	M	Juv	0.57	0.04
26-14	M	Ad	0.56	0.06
24-04	M	Ad	BDL	BDL
24-04	M	Ad	BDL	BDL
24-10	M	Ad	BDL	BDL
24-10	M	Ad	BDL	BDL
01-11	M	Juv	BDL	BDL
01-11	M	Ad	BDL	BDL
01-11	M	Ad	BDL	BDL
07-09	M	Juv	BDL	BDL

1/Taken 15-19 Aug 82

2/Locations:

- Section 26-14 Just north of Basin F fence
- 24-04 Southeast corner of section 24
- 24-10 North of sewage pond
- 01-11 North shore of Upper Derby
- 07-09 Highline canal, NW corner of section 7

<u>3/Contaminants</u>	<u>Symbol</u>	<u>Detection Level (ppm)</u>
Aldrin	ALDN	0.02
Arsenic	AS	2.00
Cadmium	CD	1.00
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPM02	0.20
Cpm-sulfoxide	CPMSO	0.20
Dibromochloropropane	DBCP	0.02
Dichlorodiphenyltrichloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmethylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

ALDN, AS, CD, PCPMS, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE II
 Contaminants in Breast and Leg Meat of Pheasants
 from Off Post - 1982

<u>Date</u>	<u>Location</u>	<u>Sex</u>	<u>Age</u>	<u>DDE</u>	<u>Contaminant (ppm)</u>
8-12-82	Weld Co.	?	Juv	BDL	
8-12-82	Weld Co.	?	Juv	BDL	
8-19-82	Weld Co.	F	Ad	0.03	
8-19-82	Weld Co.	M	Ad	BDL	
8-19-82	Weld Co.	F	Juv	BDL	
8-19-82	Weld Co.	M	Juv	BDL	
8-20-82	Adams Co.	M	Juv	BDL	
8-20-82	Adams Co.	M	Juv	BDL	
8-21-82	Adams Co.	M	Juv	BDL	

1/See Table I for symbols. ALDN, AS, CD, PCPMS, CPM02, CPMS0, DBCP, DDT, DLDN, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE III
Contaminants in Breast and Leg Meat of Ducks
from RMA - 1982 1/

<u>Location</u>	<u>Species</u>	<u>Sex</u>	<u>Age</u>	<u>Contaminant (ppm)</u> ^{2/}		
				DLDN	ENDN	DDE
North bog	Mallard	?	Juv	0.50	0.03	0.09
"	"	?	Juv	1.72	0.04	BDL
"	"	?	Juv	0.50	BDL	BDL
"	"	?	Juv	2.07	0.06	BDL
Pond, Sect 11	"	M	Ad	0.57	BDL	BDL
"	"	F	Ad	BDL	BDL	BDL
Uvalda ditch	"	?	Juv	0.03	BDL	BDL
"	"	?	Juv	BDL	BDL	BDL
Lower Derby	"	?	Juv	0.52	BDL	BDL
"	"	?	Juv	0.68	BDL	BDL
Sewage pond	"	M	Ad	0.62	0.06	BDL
"	Bl.W.TeaL	F	Ad	0.16	BDL	BDL

1/Taken 5 Aug - 8 Sep 82. All ducks assumed to be summer residents.

2/See Table I for symbols. ALDN, AS, CD, PCPMS, CPM02, CPMSO, DBCP, DDT, DIMP, DITH, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE IV
 Contaminants in Breast and Leg Meat of Ducks
 from Off Post - 1982

<u>Date</u>	<u>Location</u>	<u>Species</u>	<u>Sex</u>	<u>Age</u>	<u>DDE</u>	<u>DDT</u>	<u>DLDN</u>	<u>HG</u>	<u>Contaminant (ppm)</u>
8-11-82	Weld Co.	Mallard	M	Ad	0.09	BDL	BDL	BDL	
"	"	"	M	Juv	0.11	BDL	BDL	BDL	
"	"	"	M	Juv	0.12	BDL	BDL	BDL	
"	"	"	M	Juv	BDL	BDL	BDL	BDL	
"	"	"	F	Juv	0.11	BDL	BDL	BDL	
"	"	"	F	Juv	BDL	BDL	BDL	BDL	
9-4-82	"	"	F	Ad	BDL	BDL	BDL	BDL	
9-5-82	Adams Co.	"	F	Ad	BDL	BDL	BDL	BDL	
9-10-82	Weld Co.	"	F	Ad	BDL	BDL	BDL	BDL	
"	"	"	F	Ad	BDL	BDL	BDL	BDL	
"	"	Pintail	F	Ad	BDL	BDL	BDL	BDL	
10-2-82	Adams Co.	Bl.W.Teal	F	Ad	0.04	0.05	0.07	2.00	
"	"	"	F	Ad	BDL	BDL	BDL	BDL	
10-30-82	"	Mallard	M	Ad	BDL	BDL	BDL	BDL	

1/See Table I for symbols. ALDN, AS, CD, PCPMS, CPM02, CPM50, DBCP, DIMP, DITH, ENDN, ISOD and OXAT were below their detectable levels (BDL).

TABLE V
 Contaminants in the Breast Meat of Mourning Doves
 from RMA - 1982 1/

<u>Location</u>	<u>2/</u>	<u>Sex</u>	<u>Age</u>	<u>Contaminant (ppm)</u>	<u>3/</u>
Section 26-02		?	Ad	0.03	
26-06		?	Ad	BDL	
26-13		?	Ad	BDL	
07-06		?	Ad	BDL	
07-06		?	Ad	BDL	
07-06		?	Ad	BDL	
09-15		?	Ad	BDL	
09-15		?	Ad	BDL	
09-09		?	Ad	BDL	
12-14		?	Ad	BDL	
12-14		?	Ad	BDL	
24-14		?	Ad	BDL	
24-14		?	Ad	BDL	
01-06		?	Ad	BDL	
01-06		?	Ad	BDL	

1/Taken 5-10 Aug 82

2/Locations:

- Section 26-02 Between Basins C and D
- 26-06 Between Basins C and F
- 26-13 West fence of Basin F
- 07-06 Highline canal, SW corner of Sect 7
- 09-15 Northeast corner of Sect 9
- 09-09 Northwest corner of Sect 9
- 12-14 Rod and Gun Club pond
- 24-14 Northwest corner of Sect 24
- 01-06 Between Lower Derby and south plants area

3/See Table I for symbols. ALDN, AS, CD, PCPMS, CPM02, CPM50, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE VI
 Contaminants in Breast Meat of Mourning Doves
 from Off Post - 1982

<u>Date</u>	<u>Location</u>	<u>Sex</u>	<u>Age</u>	<u>Contaminant (ppm)</u> 1/
8-11-82	Weld Co.	?	Ad	0.03
"	"	?	Ad	BDL
"	"	?	Ad	BDL
"	"	?	Ad	BDL
8-14-82	Arapahoe Co.	?	Ad	0.03
"	"	?	Ad	BDL
8-21-82	Adams Co.	?	Ad	BDL
9-1-82	Weld Co.	?	Ad	BDL
9-6-82	Adams Co.	?	Ad	BDL

1/See Table I for symbols. ALDN, AS, CD, PCPMS, CPM02, CPMSO, DBCP, DDT, DLDN, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (DBL).

TABLE VII
Contaminants in the Meat of Cottontail Rabbits
from RMA - 1982 ^{1/}

<u>Location</u> ^{2/}	<u>Sex</u>	<u>Age</u>	<u>Contaminants (ppm)</u> ^{3/}	
			CPMO2	DLDN
Section 01-09	F	Ad	BDL	0.13
01-09	F	Ad	BDL	0.59
01-09	M	Ad	BDL	0.06
26-14	F	Juv	BDL	0.08
26-14	F	Ad	0.46	0.04
26-14	M	Ad	BDL	0.09
23-16	M	Ad	BDL	BDL
23-16	M	Ad	BDL	BDL
34-15	M	Ad	BDL	BDL
01-07	M	Ad	BDL	BDL
01-07	M	Ad	BDL	BDL
12-09	F	Ad	BDL	BDL
12-09	F	Ad	BDL	BDL
02-05	M	Ad	BDL	BDL
11-06	M	Ad	BDL	BDL

1/Taken 22 Sep - 14 Oct 82

2/Locations:

- Section 01-09 South plants area.
- 26-14 North of Basin F fence
- 23-16 Northeast corner of Sect 23
- 34-15 Northeast corner of Sect 34
- 01-07 North shore of Upper Derby
- 12-09 South of Rod and Gun Club
- 02-05 South shore of Lake Mary
- 11-06 Central part of Sect 11

3/See Table I for symbols. ALDN, AS, CD, PCPMS, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE VIII
Contaminants in Edible Portion (Filets) of Fish
from RMA - 1982^{1/}

<u>Lake</u>	<u>Species</u>	<u>No.</u>	<u>Wt. (g)</u>	<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>	<u>DDE</u>	<u>DDT</u>	<u>Contaminant (ppm)</u> ^{2/}
Lower Derby	N.Pike	1	> 825	0.05	BDL	0.36	0.06	0.04	
	"	1	> 836	0.11	BDL	0.53	0.05	0.05	
	"	1	> 922	0.05	BDL	BDL	0.05	BDL	
	"	1	866	0.07	BDL	0.74	0.14	BDL	
	"	1	> 543	0.07	BDL	0.40	0.07	0.05	
	"	1	> 2000	0.07	0.04	0.81	0.20	0.09	
	"	1	633	0.04	BDL	0.61	0.08	BDL	
	"	1	791	0.05	BDL	0.52	0.06	BDL	
	"	1	> 1618	0.03	BDL	0.97	0.09	BDL	
	"	1	> 1633	BDL	BDL	1.60	0.05	BDL	
	"	1	> 1273	BDL	BDL	1.80	0.03	BDL	
	"	1	> 1547	BDL	BDL	0.80	BDL	BDL	
	L.M.Bass	1	> 1056	0.34	0.03	0.40	0.08	0.10	
	B1.Bullhead	1	173	0.06	BDL	0.25	BDL	BDL	
Ladora		1	222	0.05	BDL	0.16	0.06	BDL	
	"	1	239	0.11	0.03	0.39	0.11	BDL	
	"	1	192	0.09	BDL	0.25	0.09	BDL	
	"	1	211	0.05	BDL	0.56	BDL	BDL	
	"	1	244	0.07	BDL	0.36	0.05	BDL	
	"	1	155	BDL	BDL	0.47	BDL	BDL	
	"	1	244	0.05	BDL	0.27	0.04	BDL	
	"	1	216	0.10	BDL	BDL	0.06	BDL	
	"	1	280	0.07	BDL	BDL	0.03	BDL	
	N.Pike	1	6220	BDL	BDL	0.24	0.08	BDL	
	"	1	2750	BDL	BDL	0.21	BDL	BDL	
	"	1	7582	0.04	BDL	0.30	0.03	BDL	
	"	1	4800	0.03	BDL	0.22	0.03	BDL	
	"	1	5000	BDL	BDL	0.23	0.03	BDL	
B1.Bullhead		1	3750	0.07	BDL	0.30	0.07	BDL	
	"	1	3150	0.04	BDL	0.22	0.05	BDL	
	"	1	2300	0.03	BDL	0.26	BDL	BDL	
	L.M.Bass	1	1500	BDL	BDL	0.27	0.03	BDL	
	"	1	790	0.03	BDL	0.49	0.03	0.03	
	"	1	658	0.05	BDL	0.48	0.06	0.09	
	"	1	632	BDL	BDL	0.48	BDL	BDL	
	"	1	324	BDL	BDL	0.30	BDL	BDL	
	"	1	57	0.05	BDL	BDL	BDL	BDL	
	B1.Bullhead	1	272	0.04	BDL	0.74	BDL	0.03	
		1	250	0.07	BDL	0.76	BDL	0.03	
	"	1	350	0.19	0.03	0.81	0.04	0.06	
	"	1	206	BDL	BDL	0.72	BDL	BDL	
	"	1	294	0.11	BDL	BDL	0.05	0.07	
	"	1	351	0.09	BDL	0.75	0.05	BDL	

TABLE VIII (continued)

<u>Lake</u>	<u>Species</u>	<u>No.</u>	<u>Wt. (g)</u>	<u>DLDN</u>	<u>ENDN</u>	<u>HG</u>	<u>DDE</u>	<u>DDT</u>
Ladora	B1.Bullhead	1	322	0.13	BDL	BDL	BDL	0.04
	"	1	355	0.04	BDL	BDL	BDL	BDL
	"	1	311	0.14	0.03	BDL	0.09	0.08
	"	1	270	0.24	0.03	0.54	0.07	0.06
	N.Bluegill	6	1.7,2.6,3.8, 5.5,6.3,9.0	BDL	BDL	0.56	BDL	BDL
		2	16,29	0.04	BDL	0.47	BDL	BDL
		2	91,100	0.04	BDL	0.35	BDL	BDL
		2	89,98	0.04	BDL	0.44	BDL	BDL
		2	72,91	0.06	BDL	0.40	BDL	BDL
		2	98,102	0.06	BDL	BDL	0.03	BDL
		2	70,83	0.06	BDL	BDL	BDL	BDL
		2	61,64	0.07	BDL	BDL	BDL	BDL
		2	74,53	0.08	BDL	BDL	BDL	BDL
		2	79,72	0.15	BDL	BDL	0.03	BDL
Mary	L.M.Bass	1	112	0.05	BDL	BDL	BDL	BDL
		1	130	0.05	BDL	2.50	BDL	BDL
		1	116	0.06	BDL	0.24	BDL	BDL
		1	140	0.07	BDL	0.24	BDL	BDL
		1	126	0.08	BDL	0.22	BDL	BDL
		1	124	0.16	BDL	BDL	BDL	BDL
		1	111	0.05	BDL	0.30	BDL	BDL
		1	141	0.04	BDL	0.22	BDL	BDL
		1	117	0.05	BDL	BDL	BDL	BDL
		1	123	0.04	BDL	0.22	BDL	BDL
		1	135	0.04	BDL	0.39	BDL	BDL
		1	120	BDL	BDL	BDL	BDL	BDL
		1	98	0.05	BDL	0.19	BDL	BDL
		1	130	0.04	BDL	BDL	BDL	BDL
		1	127	0.04	BDL	BDL	BDL	BDL
		1	107	0.11	BDL	BDL	BDL	BDL
		1	118	0.10	BDL	BDL	BDL	BDL
		1	117	0.12	BDL	0.22	BDL	BDL
		1	106	0.08	BDL	BDL	BDL	BDL
		1	113	0.04	BDL	0.39	0.03	BDL
		1	>1138	0.22	0.03	BDL	0.05	BDL

1/Caught 9-24 Jun 82

2/See Table I for symbols. ALDN, AS, CD, PCPMS, CPM02, CPM05, DBCP, DIMP, DITH, ISOD and OXAT were below their detection levels (BDL).

Contaminants in Mule Deer on RMA, 1977 - 1982

Contaminants in Mule Deer on RMA, 1977 - 1982

Year	Cause of Death	Location	Tissue(s)	Contaminants Found (ug/g)											
				ALDN	CD	CPM02	CPMSO	DBCP	DITH	DLDN	ENDN	HG	OXAT	DDE	DDT
1977	Hunting	Sect 05	F,M,L	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	"	Sect 05	F,L	BDL	BDL	BDL	BDL	BDL	BDL	0.13	0.48	BDL	BDL	BDL	BDL
	"	Sect 08	F,M,L	BDL	BDL	BDL	BDL	BDL	BDL	0.21	BDL	BDL	BDL	BDL	BDL
	"	Sect 30	F,M,L	BDL	BDL	0.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	"	Sect 31	F,M,L	BDL	BDL	BDL	BDL	BDL	BDL	0.06	BDL	BDL	BDL	BDL	BDL
	"	Sect 32	F,L	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.34	BDL
1978	Euthanasia (broken leg)	Sect 32	M F	BDL	BDL	BDL	0.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	"	Sect 12	M L H	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	Shot(poached)	Sect 23	M	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1980	Euthanasia (broken leg)	Sect 23	M	BDL	1.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.23	BDL	BDL
	Roadkill	Sect 31	M L	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.66	BDL	BDL
1982	Euthanasia (injured)	Sect 01	M	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	Died of unknown cause	Sect 01	L F	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
				BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
				BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

1/ F (fat) M (muscle), L (liver), B (brain), H (heart)

2/ AS, PCPMS, DIMP and ISOD were below detectable levels (BDL).

Summary of Contaminant Concentrations in Fish on RMA

1979 - 1982

Summary of Contaminant Concentrations in Fish on RMA (All Species) - 1979 - 1982

Lake	Year	Samp Size	A L D R I N			D I E L D R I N			M E R C U R Y		
			ug/g wet wt.	No. of Fish	Exc. FDA Action Level	ug/g wet wt.	No. of Fish	Exc. FDA Action Level	ug/g wet wt.	No. of Fish	Exc. FDA Action Level
Lower Derby	79	18	0.01(0.004)	Bd1*-0.05	0	0.36(0.04)	0.13-0.65	10(55%)			
	80	15	0.05(0.03)	Bd1 -0.31	1(7%)	0.12(0.04)	Bd1-0.46	2(13%)			
	81	20	0	-	0	0.11(0.02)	Bd1-0.31	2(10%)			
	82	23	0	-	0	0.07(0.01)	Bd1-0.34	1(4%)			
	79	17	0	-	0	0.10(0.01)	0.04-0.20	0			
	80	18	0	-	0	0.10(0.02)	0.03-0.40	1(6%)			
	81	22	0	-	0	0.04(0.01)	Bd1-0.13	0			
	82	34	0	-	0	0.07(0.01)	Bd1-0.24	0			
	79	13	0.009(0.005)	Bd1-0.04	0	0.04(0.01)	Bd1-0.10	0			
	80	9	0	-	0	0.09(0.02)	Bd1-0.22	0			
Ladore	81	12	0	-	0	0.03(0.01)	Bd1-0.08	0			
	82	21	0	-	0	0.07(0.01)	Bd1-0.22	0			
	79	18	0.06(0.03)	Bd1-0.50	2(11%)	0	-	0			
	80	15	0.02(0.01)	Bd1-0.14	0	0.31(0.03)	0.21-0.64	0			
	81	20	0	-	0	1.08(0.42)	0.35-9.00	5(25%)			
	82	23	0.004(0.002)	Bd1-0.04	0	0.53(0.09)	Bd1-1.80	2(9%)			
	79	17	0.004(0.002)	Bd1-0.03	0	0	-	0			
	80	18	0.003(0.002)	Bd1-0.03	0	1.27(0.83)	Bd1-15.3	3(17%)			
	81	22	0	-	0	0.33(0.09)	Bd1-1.30	4(18%)			
	82	34	0.003(0.002)	Bd1-0.03	0	0.31(0.04)	Bd1-0.81	0			
Mary	79	13	0	-	0	0.08(0.04)	Bd1-0.32	0			
	80	9	0	-	0	0.14(0.06)	Bd1-0.35	0			
	81	12	0	-	0	1.46(0.64)	Bd1-6.55	2(17%)			
	82	21	0.001(0.001)	Bd1-0.03	0	0.24(0.12)	Bd1-2.50	1(5%)			

* Bd1 = Below detectable level