



# Region 4 Inventory and Monitoring Network

## Mobile Acoustical Bat Monitoring Annual Summary Report

2014

### ST. CATHERINE CREEK NATIONAL WILDLIFE REFUGE



The Region 4 Inventory and Monitoring Network coordinated acoustical bat monitoring on 50 National Wildlife Refuges and 2 Ecological Services field offices in Regions 2, 3, and 4 during 2014. Surveys establish baseline inventories of bat species at each station and contribute to a landscape-level understanding of bat population trends and habitat associations. Bat call data were collected using Anabat SD2 detectors along up to 30 mile mobile transects during June and July each year following the procedures outlined in the Mobile Bat Acoustical Survey Protocol (USFWS 2012\*).

This report summarizes bat calls collected along transects at your station in 2014 and provides annual species detections from 2012 and 2013 for comparison. Calls were classified using Bat Call ID ([BCID] version 2.6a) software and restricted to calls with 5 or more pulses. This annual summary report package contains summary information on transect surveys, and a digital folder containing shapefiles and BCID output files. Summary tables include all classified species observations including those that did not have an associated spatial reference.

All submitted call data and survey metadata have been archived and are available on the Mobile Acoustical Bat Monitoring SharePoint site (<https://fishnet.fws.doi.net/regions/4/nwrs/IM/bats>). Bat call files, GPS data, and survey metadata sheets were reviewed for quality assurance prior to generation of this report. Some submitted data were necessarily excluded due to identified errors in collection processes. All acoustical bat data will be summarized in a comprehensive 2014 annual report following station-level reporting.

*\*U.S Fish and Wildlife Service. 2012. Mobile Bat Acoustical Survey Protocol, U.S. Fish and Wildlife Service, Region 4, Division of Refuges*

# ST. CATHERINE CREEK NATIONAL WILDLIFE REFUGE

**Route Name: SccNWR2 Homochitto Levee to Cloverdale Gate**

Survey date	# bat calls	Route completed?	GPS data?	Survey notes
6/17/2014	15	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
7/15/2014	45	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Survey was conducted before a frontal boundary with storms in the area; higher abundance of bugs observed

## ST. CATHERINE CREEK NATIONAL WILDLIFE REFUGE

SccNWR2

Homochitto Levee to Cloverdale Gate

Species Filter 11: CORA, EPFU, LABO,  
MYAU, NYHU, PESU

Length of transect (miles): 20.67

---

### Nightly Summary

	<u>Survey date</u>	<u>Total observed</u>	<u>Bats/mile</u>
<b>Big brown bat</b>			
	6/17/2014	1	0.05
	7/15/2014	3	0.15
<b>Eastern red bat</b>			
	6/17/2014	4	0.19
	7/15/2014	13	0.63
<b>Evening bat</b>			
	6/17/2014	8	0.39
	7/15/2014	13	0.63
<b>Tricolored bat</b>			
	6/17/2014	1	0.05
	7/15/2014	14	0.68
<b>Unknown</b>			
	6/17/2014	1	0.05
	7/15/2014	2	0.1

# Species Summary 2012-2014

Below are the results of bat species classification generated from automated acoustic bat ID software in BCID version 2.6a. Automated acoustical bat classification has inherent limitations based in part on call quality, species filter constraints, and statistical model agreement parameters. Using a conservative approach to generate robust species classifications, calls with fewer than 5 pulses were not classified; therefore the estimates presented here may under-represent the actual number of bats detected on a survey night. Classified calls were geo-referenced using a custom python script to combine GPS locations with individual calls based on unique Date and Time parameters. Accuracy of call classification varies among species but is reported to be >80% correct. Measures of confidence in species identification for each survey night are available as a maximum-likelihood estimator p-value for each observed species in the BCID output files included with this summary report package. BCID version 2.6a does not classify the following species (Seminole bat - LASE, Northern yellow bat - LAIN, Brazilian free-tailed bat - TABR). If these species occur within your monitoring area, the calls generally will be classified to a species with the closest model agreement or classified to "unknown". Species summary tables include all classified calls including those without a spatial reference.

## ST. CATHERINE CREEK NATIONAL WILDLIFE REFUGE

---

**SccNWR1**      **Pintail Lane to Salt Lake** - Route only conducted in 2012

**Length of transect (miles):**      **12.54**

---

### Annual Summary

		<u>Total observed</u>	<u># Survey nights</u>	<u># Bats/night</u>	<u># Bats/mile</u>
<b>Big brown bat</b>					
	2012	2	3	0.67	0.05
<b>Eastern red bat</b>					
	2012	56	3	18.67	1.49
<b>Evening bat</b>					
	2012	49	3	16.33	1.3
<b>Tricolored bat</b>					
	2012	37	3	12.33	0.98
<b>Unknown</b>					
	2012	8	3	2.67	0.21

# ST. CATHERINE CREEK NATIONAL WILDLIFE REFUGE

---

<b>SccNWR2</b>	<b>Homochitto Levee to Cloverdale Gate</b>	Species Filter 11: CORA, EPFU, LABO,
<b>Length of transect (miles):</b>	<b>20.67</b>	MYAU, NYHU, PESU

---

## Annual Summary

		<u>Total observed</u>	<u># Survey nights</u>	<u># Bats/night</u>	<u># Bats/mile</u>
<b>Big brown bat</b>					
	2012	8	3	2.67	0.13
	2013	2	2	1	0.05
	2014	4	2	2	0.1
<b>Eastern red bat</b>					
	2012	32	3	10.67	0.52
	2013	44	2	22	1.06
	2014	17	2	8.5	0.41
<b>Evening bat</b>					
	2012	36	3	12	0.58
	2013	62	2	31	1.5
	2014	21	2	10.5	0.51
<b>Tricolored bat</b>					
	2012	29	3	9.67	0.47
	2013	25	2	12.5	0.6
	2014	15	2	7.5	0.36
<b>Unknown</b>					
	2012	5	3	1.67	0.08
	2013	6	2	3	0.15
	2014	3	2	1.5	0.07