
## Fish Springs NWR

if I suspected a nesting pair I would probably concentrate search effort in this area

Adults/broods feeding in these areas

**Bear River MBR:** this is possible foraging habitat as well as when it dries out a bit this could be nesting habitat



Blanca Wetlands, San Luis Valley, Colorado: we were finding them all around these wetlands, even far into the greasewood – total surprise – foraging, loafing, chick rearing, nesting sites – not used to them using vegetation but may be a predation response at this site and/or response to heat.



# Blanca Wetlands, Colorado

reke tindini

Quivira NWR, Kansas: nesting areas along side roads, on oil pads, any light colored flat, relatively vegetation free surface near water Quivira NWR, Kansas: open areas don't have to be really big in area – this is a dried borrow ditch I have seen them use for nesting, foraging, chick rearing


## Quivira NWR, Kansas

we would find

nest here

And the second of the second s

make an a sea



## Salt Plains NWR, Oklahoma: foraging, loafing, nesting habitat

Salt Plains NWR, Oklahoma: nesting habitat – sometimes right in the open, often next to something on the landscape, quite regularly large sticks, trees, logs, etc. -probably a result of predation pressures and/or heat



Pacific Coast SNPL – loafing in wrack line, feed along water's edge, nest along beach side of dunes