

2004

Duck Nest Forms

Units 1-9

MVNWR: (Duck) Nest Form

Observer Davinray, Vaughn Date 6/15/04 Unit # 1 Transect # 71

FIRST VISIT

Veg COVER TYPE at Nest

Species GADW
Nest # 177
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
eggs 9
Inc. stage 17
parasitic eggs 0

Dist. to standing H₂O 300 ft. ft

Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☒ D. 25-0%

%

☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☒ Cx Sedge (50% ng)
☐ Ex Spikerush
☒ Tla Cattail ng
☐ Sva Bullrush
☐ Other _____

Distance of Nest from center line (ft and inches)
8 ft. W of center line
25 in



FATE VISIT
observer Stone
Date 7/12/04
(check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
 ☐ Raven/magpie
 ☐ Skunk
 ☐ Raccoon
 ☐ Coyote
 ☒ Unknown
 ☐ Other _____



Notes

Location Sketch

Unit # 1
Transect # 71
Nest # 177 is located
25ft in ☒ North
☐ South
of flag and
8 ft 0 in ☐ East-
☒ West
of Transect line (w)
Grazing Cell # _____
Paddock #-

UTM
N 4151399
E 403258

Compute Mayfield			
_____	Species ADU	_____	Initiation date
_____	# eggs hatched	_____	Est. hatch date
_____	# eggs remain	_____	Exposure days
_____	age when found		

(Tyla patch
is always N.
of S. 804)

entered 7-20-04 PLV

May 2003

MVNWR: (Duck) Nest FORM

Observer Vaughn

Date 5/20/04

Unit # 2

Transect # 081

FIRST VISIT

Species UNTE
 Nest # ND178
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
7 # eggs
rem Inc. stage (w/ down)
0 # parasitic eggs

Dist. to standing H₂O 10 ft

Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☒ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
90 ☒ Jba Baltic rush
☒ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other HOJU

Distance of Nest from center line (ft and inches)
50 feet

FATE VISIT

observer _____
 Date 1/1/
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes location = just W. of
Empire Canal on W. edge
of lake road (and line)
~100 yds W. of S. transect
pole

*took
GPS
point

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
25 ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



utm: N 4,151,180

E 0404,218

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer Vaughn, Doulroy Date 6/15/04 Unit # 2 Transect # 83

FIRST VISIT

Species UNDK (big eggs, but not huge) 100%

Nest # ND 183

Status (check one) =NOSH?

☒ Active

☐ Hatched (fannish)

☐ Abandoned

☐ Destroyed

☒ Hatching (eggs, lots of down, red, tall tuba)

7 # eggs

8 Inc. stage

0 # parasitic eggs

Dist. to standing H₂O 0 ft

Soil Surface (check one)

☐ Dry AT Nest

☐ Moist

☒ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☒ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail

☐ Sva Bullrush

☐ Other

Distance of Nest from center line (ft And inches) 25-30 ft

FATE VISIT

observer

Date 1/1/

(check one)

☐ Hatch

 # egg hatch

 # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other



Notes UTM N 4151636

E 404366

located @ NE end of 2,

E. of T 83

Location Sketch

Unit #

Transect #

Nest # is located

25ft in ☐ North

☐ South

of flag and

 ft in ☐ East

☐ West

of Transect line

Grazing Cell #

Paddock #

Compute Mayfield

Species ADD

eggs hatched

eggs remain

age when found

Initiation date

Est. hatch date

Exposure days

MVNWR: (Duck) Nest FORM

Observer Vaughn, Davinroy Date 6/15/04 Unit # 2 Transect # 83

FIRST VISIT

Species UNTE
 Nest # ND 182
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
3 # eggs
0 Inc. stage fresh
0 # parasitic eggs

Dist. to standing H₂O 20 ft


Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 % 15
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush ng
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush ng
☒ Other Short Whitetop
35 V UNTE (ng)
 Distance of Nest from center line (ft and inches)
~20 yds
~25°

FATE VISIT

observer _____
 Date 1-1-
 (check one)
☐ Hatch
 # egg hatch _____
 # egg remain _____
☐ Abandoned
☐ Flooded
☐ Destroyed
 ☐ Raven/magpie
 ☐ Skunk
 ☐ Raccoon
 ☐ Coyote
 ☐ Unknown
 ☐ Other _____



Notes Off line, on west side
Empire canal, just next to (W. of)
road

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
25 ft in ☐ North
☐ South
 of flag and
 _____ ft in ☐ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____

UTM N 4151251.
 E 404243

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWK: (Duck) Nest FORM

Observer R. Garcia Date 5/17/04 Unit # 3 Transect # 99 1/2

FIRST VISIT

Species Mal
Nest # 51
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
5 # eggs
laying Inc. stage
0 # parasitic eggs
Dist. to standing H₂O >2000' ft
Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☐ Flooded
Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest
%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other Leta
5% UG
95% Hatched B
20%
20%

Distance of Nest from center line (ft And inches)

FATE VISIT
observer
Date 5/17/04
(check one)
☐ Hatch
0 # egg hatch
0 # egg remain
☐ Abandoned
0 # egg remain
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Left Ribbon in Bank

Location Sketch

Unit # 3
Transect # 99 1/2
Nest # 51 is located
25ft in ☐ North
☒ South
of flag and
3 ft / in ☐ East
☒ West
of Transect line
Grazing Cell #
Paddock #

Compute Mayfield

Species ADU
eggs hatched
eggs remain
age when found
Initiation date
Est. hatch date
Exposure days

lay 2003

entered 7-19-04 PLV

MVNWR: (Duck) Nest Form

Observer R. Garcia Date 6/18/06 Unit # 3 Transect # T107 SS/2

FIRST VISIT

Veg COVER TYPE at Nest

Species Mallard
Nest # 58
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
ST # eggs
Inc stage
parasitic eggs

Dist. to standing H₂O 130 ft

Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☒ Wx Weed species
100% ☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other _____

Distance of Nest from center line (ft And inches)

FATE VISIT
observer _____

Date 6/17/04

(check one)

☐ Hatch
 # egg hatch
 # egg remain

☐ Abandoned

☐ Flooded

☒ Destroyed

☐ Raven/magpie

☐ Skunk

☐ Raccoon

☒ Coyote

☐ Unknown


☐ Other _____



Notes

Location Sketch

Unit # 3
Transect # 107⁵⁵/2
Nest # 58 is located
25ft in ☐ North
☐ South
of flag and
4ft 9in ☒ East-
☒ West
of Transect line
Grazing Cell # _____
Paddock # _____



Compute Mayfield			
_____	Species ADD	_____	Initiation date
_____	# eggs hatched	_____	Est. hatch date
_____	# eggs remain	_____	Exposure days
_____	Age when found		

May 2003

entered 7-19-84 ALV

MVNWR: (Duck) Nest Form

Observer Vaughn


Date 6/17/04

Unit # 3

Transect # 85 1/3

FIRST VISIT	
Species <u>GADW</u>	Veg COVER TYPE at Nest
Nest # <u>ND 186</u>	% <u>100</u>
Status (check one)	
☒ Active	☐ Sx Willow
☐ Hatched	☐ Sve Greasewood
☐ Abandoned	☐ Crx Rabbit brush
☐ Destroyed	☐ Dst Salt grass
☐ Hatching	☐ Gx Grass species
<u>5</u> # eggs	☐ MoF Sweetclover
<u>20</u> Inc. stage	☐ Wx Weed species
<u> </u> # parasitic eggs	☐ Jba Baltic rush
Dist. to standing H ₂ O <u>200</u> ft	☐ Cx Sedge
Soil Surface (check one)	☐ Ex Spikerush
☐ Dry AT Nest	☒ Tla Cattail (all og)
☒ Moist = saturated	☐ Sva Bullrush
☐ Flooded	☐ Other
Aerial Cover (check one)	Distance of Nest from center line (ft And inches)
☒ A. 100-75%	<u>14 ft. East of center</u>
☐ B. 75-50%	
☐ C. 50-25%	
☐ D. 25-0%	

FATE VISIT	
observer	Date <u> </u> / <u> </u> / <u> </u>
(check one)	
☐ Hatch	<u> </u> # egg hatch
☐ Abandoned	<u> </u> # egg remain
☐ Flooded	
☐ Destroyed	
☐ Raven/magpie	
☐ Skunk	
☐ Raccoon	
☐ Coyote	
☐ Unknown	
☐ Other	



Notes UTM N 4151471
E 404540
nest really well buried
in overhanging TYLA

Location Sketch

Unit #
 Transect #
 Nest # is located
25 ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield	
Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest FORM


Observer DeVries

Date 5/18/04 Unit # 6 Transect # 37 1/2

FIRST VISIT

Species Mallard
Nest # 76
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
1 # eggs
- Inc. stage
- # parasitic eggs
 Dist. to standing H₂O 1 ft 5
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 % 95/100
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other LELA
 Distance of Nest from center line (ft And inches)
5' 8"


FATE VISIT
observer
Date 6/14/04
(check one)
☐ Hatch
- # egg hatch
- # egg remain
☒ Abandoned
6 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes Nest in clump of
taller suba w/ LELA
residual

Location Sketch

Unit # 6
 Transect # 37 1/2
 Nest # 76 is located
25ft in ☒ North
☐ South
of flag and
5 ft 8 in ☒ East
☐ West
of Transect line
 Grazing Cell # _____
 Paddock # _____



Brian - 14 June
 Did you
 candle these? NO
 What made you
 think abandoned?
 Did you leave
 the flag? yes
But he can
refind

- # eggs remain
- age when found

- hatching date
- Exposure days

May 2003

entered 7-19-04 PLV

MVNWR: (Duck) Nest FORM

Observer De Vries

Date 5/18/04 Unit # 6 Transect # 37 MZ

FIRST VISIT

Species Teal sp. (Blue or Cmr.) %

Nest # 77

Status. (check one)

☐ Active

☐ Hatched

☐ Abandoned

☒ Destroyed

☐ Hatching

11 # eggs

 Inc. stage

 # parasitic eggs

Dist. to standing H₂O 2 ft

Soil Surface (check one)

☒ Dry AT Nest

☐ Moist

☐ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☒ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

10 ☒ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

90 ☒ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail

☐ Sva Bullrush

☐ Other

Distance of Nest from center line (ft And inches)

5' 4"



FATE VISIT
observer _____

Date 5/18/04

(check one)

☐ Hatch
 # egg hatch
 # egg remain

☐ Abandoned
 # egg remain

☐ Flooded

☒ Destroyed

☒ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other _____



Notes

Location Sketch

Unit # 6
 Transect # 37 *M/2*
 Nest # _____ is located
25ft in ☐ North
☐ South
 of flag and
ft in ☐ East-
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____

Compute Mayfield			
_____	Species AOU	_____	Initiation date
_____	# eggs hatched	_____	Est. hatch date
_____	# eggs remain	_____	Exposure days
_____	age when found		

entered 7-19-84

ALV

MVNWK: (DUCK) NEST FORM

Observer DeVries

Date 5/18/04 Unit # 6 Transect # 37 5/2

FIRST VISIT

Species Mallard
Nest # 76
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
 # eggs _____
 Inc. stage _____
 # parasitic eggs _____

Dist. to standing H₂O 1 ft 5

Soil Surface (check one)
☐ Dry
☒ Moist
☐ Flooded

Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 % 95%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other LELA

Distance of Nest from center line (ft And inches)
5' 8"


FATE VISIT
 observer _____
 Date 1 / 1 / 1
 (check one)
☐ Hatch
 # egg hatch _____
 # egg remain _____
☐ Abandoned
 # egg remain _____
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes Nest in clump of
taller suba w/ LELA
residue

Location Sketch

Unit # 6
 Transect # 37 5/2
 Nest # 76 is located
 25ft in ☒ North
☐ South
 of flag and
5 ft 8 in ☒ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

MVNWR: (Duck) Nest FORM

Observer DeVries

Date 5/14/04

Unit # 6

Transect # 31 1/2

FIRST VISIT

Species Gadwall
 Nest # 79
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
6 # eggs
fresh Inc. stage
 ___ # parasitic eggs

Dist. to standing H₂O 225 ft

Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
60 ☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
40 ☒ Other LELA

Distance of Nest from
 center line (ft And inches)
1' 0"

FATE VISIT

observer Stone
 Date 7/12/04
 (check one)
☐ Hatch
 ___ # egg hatch
 ___ # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes

Nest almost even N/S
w/ greasewood point to
the west

Location Sketch

Unit # 6
 Transect # 31 1/2
 Nest # 79 is located
25 ft in ☐ North
☒ South
 of flag and
1 ft 0 in ☒ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



entered 7-19-04 BLV

Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

MVNWR: (Duck) Nest FORM

Observer DeVries Date 6/14/04 Unit # 6 Transect # 33 M2


FIRST VISIT

Species Gadwall
 Nest # 80
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
12 # eggs
8 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 90 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
85 ☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
15 ☒ Other unk. forb

Distance of Nest from
 center line (ft and inches)
1' 1"

FATE VISIT
 observer Storie
 Date 7/12/04
 (check one)
☒ Hatch
12 # egg hatch
8 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

fat determination a bit tricky because found evidence of hatched and perhaps depredated. Decided there was more evidence for hatched.

• found 2-3 "caps" - tops of eggs (= hatched)
• found membranes but several also had large pieces of shell attached

• found ↑ of small pieces of egg shell at nest
• found bottom - look like duckling trampling (= hatched)


• 1-2 eggs looked like broken
more in middle (= depredated) attached
• found 1-2 membranes but shell could have fallen off.

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

Location Sketch

Unit # 6
 Transect # 33
 Nest # 80 is located
25 ft in ☒ North ☐ South
 of flag and 1 ft / in ☐ East ☒ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Nest # 53 was similar although it had more evidence of hatched.

MVNWR: (Duck) Nest FORM


Observer D. Vries Date 6/14/04 Unit # 6 Transect # 33 1/2

FIRST VISIT

Species Teal (SFR)
 Nest # 81
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
unk # eggs
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 90 ft
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other
 Distance of Nest from center line (ft And inches)
8"

FATE VISIT
 observer D. Vries
 Date 6/14/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☒ Coyote/fox
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # N/A
 Transect # _____
 Nest # _____ is located
25 ft in ☐ North
☐ South
 of flag and
ft in ☐ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADD	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

May 2003


entered 7-19-04 PLV

MVNWK: (DUCK) Nest FORM

Observer Stone + Darany Date 17 May 04 Unit # 7 Transect # 63 (5)

FIRST VISIT		FATE VISIT	
Species <u>Teal sp</u>	Veg COVER TYPE at Nest	observer	
Nest # <u>2</u>	% <u>5</u> <u>40</u>	Date <u>1-1-</u>	
Status (check one)	☐ Sx Willow ☐ Sve Greasewood ☐ Crx Rabbit brush ☐ Dst Salt grass ☐ Gx Grass species ☐ MoF Sweetclover ☒ Wx Weed species ☒ Jba Baltic rush ☐ Cx Sedge ☐ Ex Spik ☐ Tla Catt ☐ Sva Bull ☒ Other <u>CA</u>	(check one)	
☒ Active		☐ Hatch	
☐ Hatched		<u> </u> # egg hatch	
☐ Abandoned		<u> </u> # egg remain	
☐ Destroyed		☐ Abandoned	
☒ Hatching		<u> </u> # egg remain	
<u>9</u> # eggs			
<u> </u> Inc. stage			
<u>0</u> # parasitic eggs			
Dist. to standing H ₂ O <u>25 ft</u>	Distance of Nest to center line (ft) <u>83</u>		
Soil Surface (check one)			
☐ Dry AT Nest			
☒ Moist			
☐ Flooded			
Aerial Cover (check one)			
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%			

Copies of active May Nests - in case originals are lost / destroyed.




Notes

Location Sketch

Unit # 7
 Transect # 63
 Nest # 2 is located
25ft in ☐ North ☒ South
8ft 3 in ☐ East ☒ West
 of Transect line

Grazing Cell #
 Paddock #



Compute Mayfield	
Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest FORM

* Use this Nest?

Observer Darany & Stone Date 17 MAY 04 Unit # 7 Transect # 61 S-N

FIRST VISIT

Species Hall-Gadw Nest # 1

Status (check one)

☐ Active ☒ INACTIVE

☐ Hatched

☐ Abandoned

☐ Destroyed

☐ Hatching

UNK # eggs

= Inc. stage

= # parasitic eggs

Dist. to standing H₂O 20 yds

Soil Surface (check one)

☐ Dry ☒ Moist ☐ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☒ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail

☐ Sva Bullrush

☒ Other CANE

Distance of Nest from center line (ft And inches)

70 ft 10 in

Distance of Nest from center line (ft And inches)

~57

FATE VISIT

observer _____

Date 5, 17, 04

(check one)

☐ Hatch

7 # egg hatch

7 # egg remain

☐ Abandoned

7 # egg remain

☐ Flooded

☐ Destroyed

☐ Raven/magpie

☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other _____

* INACTIVE

Link - Could not find exact Nest LOCATION

Notes

Found remains of Nest Bowe on top of Matted veg.

Found + egg shell


Most of 1 egg shell

Fate?

enter found Status as # 7

for inactive, reason unknown

Location Sketch



is located in ☐ North ☐ South

and in ☐ East ☐ West

of transect line

Grazing Cell # _____

Paddock # _____



Compute Mayfield

Species ADD _____ Initiation date _____

eggs hatched _____ Est. hatch date _____

eggs remain _____ Exposure days _____

age when found _____

MVNWK: (Duck) Nest FORM

Observer Stone & Darany Date 17 May 04 Unit # 7 Transect # 63 (5)

FIRST VISIT

Species Teal sp
 Nest # 2
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
9 # eggs
4 Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 25 ft
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest


% 5 40

☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☒ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other Cane

Distance of Nest from center line (ft and inches)
8 3 W

FATE VISIT

observer Garita
 Date 6/10/04
 (check one)
☐ Hatch
0 # egg hatch
0 # egg remain
☐ Abandoned
0 # egg remain
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☒ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # 7
 Transect # 63
 Nest # 2 is located
25ft in ☐ North
☒ South
8ft 3 in ☐ East
☒ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

MVNWK: (Duck) Nest FORM

Observer Stone & Gilbert

Date 18 May 04


Unit # 7

Transect # 575

FIRST VISIT

Species MAIL
Nest # 3
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed *found ~ 3 destroyed eggs*
☒ Hatching
 # eggs 30
 Inc. stage 70
 # parasitic eggs 0
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry *AT Nest*
☐ Moist
☒ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☒ Cx Sedge spp
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft and inches)
65 W

FATE VISIT
 observer STONE
 Date 5/18/04
 (check one)
☐ Hatch
 # egg hatch 3
 # egg remain 0
☐ Abandoned
 # egg remain 0
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown Mammal
☐ Other _____



Notes Flushed a mall

hen from area & then
found nest w/ 3 dip
eggs & 2 whole eggs in
bowls

NO DOWN

- Part of nest bowl torn
away.

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
 25ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWK: (Duck) Nest FORM

Observer Stone Date 18, MAY, 04 Unit # 7 Transect # 55


FIRST VISIT

Species MAI
 Nest # 4
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
 # eggs _____
 Inc. stage Down in bowl
 # parasitic eggs _____
 Dist. to standing H₂O 30 yds
 Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one) NA
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 % 98
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other lela

Distance of Nest from center line (ft And inches)
4 ⁵ (W)

FATE VISIT
 observer Stone
 Date 5, 18, 04
 (check one)
☐ Hatch
 # egg hatch _____
 # egg remain _____
☐ Abandoned
 # egg remain _____
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____




Notes _____

In area of Bar grass patches, dist patches & sub patches.

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
 25ft in ☐ North ☐ South
 of flag and
 ft in ☐ East ☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species AOU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest FORM

offline

Observer De Vries

Date 5/18/04

Unit # 7

Transect # 43


FIRST VISIT

Species Mallard
 Nest # ND76
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
9 # eggs
2 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 240 ft
 Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☒ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 % 100
☐ Sx Willow
☒ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft and inches)
8' 6"

FATE VISIT
 observer
 Date 1/1/
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # 7

Transect # 43

Nest # 78 is located

25 ft in ☐ North

☒ South

8 ft 6 in

☐ East

☒ West

of Transect line

Grazing Cell #

Paddock #

Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found

Initiation date
 Est. hatch date
 Exposure days

lay 2003

largest greasewood plant in vicinity

MVNWK: (Duck) Nest FORM

Observer Stone

Date 18 MAY 04

Unit # 7

Transect # 49 S


FIRST VISIT

Species Redh
 Nest # NDI
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
 # eggs 9
 Inc. stage down
 # parasitic eggs 0
 Dist. to standing H₂O ft
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest
 % 70
☐ Sx Willow
☒ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)
9' E of CL

FATE VISIT
 observer
 Date / /
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

area has patrolled
and underneath
probably had standing
H₂O when nest
started.

Location Sketch

Unit #
 Transect #
 Nest # is located
25ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU Initiation date
 # eggs hatched Est. hatch date
 # eggs remain Exposure days
 age when found

MVNWR: (Duck) Nest Form

Observer R Garcia

Date 6/16/04

Unit # 7

Transect # 45 1/2

FIRST VISIT

Species Mallard
Nest # 56
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
4+ # eggs
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 100 ft

Veg COVER TYPE at Nest
 % 100%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Distance of nest from center line (ft and inches)


FATE VISIT
 observer
 Date 6/16/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☒ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # 7
 Transect # 45 1/2
 Nest # 56 is located
25ft in ☐ North ☐ South
 of flag and
2ft 3 in ☐ East ☒ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

May 2003

entered 7-19-04 ALV

MVNWR: (Duck) Nest FORM


Observer Garcia

Date 6/16/04 Unit # 7 Transect # 167 1/2

FIRST VISIT

Species Mallard
Nest # 55
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
5+ # eggs
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 100 ft
 Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%
 Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
70% ☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
30% ☒ Other Koehia
 Distance of Nest from center line (ft And inches)
☐ Dry ☐ Moist ☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

FATE VISIT
observer
Date 6/16/04
(check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☒ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☒ Other Mustelid?




Notes

lots of down
beak torn apart
eggs mostly intact but
low chewed holes

Location Sketch

Unit # 7
 Transect # 67 1/2
 Nest # 55 is located
25 ft in ☒ North
☐ South
 of flag and
6 ft 1 in ☐ East
☒ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found
 Initiation date
 Est. hatch date
 Exposure days

entered 7-19-04 RLV

MVNW: (Duck) Nest FORM

Observer R. Gore Date 6/18/04 Unit # 7 Transect # 57 1/2

FIRST VISIT

Species Redhead
 Nest # 41
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
2+ # eggs
+ Inc. stage
+ # parasitic eggs
 Dist. to standing H₂O ft


Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 4/1

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
50% ☒ Jba Baltic rush
☐ Cx Sedge
50% ☒ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)

FATE VISIT
 observer
 Date 6/18/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes

UTM 4149683.5 (N)
404959.93 (E)

Unit # 7
 Transect # 57 1/2
 Nest # 41 is located
25 ft in ☒ North
☐ South
 of flag and
2 ft in ☒ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #

Location Sketch



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer R. Garcia Date 6/18/04 Unit # 7 Transect # 155 1/2

FIRST VISIT

Species Mallard
 Nest # 62
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
62 # eggs
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 0 ft

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other


100%

Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 3"

Distance of Nest from center line (ft And inches)

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

FATE VISIT
 observer
 Date 6/18/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes

Nest on Baltic Rush Island
UTM (N) 4150089.30
(E) 401779.64

Location Sketch

Unit # 7
 Transect # 55 1/2
 Nest # 62 is located
25ft in ☐ North ☐ South
 of flag and ☐ East ☒ West
2ft 2in of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found

Initiation date
 Est. hatch date
 Exposure days

May 2003

entered 7-19-04 ALU


MVNWK: (Duck) Nest FORM

Observer R. G. G. G. Date 5/18/04 Unit # 9 Transect # 89 1/2

FIRST VISIT

Species Mal
Nest # 32
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
1 # eggs
— Inc. stage
— # parasitic eggs
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 % 100%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other —
 Distance of Nest from center line (ft and inches)
—


FATE VISIT
observer
Date 5/18/04
(check one)
☐ Hatch
— # egg hatch
— # egg remain
☐ Abandoned
— # egg remain
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other —



Notes

Location Sketch

Unit # 9
Transect # 89 1/2
Nest # 32 is located
25ft in ☐ North ☐ South
 of flag and 1 ft 4 in ☐ East ☒ West
 of Transect line
 Grazing Cell # —
 Paddock # —



Compute Mayfield

Species AOU — Initiation date —
 # eggs hatched — Est. hatch date —
 # eggs remain — Exposure days —
 age when found —

May 2003

entered 7-19-04 ALV

MVNWR: (Duck) Nest Form


Observer R. Garcia

Date 5/8/04 Unit # 9 Transect # 9 1/2

FIRST VISIT

Species Mallard
Nest # 53
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
2 # eggs
laying Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 1.5"
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ 100% Tla Cattail
☐ Sva Bullrush
☐ Other
 Distance of Nest from center line (ft And inches)
 1.5"

FATE VISIT
 observer Stone Al
 Date 7/13/04
 (check one)
☒ Hatch
18 # egg hatch
☒ # egg remain
☐ Abandoned
0 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Location Sketch

Notes

16 June 04
Stone

- Active: 8 eggs @ 21 days

Nest has ~ 1" H₂O under bowl

But the cover is 5/10??

N: 4150266.95

E: 405066.55

Unit # 9

Transect # 9 1/2

Nest # 53 is located

25ft 0 in ☐ North ☒ South

of flag and 7ft 6 in ☐ East ☒ West

of Transect line

Grazing Cell #

Paddock #

13 July 04

found 2 caps, found 2 detached membranes, found 2-3 eggs w/ membranes.

found a total of 6 eggs. Found shell fragments (as if crushed by ducklings) @ bottom of bowl

Hatched

Compute Mayfield

Species AOU
eggs hatched
eggs remain
age when found
Initiation date
Est. hatch date
Exposure days

entered 7-19-04 BLV

MVNWR: (Duck) Nest Form


Observer R. Garcia

Date 5/18/04 Unit # 9 Transect # 87 1/2

FIRST VISIT

Species Mallard
Nest # 54
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
8 # eggs
2 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 3"
 Aerial Cover (check one)
☐ A. 100-75% ☒ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
100%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other
 Distance of Nest from center line (ft And inches)


FATE VISIT
Observer
Date 5/18/04
(check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # 9
Transect # 87 1/2
Nest # 54 is located
25 ft in ☐ North
☒ South
 of flag and
2 ft 4 in ☐ East
☒ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

May 2003

entered 7-19-04 ALV

MVNWR: (Duck) Nest Form

Observer Stone Date 6/16/04 Unit # 9 Transect # 95M

FIRST VISIT

Species Teal
 Nest # 16
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☒ Hatching
8 # eggs
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 15 ft


Veg COVER TYPE at Nest
 % 100%
Ng + Jba 20"
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Soil Surface (check one)
☐ Dry AT Nest
☒ Moist Saturated
☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Distance of Nest from center line (ft And inches)
17" W

FATE VISIT
 observer Stone
 Date 6/16/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes Nest covered w/ down but all eggs defunct

In clump of Ng + Jba
was surrounded by
Ng + Jba

Location Sketch

Unit #
 Transect #
 Nest # is located
25 ft in ☐ North ☐ South
 of flag and
 ft in ☐ East ☐ West
 of Transect line
 Grazing Cell #
 Paddock #

N 414 9901.13
E 405428.31



Compute Mayfield


<u> </u> Species ADU	<u> </u> Initiation date
<u> </u> # eggs hatched	<u> </u> Est. hatch date
<u> </u> # eggs remain	<u> </u> Exposure days
<u> </u> age when found	

MVNWR: (Duck) Nest FORM

Observer Stone Date 6/16/04 Unit # 9 Transect # 93

FIRST VISIT	
Species <u>teal</u>	Veg COVER TYPE at Nest
Nest # <u>15</u>	%
Status (check one)	
☐ Active	☐ Sx Willow
☐ Hatched	☐ Sve Greasewood
☐ Abandoned	☐ Crx Rabbit brush
☒ Destroyed	☐ Dst Salt grass
☐ Hatching	☐ Gx Grass species
___ # eggs	☐ MoF Sweetclover
___ Inc. stage	☐ Wx Weed species
___ # parasitic eggs	☐ Jba Baltic rush
Dist. to standing H ₂ O ___ ft	☐ Cx Sedge
Soil Surface (check one)	☐ Ex Spikerush
☐ Dry AT Nest	☐ Tla Cattail
☐ Moist	☐ Sva Bullrush
☐ Flooded	☐ Other
Aerial Cover (check one)	Distance of Nest from
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%	center line (ft And inches)
	<u>1 ft</u> <u>W</u>
	
	
	

FATE VISIT
observer <u>Stone</u>
Date <u>6/16/04</u>
(check one)
☐ Hatch
___ # egg hatch
___ # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other




Notes

found 1 egg + bow

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
 25 ft in ☐ North ☐ South
 of flag and
 ft in ☐ East ☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield	
Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest FORM on 13 July 04 found

(Mail) 1 dep Nest N. of
16 by ~20ft - on line. Found 7 eggs.

Observer Stone Date 6/13/04 Unit # 9 Transect # 91 (S)

FIRST VISIT

Species Gadw
Nest # 14
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
7 # eggs
4 Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 0 ft

Veg COVER TYPE at Nest

%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 1"


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Distance of Nest from center line (ft and inches)
82" E

FATE VISIT


observer Stone & All
 Date 7/13/04
 (check one)
☐ Hatch
0 # egg hatch
0 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other

- Nothing in bowl - NO eggs, NO shells
 - some down pulled out to 1 side of NEST.



Notes Flag tied
1 Bnst
↑ wiph in Area

Location Sketch
 Unit # 9
 Transect # 91
 Nest # 14 is located
25ft in ☒ North ☐ South
82ft in ☒ East ☐ West
 of flag and of Transect line
 Grazing Cell # _____
 Paddock # _____



N 4149688.70
 E 405043.14

Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

entered 7-19-04 ALV

MVNWR: (Duck) Nest Form

Observer Stone Date 6/16/04 Unit # 9 Transect # 91 (5)


FIRST VISIT

Species Mall
 Nest # 13
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☒ Hatching
 # eggs 409
 Inc. stage Juba 4"
 # parasitic eggs
 Dist. to standing H₂O 17" ft
 Soil Surface (check one)
☐ Dry
☒ Moist SAWYER
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft and inches)
90" W of CL

FATE VISIT
 observer STONE
 Date 6/19/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other



Notes
 Found 1 dep. egg +
 part of
 nest bowl w/ down

Location Sketch

Unit #
 Transect #
 Nest # is located
 25ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #

N 4149797.98
 E 485060.75

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer Stone

Date 6/16/04


Unit # 9

Transect # 87N

FIRST VISIT

Species Mall
 Nest # 11
 Status (check one)
☐ Active
☒ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
 # eggs _____
 Inc. stage _____
 # parasitic eggs _____
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge dg + ny
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft And inches)
NA - now w/ shallow H₂O in bowl
 Nest inactive +

FATE VISIT
 observer Stone
 Date 6/16/04
 (check one)
☒ Hatch
 # egg hatch _____
 # egg remain _____
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes

 Found 5 Membranes + 1 egg.
 Nest flooded now (~1" of H₂O)

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
 25 ft in ☐ North ☐ South
 of flag and
 ft in ☐ East ☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____

MEM:
 N 4150729.03
 E 404702.02

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	


MVNWR: (Duck) Nest Form

Observer Stone Date 6/16/04 Unit # 9 Transect # 87(N)

FIRST VISIT

Species Mall
 Nest # 12
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
 # eggs 4
 Inc. stage 0
 # parasitic eggs 0
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 2" 5
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%
 Veg COVER TYPE at Nest
 % 40%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other
 Distance of Nest from center line (ft and inches)
4' 9" (E)
 Notes: w/ down, Ng


FATE VISIT
 observer Stone
 Date 7/19/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other



Remains in Nest
Bowl - no eggs, shells, down, etc
- Under Bowl + in area: ground saturated.

Notes

Location Sketch
 Unit # 9
 Transect # 87
 Nest # 12 is located 25ft in ☐ North ☒ South
4 ft 9 in of flag and ☒ East ☐ West
 of Transect line
 Grazing Cell #
 Paddock #



N 450729.03
E 404702.02

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

But poor geometry.

Entered 7-20-04 ALV

MVNWR: (Duck) Nest Form

Observer Stone Date 6/16/04 Unit # 9 Transect # 91

(You had
ND 9
ND 4
already)

FIRST VISIT

Species Hall ND 9 ND 4

Nest # ND 2

Status (check one)

☐ Active

☐ Hatched

☒ Abandoned

☒ Destroyed

☐ Hatching

eggs 100%

Inc. stage

parasitic eggs

Dist. to standing H₂O ft

Soil Surface (check one)

☐ Dry AT Nest

☐ Moist

☐ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☒ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail

☐ Sva Bullrush

☐ Other

Distance of Nest from center line (ft And inches)

105" to E of CL

FATE VISIT

observer

Date 1/1/

(check one)

☐ Hatch

egg hatch

egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☒ Other Mammal



Notes Nest was @ bottom
of thick clump of Og
just @ 13" - but
now it looks almost
"dug out" - nest pulled
out

4 eggs remain and not
completely crushed - nest
looks like something really
tore at it but the 4 eggs
are not crushed

I've never seen a nest
so torn out

Location Sketch

Unit # 9

Transect # 91

Nest # 25 is located

ft in ☐ North ☐ South


of flag and

ft in ☐ East ☐ West

of Transect line

Grazing Cell #

Paddock #



N 4149770.57

E 405065.15

Compute Mayfield

Species ADD Initiation date

eggs hatched Est. hatch date

eggs remain Exposure days

age when found

Off-line

Waterfowl Production Survey

Observer Stone Date 6/16/09 Unit # 9 Transect # 95 8

FIRST VISIT

Species mall
Nest # ND 6
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed

6 # eggs
0 Inc. stage
 # parasitic eggs

Dist. to standing H₂O ft 100%

Soil Surface (check one)
☐ Dry
☐ Moist
☐ Flooded


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

COVER TYPE
(circle dominant cover)
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other 6 paus (E) gcc

SECOND VISIT - Fate

Date / /

(check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes Was 7 eggs but
1 crushed when he
took off

Location Sketch

Unit #
Transect #
Nest # is located
25 ft in ☐ North
☐ South
of flag and
ft in ☐ East
☐ West
of Transect line
Grazing Cell #
Paddock #

6



Compute Mayfield

Species AOU Initiation date
eggs hatched Est. hatch date
eggs remain Exposure days

MVNW: (Duck) Nest Form

Observer Stone Date 6/16/04 Unit # 9 Transect # 89 (M)

FIRST VISIT

Species Sparrow Nest # ND3 ~~June ND3~~

Status (check one)

☒ Active
☒ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching

4 # eggs
 Inc. stage
 # parasitic eggs


Dist. to standing H₂O ft

Soil Surface (check one)

☐ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)

☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



Veg COVER TYPE at Nest

☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)

5" W

FATE VISIT

observer

Date / /

(check one)


☐ Hatch
 # egg hatch
 # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes


In area of Ng juba
 17-20" clumps of ag
 juba, w/ 2-3" sub

(20) → lots of wiph mobbing
 me in same area.

Nest built on top of juba ag
 clump

Location Sketch

Unit #
 Transect #
 Nest # is located
25 ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU Initiation date
 # eggs hatched Est. hatch date
 # eggs remain Exposure days
 age when found

N 4150157.33
E 405431.57

MVNWR: (Duck) Nest FORM


Observer Stone Date 6/16/04 Unit # 9 Transect # 87(N)

FIRST VISIT

Species Mall
 Nest # 12
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
 # eggs 4
 Inc. stage 0
 # parasitic eggs 0
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 2" 5
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%
 Veg COVER TYPE at Nest
 % 40%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other
 Distance of Nest from center line (ft and inches)
4' 9" E

FATE VISIT

observer
 Date 1/1/
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes

this is Nest #11 location → do 1
 approximate north 12 location
 on view

Location Sketch

Unit # 9
 Transect # 87
 Nest # 12 is located 25ft in ☐ North ☒ South
 of flag and 4ft 9 in ☒ East ☐ West
 of Transect line
 Grazing Cell #
 Paddock #



N 450729.03
 E 404702.02

Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found
 Initiation date
 Est. hatch date
 Exposure days

But poor geometry

MVNWR: (Duck) Nest Form

Observer R. Garcia

Date 6/17/04 Unit # 9 Transect # T107 1/2

FIRST VISIT

Species Redhead
Nest # 57
Status (check one)
☐ Active
☒ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
64 # eggs
7 # parasitic eggs
 Dist. to standing H₂O 0 ft


Veg COVER TYPE at Nest
 % 100%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ T1a Cattail
☐ Sva Bullrush
☐ Other _____

Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 9"

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Distance of Nest from center line (ft and inches)

FATE VISIT
observer _____
Date 6/17/04
(check one)
☒ Hatch
64 # egg hatch
0 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____




Notes

Nest was likely completely covered but was opened up by hatching

Location Sketch

Unit # 9
Transect # T107 1/2
Nest # 57 is located
25 ft in ☒ North ☐ South
3 ft 2 in in ☐ East ☒ West
 of flag and of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

May 2003

entered 7-19-04 JALV

MVNW: (Duck) Nest FORM

Observer R. Garcia Date 6/17/04 Unit # 9 Transect # 85 1/2

FIRST VISIT

Species Mallard
 Nest # 60
 Status (check one)
☐ Active
☒ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
44 # eggs
1 Inc. stage
1 # parasitic eggs
 Dist. to standing H₂O 200+ ft
 Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest
 % 100%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other dela

Distance of Nest from center line (ft and inches)


FATE VISIT
 observer Garcia
 Date 6/17/04
 (check one)
☒ Hatch
44 # egg hatch
0 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # 9
 Transect # 85
 Nest # 60 is located
25 ft in ☐ North ☒ South
 of flag and
1 ft 3 in ☐ East ☒ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer P. Garcia Date 6/17/04 Unit # 9 Transect # T85 1/2


FIRST VISIT

Species Pintail
 Nest # 59
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
6 # eggs
17 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 12 ft
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist saturated
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
70% ☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
30% ☒ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)


FATE VISIT
 observer Stone
 Date 7/19/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other



Notes

Location Sketch

Unit # 9
 Transect # 85 1/2
 Nest # 59 is located
25 ft in ☒ North ☐ South
 of flag and
3 ft in ☐ East ☒ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

May 2003

entered 7-20-04 ALV

MVNWR: (Duck) Nest FORM

Observer P. Exree Date 6/17/04 Unit # 9 Transect # 785 1/2

FIRST VISIT

Species Pintail
 Nest # 59
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
6 # eggs
17 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 12 ft

Soil Surface (check one)
☐ Dry
☒ Moist Saturated
☐ Flooded


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
70% ☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
30% ☒ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)

FATE VISIT


observer
 Date 1 / 1 / -
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit # 9
 Transect # 85 1/2
 Nest # 59 is located
25 ft in ☒ North
☐ South
 of flag and
3 ft in ☐ East
☒ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

Duck Nest Forms

Units 11-24

MVNWR: (Duck) Nest Form

Observer

Darany

Date

June 14 2004 off line #

Unit #

11

Transect #

137

FIRST VISIT

Species

Mallard

Nest #

ND

Status (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☐ Hatching

6 # eggs

4 Inc. stage

1 # parasitic eggs

Dist. to standing H₂O ? ft

Soil Surface (check one)

☒ Dry

AT Nest

☐ Moist

☐ Flooded

Aerial Cover (check one)

☐ A. 100-75%

☐ B. 75-50%

☐ C. 50-25%

☒ D. 25-0%



Veg COVER TYPE at Nest

%

☐ Sx

Willow

☐ Sve

Greasewood

☐ Crx

Rabbit brush

☐ Dst

Salt grass

☐ Gx

Grass species

☐ MoF

Sweetclover

☐ Wx

Weed species

25

☒ Jba

Baltic rush

☐ Cx

Sedge

☐ Ex

Spikerush

☐ Tla

Cattail

☐ Sva

Bullrush

75

☒ Other

LELA

Distance of Nest from center line (ft and inches)

9-10 meters

FATE VISIT

observer

Date

(check one)

☐ Hatch

1 # egg hatch

1 # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other



Location Sketch

Notes

little down
hen sitting / flushed
but eggs not warm

Unit #

Transect #

Nest #

is located

25ft in

☐ North

☐ South

of flag and

ft in

☐ East

☐ West

of Transect line

Grazing Cell #

Paddock #



9-10m Nest



Compute Mayfield

Species ADU

eggs hatched

eggs remain

age when found

Initiation date

Est. hatch date

Exposure days

MVNWK: (Duck) Nest FORM

Observer Vaughn

Date 18 May 04

Unit # 14

Transect # 35

18 May 04

FIRST VISIT

014 mid. transect

Species CAGO

Nest # ND 176

Status (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☐ Hatching

6 # eggs

0 Inc. stage

0 # parasitic eggs

Dist. to standing H₂O 0 ft

Soil Surface (check one)

☐ Dry AT Nest

☐ Moist

☒ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

100 %

Veg COVER TYPE at Nest

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☐ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☒ Tla Cattail

☐ Sva Bullrush

☐ Other _____

Distance of Nest from center line (ft And inches)

~6 feet

LATE VISIT

Observer _____

Date 1 / 1 / -

(check one)

☐ Hatch

- # egg hatch

- # egg remain

☐ Abandoned

- # egg remain

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other _____



Notes Nest just off open water @ south end of auto tour route (far SE end)

* Duck nest point #1 on GPS unit for folder 'CAGO Nest'

Location Sketch

Unit # _____

Transect # _____

Nest # _____ is located

25ft in ☐ North ☐ South

of flag and

ft in ☐ East ☐ West

of Transect line

Grazing Cell # _____

Paddock # _____



Compute Mayfield

Species ADD _____ Initiation date _____

eggs hatched _____ Est. hatch date _____

eggs remain _____ Exposure days _____

age when found _____

MVNWR: (Duck) Nest FORM

Observer Vaughn

Date 6/16/04

Unit # 14

Transect # 35 1/2

FIRST VISIT

Species sparrow
 Nest # ND 185
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
4 # eggs
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 20 ft
 Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other Brgd
77 HOOV (SS og)
 Distance of Nest from center line (ft and inches)
3 1 foot
☒ chano d (ng)

~ 1/4 mile - Yami.

FATE VISIT
 observer
 Date 1/1/
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes UTM N 4148150
E 399921

Location Sketch

Unit #
 Transect #
 Nest # is located
 25 ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #

Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found

Initiation date
 Est. hatch date
 Exposure days

MVNWK: (Duck) Nest FORM

Observer Vaughn

Date 19 May 04 Unit # 15 Transect # 49 1/2


FIRST VISIT

Species CAGO
 Nest # ND 177
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed = degraded
☐ Hatching
~4 # eggs (eaten)
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 30 ft
 Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☒ Sva Bullrush
☐ Other
 Distance of Nest from
 center line (ft and inches)
1 foot

FATE VISIT

observer
 Date 1 / 1 / -
 (check one)
☐ Hatch
- # egg hatch
- # egg remain
☐ Abandoned
- # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes

Location Sketch

Unit #
 Transect #
 Nest # is located
25 ft in ☐ North
☐ South
 of flag and
- ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #

Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found
 Initiation date
 Est. hatch date
 Exposure days

MVNWR: (Duck) Nest Form

Observer Vaughn

Date 6/14/04

Unit # 6

Transect # ND178

695/2

FIRST VISIT

Species Sparrow

Nest # ND178/181

Status (check one)

☒ Active

☒ Hatched = 3-4 young in nest

☐ Abandoned

☐ Destroyed

☐ Hatching

eggs _____

Inc. stage _____

parasitic eggs _____

Dist. to standing H₂O 1/2 mile ft

Soil Surface (check one)

☒ Dry AT Nest

☐ Moist

☐ Flooded

Aerial Cover (check one)

☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest

% 80

☐ Sx Willow

☒ Sve Greasewood NG

☐ Crx Rabbit brush

☒ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☒ Jba Baltic rush NG

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail

☐ Sva Bullrush

☐ Other _____

Distance of Nest from center line (ft and inches)

3'

FATE VISIT

observer _____

Date 1-1-

(check one)

☐ Hatch

☐ # egg hatch

☐ # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other _____



Notes In a greasewood bush (NG), 27" tall

~ 8 in. off ground

DISP = 50% NG 3"

100% NG 2"

UTM: N 4148052

E 403031

Location Sketch

Unit # _____

Transect # _____

Nest # _____ is located

25 ft in ☐ North

☐ South

of flag and

ft in ☐ East

☐ West

of Transect line

Grazing Cell # _____

Paddock # _____

Compute Mayfield

Species ADU _____

eggs hatched _____

eggs remain _____

age when found _____

Initiation date _____

Est. hatch date _____

Exposure days _____


MVNWR: (Duck) Nest Form

Observer Vaughn

Date 6/14/04 Unit # 16 Transect # 61 ^{5/2}

FIRST VISIT	
Species <u>MALL</u>	Veg COVER TYPE at Nest
Nest # <u>176</u>	%
Status (check one)	
☒ Active	☐ Sx Willow
☐ Hatched	☐ Sve Greasewood
☐ Abandoned	☐ Crx Rabbit brush
☒ Destroyed <u>ks</u>	☐ Dst Salt grass
☐ Hatching	☐ Gx Grass species
<u>0</u> # eggs <u>see below</u>	☐ MoF Sweetclover
<u> </u> Inc. stage	☐ Wx Weed species
<u> </u> # parasitic eggs	☐ Jba Baltic rush
Dist. to standing H ₂ O <u>300</u> ft	☐ Cx Sedge
Soil Surface (check one)	☐ Ex Spikerush
☒ Dry <u>AT Nest</u>	☐ Tla Cattail
☐ Moist	☐ Sva Bullrush
☐ Flooded	☒ Other <u>Lela</u>
Aerial Cover (check one)	☒ 10% <u>Bryd</u>
☐ A. 100-75%	Distance of Nest from
☐ B. 75-50%	center line (ft And inches)
☐ C. 50-25%	<u>0 in (on center line)</u>
☒ D. 25-0%	

FATE VISIT	
observer <u>Vaughn</u>	
Date <u>6/14/04</u>	
(check one)	
☐ Hatch	
<u> </u> # egg hatch	
<u> </u> # egg remain	
☐ Abandoned	
☐ Flooded	
☒ Destroyed	
☐ Raven/magpie	
☐ Skunk	
☐ Raccoon	
☐ Coyote	
☒ Unknown	
☐ Other	



Notes I flushed the hen up 3 feet away, and there were no eggs in the nest, but there was a lot of down. Maybe she was in the process of laying, she did take off real slowly

UTM N 4148167
E 402297

Location Sketch


Unit # 16
Transect # 61
Nest # 176 is located
25 ft in ☒ North
☐ South

of flag and
0 ft 0 in ☐ East
☐ West
of Transect line

Grazing Cell #

Paddock #

Nest located 35 feet
from N. edge of Lela
clump south of
Juba patch (greasewood
to N. of Juba
S. of Lela)



Compute Mayfield	
Species ADD	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

May 2003

entered 7-19-04 BLV

*K. thinks destroyed 18 June 04
Stone + Vaughn
visited + decided it was destroyed when found.*


*eggs but down.
♀ present + flushed*

MVNW: (Duck) Nest Form

Observer Vaughn Date 6/14/04 Unit # 16 Transect # 61 1/2

FIRST VISIT	
Species <u>GADW?</u>	Veg COVER TYPE at Nest
Nest # <u>NO 180</u>	% <u>90</u>
Status (check one)	
☒ Active	☐ Sx Willow
☐ Hatched	☒ Sve Greasewood
☐ Abandoned	☐ Crx Rabbit brush
☐ Destroyed	☐ Dst Salt grass
☐ Hatching	☐ Gx Grass species
<u>5</u> # eggs	☐ MoF Sweetclover
<u>fresh</u> Inc. stage	☐ Wx Weed species
<u>0</u> # parasitic eggs	☐ Jba Baltic rush
Dist. to standing H ₂ O <u>20</u> ft	☐ Cx Sedge
Soil Surface (check one)	☐ Ex Spikerush
☒ Dry AT Nest	☐ Tla Cattail
☐ Moist	☐ Sva Bullrush
☐ Flooded	☒ Other <u>Brgd</u>
Aerial Cover (check one)	Distance of Nest from center line (ft and inches)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%	<u>~35 yards</u>
	(found between transect)

FATE VISIT	
observer	Date <u>1/1/</u>
(check one)	
☐ Hatch	<u> </u> # egg hatch
	<u> </u> # egg remain
☐ Abandoned	
☐ Flooded	
☐ Destroyed	
	☐ Raven/magpie
	☐ Skunk
	☐ Raccoon
	☐ Coyote
	☐ Unknown
	☐ Other



Notes location = e. north end
of unit, right south of
boundary road.

UTM N 4149344
E 402438

Location Sketch

Unit #
Transect #
Nest # is located
25 ft in ☐ North
☐ South
of flag and
 ft in ☐ East
☐ West
of Transect line
Grazing Cell #
Paddock #



Compute Mayfield	
Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	


MVNW: (Duck) Nest FORM

Observer Vaughn

Date 6/14/04 Unit # 16 Transect # 67 1/2

FIRST VISIT	
Species <u>MO DO</u>	Veg COVER TYPE at Nest
Nest # <u>NP 179</u>	% <u>90</u>
Status (check one)	<u>10</u>
☒ Active	☐ Sx Willow <u>24"</u>
☐ Hatched	☒ Sve Greasewood <u>Ng</u>
☐ Abandoned	☐ Crx Rabbit brush
☐ Destroyed	☒ Dst Salt grass
☒ Hatching	☐ Gx Grass species
<u>2</u> # eggs	☐ MoF Sweetclover
Inc. stage	☐ Wx Weed species
# parasitic eggs	☐ Jba Baltic rush
Dist. to standing H ₂ O <u>~ 1/2 mile</u>	☐ Cx Sedge
	☐ Ex Spikerush
	☐ Tla Cattail
	☐ Sva Bullrush
	☐ Other
Soil Surface (check one)	Distance of Nest from center line (ft and inches)
☒ Dry AT Nest	<u>2 feet</u>
☐ Moist	
☐ Flooded	
Aerial Cover (check one)	
☐ A. 100-75% ☒ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%	

FATE VISIT	
observer	Date <u>1/1</u>
(check one)	
☐ Hatch	# egg hatch
	# egg remain
☐ Abandoned	
☐ Flooded	
☐ Destroyed	
☐ Raven/magpie	
☐ Skunk	
☐ Raccoon	
☐ Coyote	
☐ Unknown	
☐ Other	



Notes UTM N 4149261
E 462859
DISP - half Ng, half Og
Nest on ground, 4" Og + Ng
disp ground +
SAVE over head

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
25ft in ☐ North ☐ South
 of flag and
ft in ☐ East ☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield	
Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer Vaughn


Date 6/16/04

Unit # 16

Transect # 59 1/2

FIRST VISIT		Veg COVER TYPE at Nest	
Species <u>Sage Thrasher</u>	% <u>95</u>	☐ Sx Willow	<u>must 1/4 in</u>
Nest # <u>NB 184</u>		☒ Sve Greasewood	
Status (check one)		☐ Crx Rabbit brush	
☒ Active		☐ Dst Salt grass	
☐ Hatched		☐ Gx Grass species	
☐ Abandoned		☐ MoF Sweetclover	
☐ Destroyed		☐ Wx Weed species	
☒ Hatching		☐ Jba Baltic rush	
<u>4</u> # eggs		☐ Cx Sedge	
<u>-</u> Inc. stage		☐ Ex Spikerush	
<u>-</u> # parasitic eggs		☐ Tla Cattail	
Dist. to standing H ₂ O <u>1/2 mile?</u>		☐ Sva Bullrush	
		☐ Other <u>Brgd</u>	
Soil Surface (check one)		Distance of Nest from center line (ft And inches)	
☒ Dry AT Nest		<u>1 foot</u>	
☐ Moist			
☐ Flooded			
Aerial Cover (check one)			
☒ A. 100-75%		☐ B. 75-50%	
☐ C. 50-25%		☐ D. 25-0%	
<u>100%</u>			

FATE VISIT	
observer	Date <u> </u> / <u> </u> / <u> </u>
(check one)	
☐ Hatch	<u> </u> # egg hatch
☐ Abandoned	<u> </u> # egg remain
☐ Flooded	
☐ Destroyed	
☐ Raven/magpie	
☐ Skunk	
☐ Raccoon	
☐ Coyote	
☐ Unknown	
☐ Other	



Notes utm N. 4148136
E 402110
eggs deep blue w brown blotches on bottom
nest ~ 8 inches off ground
in SAGE bush

Location Sketch

Unit #
 Transect #
 Nest # is located
25ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield	
Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWK: (Duck) Nest FORM


Observer De Vries

Date 5/19/04 Unit # 17 Transect # 79 M₂

FIRST VISIT

Species Teal sp.
Nest # 78
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
8 # eggs
— Inc. stage
— # parasitic eggs
 Dist. to standing H₂O 300 ft
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
30 ☒ Jba Baltic rush
☐ Cx Sedge
70 ☒ Tla Cattail
☐ Sva Bullrush
☐ Other _____
 Distance of Nest from
 center line (ft And inches)
1' 8"

FATE VISIT
observer _____
Date 5/19/04
(check one)
☐ Hatch
— # egg hatch
— # egg remain
☐ Abandoned
— # egg remain
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes Nest in residual
cattail + Juba, no new
growth.

Location Sketch

Unit # 17
 Transect # 79
 Nest # 78 is located
25 ft in ☐ North
☐ South
1 ft 8 in ☒ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____

N/A

Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

MVNWK: (Duck) Nest FORM

Observer Darany

Date May 20, 04

Unit # 17

Transect # 91 1/2

FIRST VISIT

Species ? GADW

Nest # 101

Status (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☐ Hatching

6 # eggs

0 Inc. stage

0 # parasitic eggs

Dist. to standing H₂O 100 yds

Soil Surface (check one)

☒ Dry AT Nest

☐ Moist

☐ Flooded

Aerial Cover (check one)

☐ A. 100-75%

☒ B. 75-50%

☐ C. 50-25%

☐ D. 25-0%



Veg COVER TYPE at Nest

% 100

☐ Sx Willow

☒ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☐ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail

☐ Sva Bullrush

☐ Other

Distance of Nest from center line (ft And inches)

5' 2"

FATE VISIT

observer Darany

Date June 16, 2004

(check one)

☐ Hatch

0 # egg hatch

0 # egg remain

☐ Abandoned

0 # egg remain

☐ Flooded

☒ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☒ Unknown mammal

☐ Other



Notes can barley fit fingers

around, greenish tint

little down in nest

Location Sketch

Unit # 17

Transect # 91

Nest # 101 is located

25 ft 0 in ☐ North

☒ South

of flag and

5 ft 2 in ☒ East

☐ West

of Transect line

Grazing Cell #

Paddock #

Transect # 91

Flag

Nest # 101

5 ft 2 in

Fence

Empire canal

25 ft

Flag

Nest # 101

5 ft 2 in

Fence

Empire canal

25 ft

Flag

Nest # 101

5 ft 2 in

Fence

Empire canal

25 ft

Flag

Nest # 101

5 ft 2 in

Fence

Empire canal

25 ft

Flag

Nest # 101

5 ft 2 in

Fence

Compute Mayfield

Species ADU

eggs hatched

eggs remain

age when found

Initiation date

Est. hatch date

Exposure days

lay 2003

entered 7-19-04 BLV

7 South

Observer SI Stone Date 5/29/04 Unit # 17 Transect # 81(N)

FIRST VISIT

Species MALL
 Nest # 6
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching
 # eggs Found 6
 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 0 ft

Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 1/2-1"


Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☒ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)
couldn't find nest but - but distance to eggs 1ft 10"

NA    

FATE VISIT
 observer Stone
 Date 5/20/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☒ # egg remain
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☒ Other Small Mammal



Notes

~~Could not find nest bowl,~~
 eggs recently depredated
 And laying on top of
 prostrate bullrush - 3ft from bowl
 Predator? : no mandible
 hole in any of 6 eggs
 Large portion of each egg (in middle)
 gone - from up to 1/2 of egg

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
 25ft in ☐ North ☐ South
 of flag and
 ft in ☐ East ☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____

Lot of downed
 bullrush-
 mats where
 Small
 mammal
 could
 run
 across
 H₂O

North of
 Nest
 #5

Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

Found
 eggs pulled
 out of nest -
 pulled out -
 mammal?

guess small
 mammal


MVNWK: (Duck) Nest FORM

Observer Stone Date 5/20/04 Unit # 17 Transect # 81

FIRST VISIT

Species Mall
Nest # 5
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
2 # eggs
0 Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 4"
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
20 ☒ Tla Cattail
80 ☒ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft And inches)
8⁵ (E)


FATE VISIT
observer Stone
Date 6/17/04
(check one)
☐ Hatch
2 # egg hatch
2 # egg remain IR
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes _____

Small flagging above nest

In veg clump next to low path

Location Sketch

Unit # 17
Transect # 81
Nest # 5 is located
25 ft in ☐ North
☒ South
 of flag and
8 ft in ☒ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest FORM

Off Line

Observer

Stone

Date 5/20/04

Unit # 17

Transect # W of 87

FIRST VISIT

Species Gadw

Nest # ND2

Status (check one)

- ☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching

10 # eggs

Inc. stage

parasitic eggs

Dist. to standing H₂O ft

Soil Surface (check one)

- ☒ Dry AT Nest
☐ Moist
☐ Flooded

Aerial Cover (check one)

- ☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%



Veg COVER TYPE at Nest

%
10

- ☐ Sx Willow
☒ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Small Amount down

1/8 mile

Parker Pond

Distance of Nest from center line (ft And inches)

~ 25' W of

25

FATE VISIT

observer

Date / /

(check one)

☐ Hatch

egg hatch

egg remain

☐ Abandoned

egg remain

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other



Notes

Right off road's edge
 (If truck parked @
 T 87 - Nest is just
 N. of bumper -
 In first grid bush

Location Sketch

Unit #

Transect #

Nest # is located

25ft in ☐ North
☐ South

of flag and
 ft in ☐ East
☐ West

of Transect line

Grazing Cell #

Paddock #


*

In June I looked for
 nest but couldn't
 find. (KS).

Compute Mayfield

Species ADU Initiation date
 # eggs hatched Est. hatch date
 # eggs remain Exposure days
 age when found

May 2003



MVNWR: (Duck) Nest Form

Observer Darany NON DUCK Date June 14 2004 Unit # 17 Transect # 95

FIRST VISIT

Veg COVER TYPE at Nest

Species American Bittern %

Nest # 101

Status (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☐ Hatching

5 # eggs

— Inc. stage

— # parasitic eggs

Dist. to standing H₂O 0 ft

Soil Surface (check one)

☐ Dry AT Nest

☐ Moist

☒ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☐ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☐ Tla Cattail


☒ Sva Bullrush

☐ Other _____

100 y

Distance of Nest from center line (ft And inches)

1 ft west of centerline



FATE VISIT
observer _____

Date 1 / 1 / -

(check one)

☐ Hatch
 # egg hatch
 # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other _____



Notes _____

Location Sketch

Unit # _____
 Transect # _____
 Nest # _____ is located
25ft in ☐ North
☐ South
 of flag and
ft in ☐ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock #-

Compute Mayfield			
_____	Species AOU	_____	Initiation date
_____	# eggs hatched	_____	Est. hatch date
_____	# eggs remain	_____	Exposure days
_____	age when found		

May 2003

MVNWR: (Duck) Nest Form

Observer Stone

Date 6/17/04 Unit # 17 Transect # 875

FIRST VISIT

Species Modo
 Nest # NDB 7
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
 # eggs 2 Nestlings
 Inc. stage of 104
 # parasitic eggs
 Dist. to standing H₂O ft

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other


Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded

Distance of Nest from center line (ft And inches)

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%

FATE VISIT

observer
 Date / /
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
 ☐ Raven/magpie
 ☐ Skunk
 ☐ Raccoon
 ☐ Coyote
 ☐ Unknown
 ☐ Other



Notes

Also suspect mother
 Modo nest off-line
 in fly/A.

Second yr. of
 observing Modos

Nesting in egg + prostrate fly/A.

Location Sketch

Unit #
 Transect #
 Nest # is located
 25 ft in ☐ North
 ☐ South
 of flag and
 ft in ☐ East
 ☐ West
 of Transect line
 Grazing Cell #
 Paddock #

Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer Stone Date 6/17/04 Unit # 17 Transect # 81 N

FIRST VISIT

Species Mall
 Nest # 17
 Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☒ Hatching
5 # eggs
 Inc. stage
 # parasitic eggs

Dist. to standing H₂O ft

Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☐ Flooded


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from
 center line (ft And inches)

FATE VISIT

observer Stone
 Date 6/17/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes could not
locate Bowl

Location Sketch

Unit #
 Transect #
 Nest # is located
25ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADD Initiation date
 # eggs hatched Est. hatch date
 # eggs remain Exposure days
 age when found

MVNWK: (Duck) Nest FORM

Observer Cary Gardner Date 5/19/04 Unit # 18 Transect # 95

FIRST VISIT

Species Mallard
 Nest # 256
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
10 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H₂O 1 ft

Soil Surface (check one)
☐ Dry
☐ Moist
☒ Flooded

Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Svc Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☒ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)
1 ft from transect line

FATE VISIT
 Observer Gardner
 Date 6/14/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other

5 eggs noticeably predated

Notes The area is flooded so there is some open water; however it's at least 1/4 mile from ponded water w/ lots of open space

Location Sketch w/ down pulled out away from nest

Unit # 18
 Transect # 95
 Nest # 256 is located
25 ft in ☒ North
☐ South
 of flag and
 / ft in ☐ East
☒ West
 of Transect line
 Grazing Cell #
 Paddock #

Compute Mayfield

Species AOU Initiation date
 # eggs hatched Est. hatch date
 # eggs remain Exposure days
 age when found

MVNWR: (Duck) Nest FORM

Observer Cary Gardner

Date 5/19/04

Unit # 18

Transect # 93

FIRST VISIT

Species Blue-wing teal ^{cite ok}

Nest # 257

Status (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☐ Hatching

10 # eggs

12 Inc. stage

 # parasitic eggs

Dist. to standing H₂O 25ft

Soil Surface (check one)

☐ Dry AT Nest

☐ Moist

☒ Flooded

Aerial Cover (check one)

☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest

70 %

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☒ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

30 %

☒ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☒ Tla Cattail

☐ Sva Bullrush

☐ Other

Distance of Nest from center line (ft and inches)

1ft

FATE VISIT

observer Gardner

Date 6/14/04

(check one)

☐ Hatch

 # egg hatch

 # egg remain

☒ Abandoned

1 # egg remain

☐ Flooded

☒ Destroyed

☐ Raven/magpie

☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☒ Other mammal

down pulled out & away from nest



Notes Decided it was a blue wing based on nest bowl size (differentiation from yellow wing would not be made based on female)

Location Sketch

Unit # 18

Transect # 93

Nest # 257 is located

25ft in ☒ North ☐ South

of flag and

 ft in ☐ East ☒ West

of Transect line

Grazing Cell #

Paddock #

Nest

Compute Mayfield

Species ADU

eggs hatched

eggs remain

age when found

Initiation date

Est. hatch date

Exposure days

May 2003

entered 7-20-04 in LV

MVNWK: (Duck) Nest FORM

Observer Cary Gardner Date 5/19/04 Unit # 18 Transect # 91

FIRST VISIT

Species Mallard
Nest # 258
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
9 # eggs
fresh Inc. stage
☐ # parasitic eggs
Dist. to standing H₂O 5 ft
Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded
Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
1 ☒ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
99 ☒ Tla Cattail
☐ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft and inches)
2 ft


FATE VISIT
 observer Gardner
 Date 6/11/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☒ Destroyed
 ☐ Raven/magpie
 ☐ Skunk
 ☐ Raccoon
 ☐ Coyote
 ☐ Unknown
 ☒ Other mammal



Notes The nest is way hard to find... almost completely covered by residual cattail that is laying at a ~45° angle North

Location Sketch

Unit # 18
 Transect # 91
 Nest # 258 is located
25ft in ☒ North ☐ South
 of flag and
2 ft in ☒ East ☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species AOU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWK: (DUCK) NEST FORM

Observer Cary Gardner Date 5/19/04 Unit # 18 Transect # 95

FIRST VISIT

Species Mallard
Nest # 256
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
10 # eggs
4 Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 1 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 % 1% tall shrubs
 99%
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☒ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft And inches)
1 ft from transect line


FATE VISIT
 observer _____
 Date 1/1/
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☐ Destroyed
 ☐ Raven/magpie
 ☐ Skunk
 ☐ Raccoon
 ☐ Coyote
 ☐ Unknown
 ☐ Other _____



Notes The area is flooded so there is some open water; however its at least 1/4 miles from ponded water w/ lots of open space

Location Sketch

Unit # 18
 Transect # 95
 Nest # 256 is located
 25ft in ☒ North
 ☐ South
 of flag and
 /ft in ☐ East
 ☒ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____




Compute Mayfield

_____ Species ADU	_____ Initiation date
_____ # eggs hatched	_____ Est. hatch date
_____ # eggs remain	_____ Exposure days
_____ age when found	

MVNWK: (Duck) Nest FORM

Observer Cary Gardner Date 5/19/04 Unit # 18 Transect # 91

FIRST VISIT

Species Mallard
Nest # 258
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
9 # eggs
fresh Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 5 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%


VEG COVER TYPE at Nest
 % 1
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☒ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
99 ☒ Tla Cattail
☐ Sva Bullrush
☐ Other _____

Distance of Nest from center line (ft and inches)
2 ft


FATE VISIT
 observer _____
 Date 1-1-
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes The nest is very hard to find... almost completely covered by residual cattail that is laying at a ~45° angle North

Location Sketch

Unit # 18
 Transect # 91
 Nest # 258 is located
25 ft in ☒ North ☐ South
2 ft in ☒ East ☐ West
 of flag and
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
Age when found	

MVNWK: (Duck) Nest FORM

Observer Larry Gardner Date 5/19/04 Unit # 18 Transect # 95


FIRST VISIT

Species Common Snipe
 Nest # ND256
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
4 # eggs
 Inc. stage
 # parasitic eggs

Dist. to standing H₂O .5 ft

Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%



Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)
6 inches

FATE VISIT
 observer
 Date 1/1
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes Snipe w/ flooded /
moist hab. -> cattail
that is unusual &
the very sh. em.
veg -> juncus

Location Sketch

Unit # 18
 Transect # 95
 Nest # ND256 is located
25ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species AOV Initiation date
 # eggs hatched Est. hatch date
 # eggs remain Exposure days
 age when found

Transect # 105 N

☐ Other

May 2003

MVNWK: (Duck) Nest FORM

Observer Stone

Date 5/21/04 Unit # 18

Transect # 107 N

FIRST VISIT

Species Mall
Nest # 10
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
18 # eggs *down warm eggs*
12 Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 12"
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 % 90
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☒ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft and inches)
7 ft 4 in E

FATE VISIT
observer _____
Date 1 / 1 / -
(check one)
☐ Hatch
0 # egg hatch
0 # egg remain
☐ Abandoned
0 # egg remain
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____




Notes

Small flagging held above

Location Sketch

Unit # 18
Transect # 107 N
Nest # 10 is located
23 25ft in ☒ North
4 ft 4 in ☐ South
7 ft 4 in ☒ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

Observer Stone Date 5/31/04 Unit # 18 Transect # 105 N

FIRST VISIT

Species MAII
 Nest # 7
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
4 # eggs
☒ Inc. stage 3 @ 21 days
☒ # parasitic eggs 1 @ ~12 days

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☒ Sva Bullrush
☐ Other

Dist. to standing H₂O 6 ft 100

Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 14"

Distance of Nest from center line (ft and inches)
8' (W)

Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

LATE VISIT
 observer Stone
 Date 7/13/04
 (check one)
☐ Hatch
1 # egg hatch
1 # egg remain
☐ Abandoned
☒ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown not
☐ Other


water under nest bowl
 corvid - eggs in halves.



Notes Small fledging
above Nest

Location Sketch

Unit # 18
 Transect # 105
 Nest # 7 is located
25 ft in ☒ North
☐ South
8 ft in ☐ East
☒ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species AOU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWK: (Duck) Nest FORM

Observer Stone Date 5/31/04 Unit # 8 Transect # 105 S

FIRST VISIT


Species Mall
Nest # 8
Status (check one)
☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☒ Hatching
NA # eggs
 Inc. stage
 # parasitic eggs
Not mid pole
 Dist. to standing H₂O 30 ft 80 yds
 Soil Surface (check one)
☐ Dry AT Nest
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%

Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other Cane

Distance of Nest from center line (ft And inches)
W in 8 ft of CL -
couldnt find nest I have but
All evidence of nest (eggs, down)
+ dead hen w/in 8 ft of CL

FATE VISIT
 observer
 Date 5/21/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other

her killed by?



Notes


hen killed @/NEAR nest -
found 1 feather

found 2 eggs (dep.)

In cane in
2nd south cane expense
(see map).

Location Sketch

Unit #
 Transect #
 Nest # is located
 25 ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found

Initiation date
 Est. hatch date
 Exposure days


MVNWR: (Duck) Nest FORM

Observer Stone Date 5/21/04 Unit # 18 Transect # 107 105M

FIRST VISIT

Species Mall
Nest # 9
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
19 # eggs
1 Inc. stage *some down all eggs cold*
0 # parasitic eggs
 Dist. to standing H₂O 100 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 12"
 Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 %
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☒ Sva Bullrush
☐ Other
 Distance of Nest from center line (ft and inches)
3' E

FATE VISIT
observer
Date 6/17/04
(check one)
☐ Hatch
19 # egg hatch
19 # egg remain
☒ Abandoned *All look fresh still*
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes

In bullrush next to path
small rubbin above
Same Area as 2 Mall nests w/ 19-21 eggs in 2003.
Another example of mall dumping?
Flushed Mall f. from here.

Location Sketch

Unit # 18
 Transect # 107
 Nest # 9 is located
25 ft in ☒ North ☐ South
3 ft in ☒ East ☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	


MVNWR: (Duck) Nest Form

Observer Stone Date 5/26/04 Unit # 18 Transect # 107 N

FIRST VISIT

Species Mall
Nest # 10
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☐ Hatching
18 # eggs *down warm eggs*
12 Inc. stage
0 # parasitic eggs
 Dist. to standing H₂O 0 ft
 Soil Surface (check one)
☐ Dry AT Nest
☐ Moist
☒ Flooded 12"
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
 % 90
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☒ Tla Cattail
☒ Sva Bullrush
☐ Other _____
 Distance of Nest from center line (ft And inches)
7 4 E

FATE VISIT
 observer STONE
 Date 6/17/04
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
 # egg remain
☐ Flooded
☒ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



since
→ All is
gone
And there
is 2 ft
H₂O under
Bowl.


Notes _____

Small flagging kept above

17 June 04
Nest bowl completely
exposed - in fact TLA
pushed back away
from nest. 0 eggs
left, no shell fragments,
no dam. If it weren't
for the small piece of flagging I'd think this was
an old (Before 04)
Nest.

Location Sketch

Unit # 18
 Transect # 107 N
 Nest # 10 is located
23 25 ft in ☒ North
4 pairs ☐ South
7 ft 4 in ☒ East
☐ West
 of Transect line
 Grazing Cell # _____
 Paddock # _____



Compute Mayfield

Species ADU	Initiation date
# eggs hatched	Est. hatch date
# eggs remain	Exposure days
age when found	

MVNWR: (Duck) Nest Form

Observer Cory Gardner Date 6/14/04 Unit # 18 Transect # 93

FIRST VISIT		FATE VISIT	
Species <u>MALL</u> Nest # <u>257</u> Status (check one) ☒ Active ☐ Hatched ☐ Abandoned ☐ Destroyed ☐ Hatching # eggs <u>60</u> Inc. stage <u>fresh</u> # parasitic eggs <u>0</u>		observer _____ Date <u>1</u> / <u>1</u> / <u>1</u> (check one) ☐ Hatch	
Veg COVER TYPE at Nest % <u>60</u> <u>35</u>		☐ Sx Willow ☐ Sve Greasewood ☐ Crx Rabbit brush ☐ Dst Salt grass ☐ Gx Grass species ☐ MoF Sweetclover ☒ Wx Weed species ☒ Jba Baltic rush ☐ Cx Sedge ☐ Ex Spikerush ☐ Tla Cattail ☐ Sva Bullrush ☒ Other <u>goose foot</u>	
Dist. to standing H ₂ O <u>1</u> ft <u>5</u>		Distance of Nest from center line (ft And inches) <u>60</u>	
Soil Surface (check one) ☐ Dry ☒ Moist ☐ Flooded		☐ Raven/magpie ☐ Skunk ☐ Raccoon ☐ Coyote ☐ Unknown ☐ Other _____	
Aerial Cover (check one) ☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%			

Copies of
 Time
 Nests

Notes Down is covering
nest


Location Sketch

Unit # 18
Transect # 93
Nest # 259 is located
25ft in ☒ North
☐ South
of flag and
1 ft in ☒ East
☐ West
of Transect line
Grazing Cell # _____
Paddock # _____

foot =
tall
white top

Compute Mayfield			
_____	Species ADU	_____	Initiation date
_____	# eggs hatched	_____	Est. hatch date
_____	# eggs remain	_____	Exposure days
_____	age when found		

May 2003



MVNWR: (Duck) Nest Form

Observer Cory Gardner Date 6/14/04 Unit # 18 Transect # 93

FIRST VISIT


Species MALL
Nest # 259
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
 # eggs 60
 Inc. stage 35
 # parasitic eggs 5
 Dist. to standing H₂O 1 ft
 Soil Surface (check one)
☐ Dry
☒ Moist
☐ Flooded
 Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%
 Veg COVER TYPE at Nest
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☒ Wx Weed species
☒ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☒ Other goose foot
 Distance of Nest from center line (ft and inches)
 60 ft 35 in

FATE VISIT

observer STONE
Date 7/12/04
 (check one)
☐ Hatch
☒ # egg hatch
☒ # egg remain
☐ Abandoned
☐ Flooded
☒ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☒ Unknown
☐ Other

All eggs (but 1) And shells gone.

Remaining egg: can see feather on duckling



Notes Down is covering nest

Location Sketch

Unit # 18
Transect # 93
Nest # 259 is located
25 ft in ☒ North ☐ South
1 ft in ☒ East ☐ West
 of flag and of Transect line
 Grazing Cell # _____
 Paddock # _____

SO NEST was dep. toward end of incubation. No down - nothing in or near nest - except 1 egg

21 July 04: Area where nest is: in tall. No juba underneath is 2.5 feet tall.

1 ft = tall white top



Compute Mayfield

Species ADD _____ Initiation date _____
 # eggs hatched _____ Est. hatch date _____
 # eggs remain _____ Exposure days _____
 age when found _____

MVNWR: (Duck) Nest Form

Observer Stone Date 6/17/04 Unit # 18 Transect # 107

FIRST VISIT

Veg COVER TYPE at Nest

Species NOHA

Nest # ND 8

Status. (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☒ Hatching

7 # eggs

 Inc. stage

 # parasitic eggs

Dist. to standing H₂O 0 ft

Soil Surface (check one)

☐ Dry AT Nest

☐ Moist

☒ Flooded 2.5 ft

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

100%

☐ Sx Willow

☐ Sve Greasewood

☐ Crx Rabbit brush

☐ Dst Salt grass

☐ Gx Grass species

☐ MoF Sweetclover

☐ Wx Weed species

☐ Jba Baltic rush

☐ Cx Sedge

☐ Ex Spikerush

☒ Tla Cattail egg

☐ Sva Bullrush

☐ Other

Distance of Nest from center line (ft And inches)

FATE VISIT
observer _____

Date / /

(check one)

☐ Hatch
 # egg hatch
 # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie


☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other _____



Notes

Location Sketch

Unit # _____
Transect # _____
Nest # _____ is located
_____ 25ft in ☐ North
_____ ☐ South
_____ of flag and
_____ ft in ☐ East-
_____ ☐ West
_____ of Transect line
Grazing Cell # _____
Paddock # _____

Compute Mayfield			
_____	Species AOU	_____	Initiation date
_____	# eggs hatched	_____	Est. hatch date
_____	# eggs remain	_____	Exposure days
_____	age when found		

MVNWR: (Duck) Nest Form

Observer Blenden Date 6/16/04 Unit # 19 Transect # 13

FIRST VISIT

Species gadwall(?) Nest # 201

Status (check one)

☐ Active
☐ Hatched
☐ Abandoned
☒ Destroyed
☐ Hatching

2 # eggs
 Inc. stage
 # parasitic eggs

Dist. to standing H₂O 2 ft

Soil Surface (check one)

☐ Dry AT Nest
☐ Moist
☒ Flooded

Aerial Cover (check one)

☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest

☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☒ Jba Baltic rush
☒ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)

FATE VISIT

observer Blenden

Date 6/16/04

(check one)

☐ Hatch
 # egg hatch
 # egg remain

☐ Abandoned
☐ Flooded
☐ Destroyed
☒ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other




Notes

looks like nest destroyed
by bird - raven/magpie

Location Sketch

Unit # 19
 Transect # 13
 Nest # 201 is located
25 ft in ☐ North
☐ South
of flag and
ft in ☐ East
☐ West
of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found

Initiation date
 Est. hatch date
 Exposure days

May 2003

entered 7-20-04 ALV

MVNWR: (Duck) Nest FORM

Non Duck Nest

Observer Dathe

Date 6/17/04 Unit # 22 Transect # 871

FIRST VISIT

Species Mallard
 Nest # ND 126
 Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
☒ Hatching
7 # eggs
12 Inc. stage
 # parasitic eggs
 Dist. to standing H₂O 50 ft

Soil Surface (check one)
☒ Dry AT Nest
☐ Moist
☐ Flooded


Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%

Veg COVER TYPE at Nest
 %
 10
 90
☐ Sx Willow
☐ Sve Greasewood
☒ Crx Rabbit brush
☒ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other

Distance of Nest from center line (ft And inches)

FATE VISIT

observer
 Date 1-1-
 (check one)
☐ Hatch
 # egg hatch
 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other



Notes Between Transect #

69 + 71

It nested right next to the rabbit brush

Location Sketch

Unit # 22
 Transect # 71
 ND Nest # 126 is located
25 ft in ☐ North
☐ South
 of flag and
 ft in ☐ East
☐ West
 of Transect line
 Grazing Cell #
 Paddock #



Compute Mayfield

Species ADU
 # eggs hatched
 # eggs remain
 age when found

Initiation date
 Est. hatch date
 Exposure days

MVNWR: (Duck) Nest FORM

off line

Observer

Stone

Date

4 JUN 04

Unit #

24

Transect #

117

FIRST VISIT

Species

Mall

Nest #

4ND

Status (check one)

☒ Active

☐ Hatched

☐ Abandoned

☐ Destroyed

☒ Hatching

eggs

2 Inc. stage

parasitic eggs

Dist. to standing H₂O

0 ft

Soil Surface (check one)

☐ Dry

AT Nest

☐ Moist

☒ Flooded

2"

Aerial Cover (check one)

☐ A. 100-75%

☐ B. 75-50%

☒ C. 50-25%

☐ D. 25-0%



Distance of Nest from center line (ft and inches)

40

60

Veg COVER TYPE at Nest

☐ Sx

Willow

☐ Sve

Greasewood

☐ Crx

Rabbit brush

☐ Dst

Salt grass

☐ Gx

Grass species

☐ MoF

Sweetclover

☐ Wx

Weed species

☒ Jba

Baltic rush

☐ Cx

Sedge

☐ Ex

Spikerush

☒ Tla

Cattail

☐ Sva

Bullrush

☐ Other

FATE VISIT

observer

Date

(check one)

☐ Hatch

egg hatch

egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

☐ Raven/magpie

☐ Skunk

☐ Raccoon

☐ Coyote

☐ Unknown

☐ Other



Notes

25 feet East

Location Sketch

Unit #

Transect #

Nest #

is located

25ft in

☐ North

☐ South

of flag and

ft in

☐ East

☐ West

of Transect line

Grazing Cell #

Paddock #

N 4148386.08
E 407477.87

Compute Mayfield

Species ADU

Initiation date

eggs hatched

Est. hatch date

eggs remain

Exposure days

age when found

Bird Data Sheets

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: 18 May 04 Observer: Stone

Species	Number	Habitat	Unit/Transect	Behavior	Nest/eggs/lyng	Comments
tree frog	1	nest	up/down		1	deep nest, off line T57 (5)
tree frog	6		7/55 M	FO-NS		shallow lbc, deep pma
upst	25		↑	FO-5		
tree frog			7/53 M			
tree frog	2	sw + zms	6/53/5	FO-NS		1/3 deep egg, off line T53 (M)
duck egg	25		↑	FO		
Amur	~ 10		↑	NS-FU		

Number:

X = present (too numerous to count)

Habitat Codes:

EMT = Tall Emergent (Cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges,
 MF = Mud Flat/Shore (unvegetated flat/shore)
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (<2')
 SG = Saltgrass (salt grass, alkali sycamore flats)
 GR = Grassland (non salt grass but not wetland veg)

Behavior:

FO = Foraging
 NS = Breeding/Nesting/Singing
 RL = Resting/Lounging
 FL = Flying
 UD = Undetermined

Sign off - NAD T45 -
 Rck!
 Sign off - NAD T45 -
 Rck!
 Sign off - NAD T45 -
 Rck!

Date: 20/11/2021
Observer: S. J. J.

5/2/20

May 04

Species	Number	Habitat	Unit/Transsect	Behavior	Comments
Cage	9	av	17/89N		7 goslings
Cute	2	TEM-SW	17/89N	NS	strongly accepted cut nesting - > 6" high of thyr @ end of T89 - off
M. Wren	X		17/89/mid N		
Y. Wren	X				
Cite	X	U18		in pair	seems ↓ #s of pairs thru out 189, open U18
Good W	X				hatching new cut p's thru-garden
Wren	1	Tem + B	U18/T103	Nesting	off line (to E)
Wren	1	Bush	U18/T105W	Nesting	off line (to W)
Wren	1	U18 T105W		Nesting	off line (to E) in thyr.
Wren	1	U18 T105		Nesting	off line (to W) in thyr
Wren	1	U18 T105W		Dead	carcass on nest, egg deep by covered

Number:

```
X = present(too numerous to count)
```

Habitat Codes:

Behavior:

FO = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loafing
FL = flying
UD = Undetermined

```

EWT = Tall Emergent (Cattail, bulrush)
EWS = Short Emergent/Wet Meadow (rush, sedges,
MF = Mud Flat/Shore (unvegetated flat/shore)
SS = Shrubland (dominated by greasewood, rabbitbrush)
DE = Deep water (<2')
SG = Shallow water (<2')
SH = Salgrass (salt grass, alkali sycation flats)
GR = Grassland (non salt grass but not wetland veg)

```

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: 21 May 04

Observer:

[illegible]

```
x = present(too numerous to count)
```

Number:

Habitat Codes:

Behavior:

GR	=	Grassland (non salt grass but not wetland veg)
SG	=	Saltgrass (salt grass, alkali sycation flats)
SH	=	Shallow water (<2')
DE	=	Deep water (>2')
SS	=	Shrubland (dominated by greasewood, rabbitbrush)
MF	=	Mud flat/shore (unvegetated flat/shore)
EWS	=	Short Emergent/Wet Meadow (rush, sedges,
EMT	=	Tall Emergent (Cattail, bulrush)

FO = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loafing
FL = Flying
UD = Undetermined

Hub for
42X
Duck

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: 17 June 04
Observer: Stone

Species	Number	Habitat	Unit/Transect	Behavior	Comments
AmAV	10		24/23 (N)	NS	2 young birds: very close to nest - believe they are nesting in bg/drop zone in mid-N Tial.
Wght	5.5		24/21	NS	
SPSA			24/21	NS	
PWBB	X		24/21 (S)	NS	
Wght	-				
Gadu	0		24/19 (M)	scsu	♀ + ♂ in area of su
Kull	X				
Wght	~15				
W. Snipe	1		24/11 (H)	NS	vegetating
Kull	X		24/11 (H)	NS	drop zone in area of su
Wght	~5				
Spansp	X		24/12, 19, 117 (N)	NS	
W. Snipe	1 (?)		24/11 (H)	NS	
AmAV	~4		24/10	NS	in pond area of su (24w)
AmAV	~10		24/10	NS	
Labdus (guts, etc)	50			(UD)	
AmAV	6		24/13 (M)		N 411859745 E 407098.5
AmAV	X				
			↑		

Number:

X = present (too numerous to count)

Habitat Codes:

Behavior:

- EMT = Tall Emergent (Cattail, bulrush)
- EWS = Short Emergent/Wet Meadow (rush, sedges, Mud Flat/Shore (unvegetated flat/shore)
- MF = Shrubland (dominated by greasewood, rabbitbrush)
- SS = Deep water (>2')
- DE = Shallow water (<2')
- SH = Saltgrass (salt grass, alkali sycamore flats)
- SG = Grassland (non salt grass but not wetland veg)
- GR = Foraging
- NS = Breeding/Nesting/Singing
- RL = Resting/Loafing
- FL = Flying
- UD = Undetermined

M

Date: Darany Observer: June 14, 2004

Species	Number	Habitat	Unit/Transsect	Behavior	Comments
MODO	2	SS	11/141	FL	
Brewers BR	2	SS	11/141	FL	
Starling	1	SS	11/141	NS	
GADN J shrike	1	SH	11/141	FL	
Black Bird nest	2	SH	11/141	FL	
Killdeer	1	SS	5/141	NS	1 Nest 4 eggs 0 young eggs blue w/B
WEME	2	FMS	11/141	NS	suspect nest not happy but no movement
NOSE pair	2	SS	11/139	NS	
CITE pair	2	SS	11/139	NS	
REDH 3 pair	6	SS	11/139	NS	
KILL	2	MF	11/139	NS	
UNT Sparrow	1	SS	5/135	NS	
REDH pair	2	SH	11/135	FO/NS	
WFB	1	SH	11/135	FL	
SNCG	2	SH	11/133	FL	
Musk Wren	3	FMT	11/133	NS	
KuBL	1	FMT	5/133	NS/FL	
MODO	1	SS	5/133	NS/FL	
Cottontail Jack rabbit?	1	SS	5/133	Running	
YHRB	2	FMT	11/131	NS/FL	
Starling	5	SS	11/125	NS/FL	
MODO	1	SS	11/125	NS/FL	
					1 Nest / 4 eggs / 0 young

```
x = present(too numerous to count)
```

GR	=	Grassland (non salt grass but not wetland veg)
SG	=	Saltgrass (salt grass, alkali sacaton flats)
SH	=	Shallow water (<2')
DE	=	Deep water (>2')
SS	=	Shrubland (dominated by greasewood, rabbitbrush)
MF	=	Mud flat/shore (unvegetated flat/shore)
EWS	=	Short Emergent/Wet Meadow (rush, sedges,
EMT	=	Tall Emergent (Cattail, bulrush)

Behavior:
FO = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loafing
FL = Flying
UD = Undetermined



BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR
Date: 6-14-04 Observer: Vaughn

Species	Number	Habitat	Unit/Transsect	Behavior	Comments
KILL	1	SS-GR	U16, T71/2	calling	
WEMF	1	Φ	Φ	singing	
AMAV	10	SH/MF	U16, T71/2	calling	
WHT	2	DE	↓	FO	
YHBL	1	EMT	↑	calling	
WFB	1	SH/MF	↑	FL	
AMAV	1	MF	U16, T69/2	calling	
KILL	1	MF	↓	calling	
SPAWN	4-5	G-R-SS	U16, T69/2	NS = 1 nest, 3-Young	
NO DO	1	SS-G-R	U16, T67/2	NS = 1 nest, 2 eggs	
KILL	1	"	U16, T65/2	calling	
Browers BB	1	"	"	calling	
WEMF	1	"	U16, T65/2	living as (flushed)	
TARABH	1	"	↓	running	
CHORUS FRGS	X	"	↓	singing	
BUBL	3	EMT	U16, T63/2	"	
UNT E	1	GW-EM	U3, T75/2	living as ducklings in grass because did	
WFB	1	EMS	U2, T73/2	FO	but they injured wings display in creek
MAJOR	X	SS-G-R	U2, T77	singing	
BUBL	X	EMT	U2, T77	"	
CHGR	1	fms	U2, T79	FL	
CO5N	X	EMS		winning	
YHBL	X	EMT		singing	

Behavior:
FO = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loating
FL = Flying
UD = Undetermined

Habitat Codes:

EMT = Tall Emergent (Cattail, bulrush)
EMS = Short Emergent/Wet Meadow (rush, sedges,
MF = Mud Flat/Shore (unvegetated flat/shore)
SS = Shrubland (dominated by greasewood, rabbitbrush)
DE = Deep water (>2')
SH = Shallow water (<2')
SG = Saltgrass (salt grass, alkali saccaton flats)
GR = Grassland (non salt grass but not wetland veg)

Number: X = present (too numerous to count)

BCNH

fms

FL

0-15-04

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR Date: 6-15-04 Observer: Vaughn

Comments

Species	Number	Habitat	Unit/Transect	Behavior
AMV	1	SH-EMS	02, 183	calling
KILL	1	GR-SS	4	calling
WICH	1	EMS	02, 181	FL
WEIB	2	EMS	01, 171	FL
YHBL	X	EMT	01, 165	NS
AMV	1	EMS	4	FL
WEIB	7	SH-EMS	01, 165	FO
MTL	2	DE	"	FO/RL
AMV	1	GR	01, 161	calling
BOU	8	DE	"	FO/RL
WEIB	10	SH-EMT	"	FL
AMC	10	DE	"	FO-RL
Cared grebes	3	DE	"	RL-FO
WICH	1	DE-EMT	01, 163	calling
AMV	6	GR	01, 159	calling (w/4 nosyng)
WEIB	10	SH-EMS	MT	FO

Number:

X = present (too numerous to count)

Habitat Codes:

EMT = Tall Emergent (Cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges,
 MF = Mud Flat/Shore (unvegetated flat/shore)
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (<2')
 SG = Saltgrass (salt grass, alkali sycamore flats)
 GR = Grassland (non salt grass but not wetland veg)

Behavior:

FO = Foraging
 NS = Breeding/Nesting/Singing
 RL = Resting/Loading
 FL = Flying
 UD = Undetermined

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR Date: 6-16-04 Observer: Vaughn

Species	Number	Habitat	Unit/Transsect	Behavior	Comments
Sage Thrasher	1	SS	U16,T59 ¹ / ₂	NS	1 nest, 4 eggs
W. me	~4	SS-GR	"	singing	
CORA	2	"	"	calling	
KILL	2	MF-SS	U16,T59 ¹ / ₂	calling	
AWBL	X	EMT	"	singing	
GTHW	3	SH	"	AL-FB	
CITE	1	"	"	"	
Sage Thrasher	1	GR-SS	U16,T57 ¹ / ₂	singing	
Sparrow	1	GR	U14,T35 ¹ / ₂	NS-X nest, 4 eggs	
AMTV	12	SH-MF	U14,T35 ¹ / ₂	(calling) FB	
WICH	2	SH-DE	"	FB	
YITBL	X	EMT	"	(calling)	
AMID	5	DE	"	RL-FB	
GTHW	2	DE	"	"	
WFLB	1	SH-MF	U14,T33 ¹ / ₂	FB	
WEME	3	SS-GR	U14,T31 ¹ / ₂	singing	
AMTV	4	SH-MF	"	calling	
GTHW	2	SH-DE	"	pair	
NOSE	2	"	"	pair	
WFLB	1	"	"	pair	
Brewers BB	1	SS-GR	"	singing	
RN Phoeasant	1	GR	U14,T25 ¹ / ₃	Nesting	→ definite nest (flushed up bird) → but I couldn't find it (in western wheatgrass)

Number: X = present (too numerous to count)
 Habitat Codes:
 EMT = Tall Emergent (Cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges, mud flat/shore (unvegetated flat/shore))
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (<2')
 SG = Saltgrass (salt grass, alkali sacaton flats)
 GR = Grassland (non salt grass but not wetland veg)
 Behavior:
 FO = Foraging
 NS = Nesting/Singing
 RL = Resting/Loafing
 FL = Flying
 UD = Undetermined

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: Stone
Observer: 16 Jun 04

Species	Number	Habitat	Unit/Transect	Behavior	Comments
4 June 04	~8				
June 14	~5 (ling)		uat 109 (M)		The only elk due seen during May - June at transects.
← 16 June 04					
M. w. r.	X	TEM	9/83 N	Nest	
BNSI	1	TEM	near 9/83 N	NS	mobbing me
Redh	1	TEM	9/83 N	NS	stomping, swept nest or duckling (E) of CL
sofa	1	TEM/sem	9/83 N	NS-F2?	
Yh bb	X	TEM		NS	
Yellowthroat	X	TEM		NS	
WTH	~5?	SEM	9/87 (M)	NS	
BNSI	2		9/91 S		mobbing me while @ 5 pole
wpl					
RWB					
12/11H	~20		9/89 (M)	NS	just N of spruce lawn on my juha @ 21" 2" h 30
12/11H	7		17/81 (M)		1 ♀ Ad & ducklings
und duck	1		17/83 S		found remains of dead ♀, scanned breast but did not find
old	7		17/83 S		1 ♂ 3 caws 3 calvea
feeding	6		17/105		1 ♀ 4 ducklings
NHHA	12	TEM	17/115	Nest	1 ♂ 4 ducklings

Number:

X = present (too numerous to count)

Habitat Codes:

EWT = Tall Emergent (Cattail, bulrush)
EMS = Short Emergent/Wet Meadow (rush, sedges,
MF = Mud Flat/Shore (unvegetated flat/shore)
SS = Shrubland (dominated by greasewood, rabbitbrush)
DE = Deep water (>2')
SH = Shallow water (<2')
SG = Saltgrass (salt grass, alkali sycamore flats)
GR = Grassland (non salt grass but not wetland veg)

FO = Foraging
NS = Nesting/Singing
RL = Resting/Loafing
FL = Flying
UP = Undetermined

Behavior:

Date: 6/16/2004
Observer: Steadman

Stechlin

Species	Number	Habitat	Unit/Transect	Behavior	Comments
<i>Procellaria</i>	2	SH	B/35	fo	
<i>b.c. magnirostris</i>	1	EUS	"	fo	
<i>Lobelia camp</i>	4	FMS	"	fo	
<i>u. r. r. r.</i>	300	FMS	"	fo/up	nearby southern most pond
<i>Brewer's sparrows</i>	1	SS	13N	fo	
<i>Wilson's phalarope</i>	12	FMS	11S	40	
<i>Spizella</i>	4	FMS	"	fo	
<i>Western Gull</i>	2	FMS	"	fo	
<i>Curlew</i>	4	FMC	"	fo	

X = present (too numerous to count)

EMT = Tall Emergent (Cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges,
 MF = Mud flat/shore (unvegetated flat/shore)
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (>2')
 SG = Saltgrass (salt grass, alkali sycamore flats)
 GR = Grassland (non salt grass but not wetland veg)

FO = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loafing
FL = Flying
UD = Undetermined

undetermined

FL = Flying

$$RL = \text{Resting/Loading}$$

NS = Breeding/Nesting/Singing

FO = Foraging

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: 6/11/2004 Observer: D. Blevins

Species	Number	Habitat	Unit/Transect	Behavior	Comments
W. Grebe	4	EMS	19/17S	NS	
W. Grebe	4	EMS	"	NS	
W. Grebe	4	EMS	"	FO	
W. Grebe	3	GR	"	NS	
W. Grebe	2	OS	"	UP	
W. Grebe	4	SH	"	UP	
W. Grebe	1	SH	"	FO	
W. Grebe	10	SH	"	UP	
W. Grebe	2	EMS	"	UP	
W. Grebe	2	EMS	"	UP	
W. Grebe	2	SA	19/17N	FO	
W. Grebe	1	SS	19/15N	NS	
W. Grebe	4	GR	"	UP	
W. Grebe	4	SH	"	FO	
W. Grebe	4	SH	"	FO	
W. Grebe	4	EMS	"	UP	
W. Grebe	2	EMS	"	UP	
W. Grebe	2	SA	19/17N	FO	
W. Grebe	1	SS	19/15N	NS	
W. Grebe	4	GR	"	UP	
W. Grebe	4	SH	"	FO	
W. Grebe	4	SH	"	FO	
W. Grebe	2	SH	"	UP	
W. Grebe	2	SH	"	UP	
W. Grebe	1	SH	"	UP	
W. Grebe	5	SH	"	UP	
W. Grebe	1	SH	"	UP	
W. Grebe	5	SH	"	UP	
W. Grebe	1	SH	"	UP	
W. Grebe	1	SH	"	UP	

Number: X = present (too numerous to count)
 EMT = Tall Emergent (Cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges,
 MF = Mud Flat/Shore (unvegetated flat/shore)
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (<2')
 SG = Saltgrass (salt grass, alkali sacaton flats)
 GR = Grassland (non salt grass but not wetland veg)

Behavior:
 FO = Foraging
 NS = Nesting/Sitting/Singing
 RL = Resting/Loading
 FL = Flying
 UD = Undetermined

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: June 16, 2004 Observer: Doran

Species	Number	Habitat	Unit/Transsect	Behavior	Comments
MDDO	1	SS	4/109	NS	1 nest, 1 egg, 0 young
GITE drake	1	SH	4/109	FL	
HOLA	1	SS	4/109	FL/NS	1 nest ~ 3 young, maybe 4
MDDO	2	SS	20/33	NS	
WE ME	1	SS	20/33	NS	
BWTE pair	2	SH	20/21	NS/FL	
MDDO	1	SS	20/20	NS/FL	2 young, possibly 3 doing brooding
WE ME	1	EMS	15/45	NS/FL	1 nest 4 eggs 0 young
HOLA	2	EMS	15/53	NS/FL	1 nest, 2 eggs, 0 young
WIPH	1	EMS	15/57	NS/FL	1 nest, 4 eggs, 0 young
WIFB	10	SH	15/49	FO	
BCN#3 BCN#2 2 BCN#2 Night Heron	2	SH	15/43	FL	
2 WIFB	2	SH	15/43	FL	
WE ME	2	SS	15/43	NS	
YHBL	2	EMS	15/45	NS	
Nash Wren	1	EMS	15/47	NS	
NAL	6	SS	15/54	RL/NS	
GADW	2	SS	15/51	FL/NS	

Number:

X = present (too numerous to count)

Habitat Codes:

EMT = Tall Emergent (cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges, MF = Mud Flat/Shore (unvegetated flat/shore)
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (<2')
 SG = Saltgrass (salt grass, alkali sedgeon flats)
 GR = Grassland (non salt grass but not wetland veg)

Behavior:

FO = Foraging
 NS = Nesting/Singing
 RL = Resting/Loafing
 FL = Flying
 UD = Undetermined

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR Date: 6-17-04 Observer: De Vries

Species	Number	Habitat	Unit/Transsect	Behavior	Nest/eggs/lying	Comments
A. Arreget	6	EAT	10/109	FL	N/A	
W. Snipe	1	EAT	10/109	NS	N/A	
W. Phalarope	X	EMS	10/109	FO	N/A	
A. Arreget	1	MF	10/113	NS	3	Flooded grassland @ Brown Edge
GW Teal	14	SH	10/113	FO	N/A	
Gadwall	8	SH	10/115	FO		
Mallard	6	SH	10/115			
Redhead	2	SH	10/117	FO		on Brown Drain
			10/119			Salt cedar in brown E. of transect
						Near 'black' H ₂ O structure
Mr. Dove	1	SS	10/119	NS	2	grassland
Elc	3	EAT	10/109	FO		out of unit q

Number: _____
 X = present (too numerous to count)
 EMT = Tall Emergent (Cattail, bulrush)
 EMS = Short Emergent/Wet Meadow (rush, sedges,
 MF = Mud Flat/Shore (unvegetated flat/shore)
 SS = Shrubland (dominated by greasewood, rabbitbrush)
 DE = Deep water (>2')
 SH = Shallow water (<2')
 SG = Saltgrass (salt grass, alkali sacaton flats)
 GR = Grassland (non salt grass but not wetland veg)
 FO = Foraging
 NS = Nesting/Singing
 RL = Resting/Looking
 FL = Flying
 UD = Undetermined
 Behavior: _____

BIRD DATA SHEET-DUCK NEST TRANSECTS, MVNWR

Date: 6-17-04

Observer: Yang Hs

Species	Number	Habitat	Unit/Transsect	Behavior	Comments
Red tailed hawk	1	GR	U14, T33/3	NS = likely nest in middle of line of cottonwoods	
YHBL	X	EMT	U14, T33/3	calling	(hawk was shrieking at me from tree)
AMCO	1	DE	"	RL/FD	
BLWBL	4	EM5-EMT	U3, T83	singing	
COGA	1	"	"	FL	
YHBL	X	EMT	"	"	
MWVR	1	EMT	"	RL-FL	
GHPW	3	DE	"	"	swimming - mom & least aduclings (age 1a-1b)
G-HAW	1	DE	U3, T85	FD/RL	=in empire (cna)
CITE	2	DE	"	"	pair } in empire (cna)
SNEG	4	EM5	"	FL	
W510	1	"	"	FL	
COYE	1	EMT	U3, T87 1/2	singing	
GHPW	2	SH-EM5	U3, T87 1/2	FD	
(Lif. Swallow)	1	EM5-GR	"	FD	
MWLR	1	SH	U3, T89 1/2	FD	
SNEG	1	EM5	"	FL	
(heros frags)	X	"	U3, T93 1/2	singing	
WEME	3	GR-SS	U3, T93 1/2	"	
KILL	1	GR	U3, T93 1/2	calling	
MWVR	2	SS	U3, T97 1/2	RL-FD	
HOLA	1	GR	U3, T97 1/2	RL = baby although it looked almost old enough	to fly

Habitat Codes:

Number: X = present (too numerous to count)

EMS = Short Emergent/Wet Meadow (rush, sedges,
MF = Mud Flat/Shore (unvegetated flat/shore)
SS = Shrubland (dominated by greasewood, rabbitbrush)
DE = Deep water (>2')
SH = Shallow water (<2')
SG = Saltgrass (salt grass, alkali sacaton flats)
GR = Grassland (non salt grass but not wetland veg)

Behavior:
FD = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loafing
FL = Flying
UD = Undetermined

Date: 6-17-04 Observer: Dath

Observer:

Date

[illegible]

Product X = present (too numerous to count)

EWT = Tall Emergent (Cattail, bulrush)
EWS = Short Emergent/Wet Meadow (rush,

EWS = Short Emergent/Wet Meadow (rush, sedges,

MF = Mud Flat/Shore (unvegetated flat/shore)
SS = Shrubland (dominated by greasewood, rabbitbrush)

SS = Shrubland (dominated by greasewood, rabbitbrush)

DE = Deep water (>2')

SH = Shallow water (<2')

GR = Grassland (non salt grass but not wetland veg)
SG = Saltgrass (salt grass, alkali sycation flats)

GR = Grassland (non salt grass but not wetland veg)

Behavior:

FO = Foraging
NS = Breeding/Nesting/Singing
RL = Resting/Loafing
FL = Flying
UD = Undetermined

$$F_L = F_{lying}$$

RL = Resting/Loading

NS = Breeding/Nesting/Singing

Comments

Misc. Field Notes

21 May 04

U18 T105 107

ITy)A is matted, I am no longer walking thru cattails + bulrush but on top of veg, this trend has gotten more significant in last 2 yrs.

T105 107

in 2MT

H₂O ranges from 10" to 2 ft
under all 2MT on T105

waves
~ 1.96

Brown
Pond
colony

When Mall Nest has always been (just S of cage structure + mid pole) - last yr I remember being in "tunnel" of og ty 1A - this year I walk on top

Colonial
h₂O
columns
in
Brown -
in All Islands
+ Resembling
of S. bulrush
patch

N
N end of T107 (w/in Brown Pond - not N
end of T

in bulrush - whb + bench Nests,
flushed adults of bench (few) + -40 whb
But only found ~ 5 whb nests - but didn't
search extensively. H₂O in area - mid
thigh

NEST DATA FORM

(circle one)

Area Search
Find

OR Incidental Finding

Observer _____

Date 1 / 1 / _____

Unit # _____

Study Area _____


Pass # _____

FIRST VISIT		FATE VISIT	
Species _____		observer _____	
Nest # _____		Date <u>1</u> / <u>1</u> / _____	
Status (check one)		(check one)	
☐ Active		☐ Hatch	
☐ Hatched		# egg hatch.	
☐ Abandoned		# egg remain	
☐ Destroyed		☐ Abandoned	
# eggs _____		☐ Flooded	
Inc. stage _____		☐ Destroyed	
# parasitic eggs _____		☐ Raven/magpie	
Dist. to standing H ₂ O _____ ft		☐ Skunk	
Soil Surface (check one)		☐ Raccoon	
☐ Dry AT Nest		☐ Coyote	
☐ Moist		☐ Unknown	
☐ Flooded		☐ Other _____	
Aerial Cover (check one)			
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%			
   			

Veg COVER TYPE at Nest
%

☐ Sx	Willow
☐ Sve	Greasewood
☐ Crx	Rabbit brush
☐ Dst	Salt grass
☐ Gx	Grass species
☐ MoF	Sweetclover
☐ Wx	Weed species
☐ Jba	Baltic rush
☐ Cx	Sedge
☐ Ex	Spikerush
☐ Tla	Cattail
☐ Sva	Bullrush
☐ Other	_____

Avg. Height of Veg.
at Nest: _____



Notes: (flagged, location, etc)

20 May 04

U17 T83

- not enough sat's for GPS unit
- bulrush ^{standing} ~~at~~ @ N end of T83 - bulrush so compact, - no nests - use food @ least 1

U17 T89

all tyla matted (except @ west N end)
all TEM in U17 ~~09~~

21 May

U18 T101 N-S

- (+) Ng yuba @ N end of 101
- sem area just N of large deep pan: Ng yuba
- @ 12" → 24" w/ 2-3" H₂O

looks good for nesters ducks
although area also has sc ogi Ng lela

- large deep pan @ T101 (+ ^{east} west) is not sw (lower (good))

U18 T103 S-N

- after (N) of mud pole, deep/mud areas are saturated to 2", also pockets of m
area has ↑ bird use: ducks, shorebirds etc

21 May 04 cont

V18 cont

T103 cont

- bulrush area N of mid pole: has ~1' foot H₂O but bulrush is flat ~3.5 ft, not as high as May 03(??)

from mid pole (T103) to N end all wetland habitats have @ least 3" H₂O

8-15" under embankment
only flushed 1 Mall hen (off line)

T105

bulrush along T is matted ~3ft tall, height of og bulrush seems to be lower in last 1-2 years than ~2000 (?)

- @ mid pole - sw in deep ground to N of pole but not south of pole

- area S. of mid pole has T Ngs of like & soils sat. to 1"

- S. of mid pole - large expanses of cane w/ juba, all matted @ ~8-14" tall, the expanse just S of mid pole has ~2-3" H₂O, expanse S. of the thin typha line is saturated. 3rd most southern cane patch/expanse has H₂O

AXX
Should
(can) we
put
concent
lge cane
expanses
on T105
S. of mid
pole to
juba

20 May 07

U178

† 81 □ S to N

- some ~~down~~ tall veg (2.5' ft) just
S of mid pole that extends west + east
~ patch of ~ 150 yds from east to east

- in Bulrush area - bulrush 3-4 ft, matted,
little veg

~~XXX~~ We Must ~~either~~ do something to get tall veg
bulrush in U17 - this matted has little value
+ can allow access to nests to sm. mammals/crocodiles
by providing paths

109	117
111	114
113	121
115	125

Data ~~to~~

Birds (be able to add spec?)

T83 U8+17

- the wetlands adjacent to Empire +
N. of Parker Pond "Peeper" are + have been dry -
@ N end of T81 + to the far east - adjacent to
canal - some veg along - prob. Out-bank from Empi

add to data
dictionary
"flood
in 05"

Dmt24. T123 S to N 
GPS

add
to my
GPS data
for this
unit

① - S and 123 (sedges + slp - All og)

② when juba begins:

It is og but recent yrs + ~ 1 ft tall

*** (flood in MAR 05)
TALK to Ron + Brian

S - mid
of T123

Roba

Do - have results of data dict (May) R
+ present to staff prior to June

K: have present uses for data

1) help id where
to have sw under sen in
man for nesting ducks.

U24

T109 S - N

- One of the lenses/borrows has
sw but confined to borrow

(p1) 17 June 04

Stone

U8 T83

- wetlands (ow + patches of veg) @ S end of U8 adjacent to Empire canal: have 2-3" h₂O now (was dry in May), ng of elsp (f) Anas feeding

U17 T83

- og tyla + bulrush prostrate - 3ft @ MAY
Ø waterbird activity

- juba from T83 (just south of km) to W looks better (i.e., ng is highest - now ~25") than I've seen it since 1999 - the juba field is also wider + longer than the sea, unfortunately most of this juba field is missed by transects - lies from 81 to 83 w/ most in between the 2 +3's.

Feb-Mar 05: make sure there is H₂O on S ends of 81-83 to make use of OA good ng

burn will remove?

U18 105 mud Polo-sw @ + around mud pool

U18 105 95% wet, water all the way to South end

T59

S-N

South end has Hobart ↑ of spike mesh,
pockets of tall 35" Ng subA

→ area N of mid pole - ↑ Ngju Ng, Ng Nae
+ Ng elsp of disp @ sides. ~~Are we to~~ Do we
want to continue to convert to sem?

T55 from mid pole N: tall Ng & dense jaiA

COPY

Column in Quatro-p 20 Waterfowl Production Survey

A=Tally

Observer R. Garcia

Date 3/18/196 Unit # 3 Transect # 99 1/2

FIRST VISIT

Species Mallard
Nest # 10
Status (check one)
☒ Active
☐ Hatched
☐ Abandoned
☐ Destroyed
9 # eggs
7 Inc. stage
1 # parasitic eggs
Dist. to standing H₂O 0 ft

Soil Surface (check one)
☐ Dry
☐ Moist
☒ Flooded

Aerial Cover (check one)
☒ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%


COVER TYPE (circle dominant cover)
☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other other

Dominant cover (A)
+
Sec. cover (S)
6 = Flooded
7 = inactive, reason?
78%
Sec. 25%

SECOND VISIT-Fate

Fate Date 6/18/196
(check one)
☒ Hatch
All # egg hatch
3 # egg remain
☐ Abandoned
☐ Flooded
☐ Destroyed
☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other

W = Fake
10 = invest related
Aband.
11 = unsuccessful nest but 1st cause unknown
2 causes - flooded + depredated or - 8 found



Notes


Key to use when entering data.

*On this datasheet for "All" in egg hatch you would enter 9 because there were 9 eggs when found.

Location Sketch

Unit # 3
Transect # 99 1/2
Nest # 10 is located 25 ft 0 in ☐ North ☒ South
of flag and 1 ft 9 in ☐ East ☒ West
of Transect line
Grazing Cell # Brown
Paddock # 11

you will have to convert to inches - so you'd enter 21"



142	Date found	Compute Mayfield
	Species AOU	126
	# eggs hatched	161
	# eggs remain	19
16	age when found	35
	Initiation date	
	Est. hatch date	
	Exposure days	
	Age at hatch	

Duck Nest Transects: Checking Data entered on computer:

Year: 2004

source	found nests: total	found nests: piping	found nests: inactive	found nests: hatched	found nests: active	active: not relocated	active: hatched	active: unsuc.	active: IR
Computer									
Report									
Calculations									
Data Sheets	43	0	21	3	19				2

counting data sheets:

	active	inactive	destroyed	hatched	total
May	11	1	9	0	21
June	8	0	11	3	22
	19	1	20	3	43

found active in May: #s 2, 5, 7, 9, 10, 76, 101, 256, 257, 258, 11

" June: #s: 10, 14, 53, 79, 80, 177, 59, 259

53

8

Unit 7 17 May 04
b1 □ S-N

Kellis -
MAY trans.
Hab + other
Notes -

S

borrow - full

levee

flat - dry @ S

most - sat in middle, ng juba ~ 12-14",
w of elap, og juba.
(flood now?)

patches of ng elap w/ ⊕, patches of ng + og
juba w/ sat. sals sc calimuga cane, patch of
cheno @ W end of flat. Some elap patches have
1-2" h₂O under

→ borrow - 3/4 f

levee

flat -

mid Pole

flat D: sc elap, bg, sc hoju

borrow 3/4 full

levee

flat D: cheno, bg, ula

* didn't use data dict on T61

T63 - not enough satellites until middle of Unit

T65 - Kelli GPS on arm;

T67 "

T69 N-S NO gps unit (1 hr left for 2nd run)

□ N-S

□

- antennae
- carrying cases

69 S-N

- data

- dry ground, sc of chen,
ng juba 8"

*

fabulous deep pan S of south pole 69

↑ wide but w/ some patches of tela.

- all lines/borrowed I crossed on T69 S to Mid were

1/34 full but & having little sw on adjacent flats

→ Mid pole

° Flat: ngrog hoju, ogong chenu, og juba, ng juba 6"

well

- flat - deep but w/ large patches of i' og tela (some ng tela)

* good place to experiment

+/- monitor deep + sea distrib

3) add
(-)
to optics

12 weeks
start

2) add
- ppas
opposite spec
pinned but
not top 3

1) add 40
7 1/4
Data
but
12 weeks

18 May 04

May Transects

Habitat conditions on MNWIK are still poor for nesting ducks - mostly due to persistent dry conditions - very little sem w/sw, have sem but little H_2O

- In U7 where we were planning on having sem+sw there are just 3 transects 59, 57 & 55 that have some sem w/sw

- It is difficult, or seems difficult for us to get H_2O under vegetation for nesting waterbirds

- Unit 7 - west end: might be good it is dry (except borrows) to slow down EMT but also see ↓ in nesting yhbbs which use nest in dead save + sw.

8 U3 } dry (except for borrows in 15)
U1
U15
U14
10
6D — meadows in 6A+B have some H_2O

Unit 9 - H_2O
But no H_2O in
2003 & 2002 so
don't know about
veg structure

18 - dry except Beaver Pond - only adjacent fringe of sem adjacent to Pond has H_2O
17 dry except Parker

NEST DATA FORM

(circle one)

Area Search
Find

OR

Incidental Finding

Observer _____

Date 1 / 1 / _____

Unit # _____

Study
Area _____

Pass

FIRST VISIT

Species _____

Nest # _____

Status (check one)

- ☐ Active
☐ Hatched
☐ Abandoned
☐ Destroyed

_____ # eggs

_____ Inc. stage

_____ # parasitic eggs

Dist. to standing H₂O _____ ft

Soil Surface (check one)

- ☐ Dry **AT Nest**
☐ Moist
☐ Flooded

Aerial Cover (check one)

- ☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



Veg COVER TYPE at Nest

% _____

- ☐ Sx Willow
☐ Sve Greasewood
☐ Crx Rabbit brush
☐ Dst Salt grass
☐ Gx Grass species
☐ MoF Sweetclover
☐ Wx Weed species
☐ Jba Baltic rush
☐ Cx Sedge
☐ Ex Spikerush
☐ Tla Cattail
☐ Sva Bullrush
☐ Other _____

Avg. Height of Veg.
at Nest _____

FATE VISIT

observer _____

Date 1 / 1 / _____

(check one)


- ☐ Hatch
_____ # egg hatch
_____ # egg remain

☐ Abandoned

☐ Flooded

☐ Destroyed

- ☐ Raven/magpie
☐ Skunk
☐ Raccoon
☐ Coyote
☐ Unknown
☐ Other _____



Notes: (flagged, location, etc)


17 May 04

- Keep U7 T69 + 71 (@ least the 2 eastern levees) DRY - Manage for deep pond. Some good pans now - except w/ varying degrees of infestation of tyla (+ chen)

South end of T71 has patches of og tyla + bulrush. Today these patches ~~also have~~ are surrounded by ~ 4" Ng clasp. Ground dry now. Clasp w/ (F). Ng chen pond + hogan.

Talk w/ Ron 26/and got into Hab Mgmt. Plan

why: (1) large deep pans
(2) area seems to be best able to support deep
(3) U7 doesn't need more Tem.



18 May 04

- few veg flats / meadows in U7
w/ ems + h₂O, Most h₂O in burrows

T59, 57, 55 have portions of meadow
w/ sw under veg.

- west flats are dry - those w/ tyla - which may be (+)
to slow down tyla infestation but little nesting hab for ducks in
T53 - All flats are dry U7 - areas
of swn but
little h₂O
underneath -

just T's 59 + 57

T51 - gps unit U6 + 7
- all flats 100% dry

U6 + 7 T. 45 N-S
- we are converting area just
S. of U6 + 45 N pole from dry / swn
to chenopod, lola, sedge, & 2" h₂O
- U6 - 8" h₂O under bulrush, now
og bulrush - getting prostrate
- U7 - extensive weed-free dry
pan on T45, south of swn pond.

T49 - most w/ gps unit
all flats 100% dry 6 + 7

T47 $\diamond$ S - N NO gps unit

flats @ S end 100% dry & most veg-free

* could add h₂O into levee @ immediate E. of T47
for brood hab & migratory duck hab later - ducks ↑
use area (low area)

Flats near T47 (@ least S. end) are veg-free
or w/ juba clumps, much less grnd. & tyla - except
@ N - most² N flat looks like 49 - og grnd, og tyla, ng tyla 12"
South of U6 T47 N pole: area w/ og juba, ng juba ~ 8"
2-3"

How far walk U7 - June 04 west end
then discontinue for 7

Date: _____ Observer: Stone

Number:		Habitat Codes:		Behavior:	
X = present (too numerous to count)	EWT = Tall Emergent (Cattail, bulrush)	FO = Foraging			
	EHS = Short Emergent/Wet Meadow (rush, sedges,	NS = Breeding/Nesting/Singing			
	MF = Mud Flat/Shore (unvegetated flat/shore)	RL = Resting/Loafing			
	SS = Shrubland (dominated by greasewood, rabbitbrush)	FL = Flying			
	DE = Deep water (>2')	UD = Undetermined			
	SH = Shallow water (<2')				
	SG = Saltgrass (salt grass, alkali sacaton flats)				
	GR = Grassland (non salt grass but not wetland veg)				

Water Unit 16

Transect 71 - walked South to North

water toward North half on East side + along North end

Transect 69 - walked North to South

water only on North end in a canal

Transect 67 - walked South to North

water in ditch just south of half way marker, H_2O starts at the bend in ditch; on North end ditch has very little H_2O mostly mud

Transect 65 - walked North to South

there is a small water hole just south of the North transect sign; on west side of dike there is H_2O going N it is same H_2O from Tran 67 found @ half way marker

Transect 63 - walked South to North

Water just south of half way marker in the ditch; on North End there is some water in ditch

Transect 61 - Walked North to South


some water on North End in ditch; on North side of half way sign there is water in the ditch




Transect 59 - walked South to North
water on North end in the ditch

Transect 57 - walked North to South
DRY

Transect 55 - walked South to North
water in ditch right in front of half way sign (south side) not much;
small H_2O hole in NW corner of unit



Blue = water



Water 10 20 30 40 50 60 70 80 90 100

Blue = water

5-20-04 p1

U9T97 $N\frac{1}{2}$ - 1st few 100 yds is primarily lala and hoju but then water deepens. From there to center mid-marker is primarily oaw (3"-6") w/ scattered islands of juba (mostly NG) not suitable for duck nesting but hosting a "ton" of other Foraging and possibly nesting waterbirds. incl. 1 successful Canada Goose Nest. B.N. Stilts - 15+, Phalarope 60+ W.F. Ebis - 15+, lots of duck pairs.

★ Middle marker U9T97 needs a sign on the post

U9T97 $S\frac{1}{2}$ - Similar to $N\frac{1}{2}$. Areas w/ 3"-6" oaw were ~~found~~ 10 oaw/juba not suitable for nesting ducks (YET!) but currently supporting a "Bunch" of (NS?) B.N. Stilts.


- Areas w/ oaw (~~5"-12"~~ $\frac{1}{2}$ -3") and saturated soils were mostly promoting lala w/ scattered sedges.
- Areas over 71' oaw will mostly promote Cattleails (yla)
- Areas w/ dry ground showed old Dist (w/o NG) and scattered chenopods

U9T99 $N\frac{1}{2}$ and $S\frac{1}{2}$ - Same as above. Better Juba in some spots though so far best duck nesting habitat in U9 has been on this transect. Found 1 active Mal off line w/ 6 eggs and what I believe to be 4 nest scrapes.

★ Need to have a mixed category on the dom 2° 3° Veg type. There were many instances where it was just a "jumble"!

★ - on data dictionary where I have oaw or BG twice and then another species its because that's primarily what there was w/ only sparse veg. @ best

Lower Level 1-92



5/7/04 pl
0930 - Need to talk to Kelli, a migrant of 03 S. of Sp. Gulch

- Whichever S. of Springs Creek is badly stressed by insects.
Get Brian out here to look @. May be a good time to flood / or not!

03T105^{S/2} - Very dry but vegetation is not drastic.
- Really weed free except for small Lela islands and Ciar in all old catails.

- Lela shows impact from insects but to a much lesser degree as you go north.
- Dist just germinating most 0-3" tall.
- Big Salt pans could be really neat.

03T105^{N/2} - Lela islands larger and more vigorous around middle marker, less sign of Ins. impact, although there is still sign.

- Area at same lat as cell center has dying dist being replaced w/ Lela (sparse).
- N. end has juv which is becoming matted w/ no RB and will need impact soon. Lela coming in but is impacted header (similar to S. end) by insects.

09T107^{N/2} - N. of Cell Center lateral is very dry SEM and TEM.
SEM looks okay but will need impact soon. TEM is being invaded by Ciar and Silver Leaf Cing.

03T107^{N/2} - Small patch of Heavy Cross near cell center
SEM Near (Nif) center marker has more infestation by Lela and Lela is very vigorous here 10"-13"
This area needs more immediate atten!!!

- Last yr residual looks heavily impacted by something and did not seed.

8/17/01 p.2

03T107^{1/2} - TEM just N. of Spg. Crk. is heavily infested w/ Ciar. needs attention although it appears as if has not spread out of this hab. type. YET!!

- Area S. of Spg. Creek has a sim. situation as T105 some invasion by Lela, but Lela is heavily impacted by insects. Wet area @ extreme S. end has mostly hoju. scattered R.W. Black bird use here.

03T103^{1/2} - Area S. of Spg. Creek is SEM very dry but not drastic w/ moderate invasion by Ciar. Lela where it occurs is heavily insect impacted.

- Need to think ~ seeding new dikes here!

- Area N. of Spg. Creek SEM looks okay dry but sodges are greening well. TEM heavily infested w/ Ciar.

- Dist high ground looks very okay little to no Lela interspers - some dist die off but no invasion N. perimeter moderate to heavy Lela invasion though
- Dist near Center marker - has moderate die off and "is" being invaded by Lela.

03T103^{1/2} - Area N. of Center Marker dist looks good, Lela moderate and light invasion by Lela and Ciar, wherever there are bare spots.

03T101^{1/2} - Extreme N. end is very dry SEM. w/ sparse Lela but not drastic, and very little invasion

- High Dist area w/ moderate die-off w/ residual Lela but "no" NG Lela.
- + Dist near Center marker looks okay but much heavier Lela invasion here.

5/17/04 p.3

037101^{3/2} - Area south of Center Marker to Sps. Creek
was abundant die-off of Dist and Julia w/ lots of
bare ground apparent and moderate Lela invasion -
needs attention (Brian/Kelli??)

- Area disturbed at new dike has abundant Lela invasion
w/ healthy new Lela - invasion spreading west
into SEM (Should we flood??) I'd like to
mow then flood? Brian/Kelli?

03799^{3/2} - Area S. of Sps. Creek looks good; healthy.

SEM residual w/ some NG and only light
invasion by Lela extending over from New
dike to E. @ T101

Area N. of Sps. Ck. to middle marker is SEM
in fair ^{okay} cond w/ some NG and not yet matted res.
Little to no invasion except former TEM w/ moderate
Clas inv.

03799^{4/2} - Area just N. of Mid. Mark. looks good
but w/ more Lela invasion (pockets) in Dist. Dist
die-off gets greater as you go N. and is severe
in spots -

- SEM N. of Cell Center lateral looks okay - Junc dry
but w/ healthy Res. and healthy NG - w/ little to
No invasion

X - Old Spider rush patches w/ really matted Res. No
invasion and littered w/ old snail shells.

5/17/04 PAT

- U3T97 1/2 - Upland (Sav dom.) area looks good w/ dist understory
- adjacent dist to S. show severe die-off - suggesting that nearby normal flooding of SEM has created and is maintaining these dist pans?
 - SEM area up to Center Mark is in good condition w/ healthy Res. Sparse NG and "NO" signs of invasion.

U3T97 5/2 - Area immediately S. of Center Mark has more dense Res. (healthy) but absolutely no NG ^{NO INVASION} Small dist pan is severely invaded and in some places completely invaded (monotypic) by Lela.

looks good
now but I
worry a future

- TEW areas w/ light Ciar invasion. SEM between TEW and Spz. Creek look good w/ healthy Res. and mod NG. w/ very little invasion (Lela) Dist pans much healthier w/ only light die-off and very little invasion.
- One spot of heavy Lela invasion right @ Spz. Ck.
- Area between Spz. Ck. and S. marker shows decent SEM w/ healthy Res. and some NG. is moderate to heavily invaded on extreme S. end.

U3T95 1/2 - Area S. of Spz. Creek shows Good healthy Res. w/ Mod NG and only isolated areas of moderate Lela invasion.

- Area between Spz. Creek and mid. mark is primarily salt species dominated mostly Sacatone. w/ light to mod NG and light invasion. Area of last 200yds S. of mid is mostly Native and salt dom. grasses looks really cool. is this new? looks Great!

U3T95 1/2 Area N. of Center Mark to Uplands is mostly Carex dom. SEM w/ healthy Res. and light NG. Little to No invasion. Areas previously invaded show very little NG.

8/17/04 p.5

U3 T93^{1/2} - Area between N. Marker and Cell Center lateral has SEM in moderate condition w/ healthy Res and Mod. NG w/ moderate Lela invasion.

- Area from lateral to Mid. Mark is mostly SEM w/ lowest areas in bare ground w/ patches of heavy Lela invasion could use isolated patch control. All other (higher) SEM areas look good w/ little to no invasion and no residue problem.

* Talk to Brian about Right/Left Spray now idea!?!?

* - Middle marker needs sign to be placed on pole. Sign is there and is in fair shape but needs placing.

U3 T93^{5/2} - Area from mid-marker to Spg. Creek is mostly one large dist pan w/ isolated finger of corex dom. SEM both in a mod. state of health likely due to dryness. and both very clean (little/no invasion) Area imbedded. N. of Spg. creek in Juba dom SEM in mod health and extremely clean.

- Area from Spg. Creek to S. Mark is Juba ~~dom~~ ^{Casp} and ~~Sp~~ Elsp dom SEM in Mod. Health Juba and Casp have healthy res. w/ (little to mod) NG. Elsp dom area has residue matter w/ NO NG but no invasion ~~shows~~ shows signs of snails but not as heavy as previous elsp.
- No invasion here at all.

* - S Marker needs sign to be placed on pole - sign is there and is in poor cond. ~~dead~~ on ground

Date: _____ Observer: _____

Date: _____ Observer: _____

Species	Number	Habitat	Unit/Transect	Behavior	Nest/Eggs/Lyng	Comments
 GRACKLE GRACKLE GRACKLE 						

X = present(too numerous to count)

Number:

Habitat Codes:

Behavior:

EMT = Tall Emergent (Cattail, bulrush)

EMS = Short Emergent/Wet Meadow (rush, sedges,

MF = Mud Flat/Shore (unvegetated flat/shore)

SS = Shrubland (dominated by greasewood, rabbitbrush)

DE = Deep water (>2')

SH = Shallow water (<2')

SG = Saltgrass (salt grass, alkali sacaton flats)

GR = Grassland (non salt grass but not wetland veg)

FO = Foraging

NS = Breeding/Nesting/Singing

RL = Resting/Loafing

FL = flying

UD = Undetermined

5/17/04 p4

My overall impression of Unit 3 so far is this:

- Unit is probably $\frac{1}{3}$ to $\frac{1}{2}$ Dist or salt dominated Grass community $\sim \frac{1}{3}$ Corex dominated Comm. and $\sim \frac{1}{3}$ Juba dom. Comm.
- Most Areas of invasion are @ transition between salt dom. areas and SEM dom. areas, except for all TEM areas which are being invaded by CIAR.
- We need to re-map the veg in this unit!
- Entire unit is very dry, but in what I would consider a moderate state of health. (Good Res and Fair NG)
- Here seems the opportunity to look at ~~various~~ contributing variables incl. abiotic and prescribe proactive management rather than waiting until we have to prescribe in a reactive mode. Area looks like it is and could be very neat and w/ a healthy plant community. Its value to wildlife is yet to be determined, but we need to decide what we want to drive the management in this unit.

Date: _____ Observer: _____

[illegible]

X = present(too numerous to count)

EMT = Tall Emergent (Cattail, bulrush)

F0 = Foraging

EMS = Short Emergent/Wet Meadow (rush, sedges, ME = Mudflat/Short (invigorated) flat (bare)

SS = Shrubland (dominated by greasewood, rabbitbrush)

DE = Deep water (>2')

SH = Shallow water (<2')

GR = Grassland (non salt grass but not wetland veg)

Unit 14 notes, 18 May 84, RLV

H₂O

- plenty (full) in ponds by hiking trail
- south end ponds are dry
- main pond in NE corner of unit = $\sim \frac{1}{2}$ full
 - ↳ small pond just to W. has $\frac{1}{4} - \frac{1}{3}$ full of H₂O (mostly mud)

Veg

- Lela ~~only~~ abundant in SE of unit (increasingly) = due to dryness
- in south of unit, mostly dead veg.
- north of unit (where H₂O is = much more
Ng

Q.18. PA 1000 1000 1000 1000

but given values in (1000) are

1000 and 1000 are

1000 = 1000 = 1000 = 1000 = 1000

1000 1000 1000 1000 1000 1000
(1000 1000)


1000 1000 1000 1000 1000 1000
1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000
1000 1000 1000 1000 1000 1000

21 May 04 cont

U24 T115 cont.



T115 - NO sem or fern w/ water for
nesting ducks (waterbirds)

09 tyla @ ~~T115~~ N end is very
short (1.5 ft) - NEEDS H₂O or some
impact

T113

Nend - some good juba stands, some ng

bulrush @ mid pole

N-mid pole - 100% dry

disp/good par
btwn N + mid.

Date: _____ Observer: _____

[illegible]

Number:	Habitat Codes:	Behavior:
X = present (too numerous to count)	EMT = Tall Emergent (Cattail, bulrush)	FO = Foraging
	EMS = Short Emergent/Wet Meadow (rush, sedges,	NS = Breeding/Nesting/Singing
	MF = Mud Flat/Shore (unvegetated flat/shore)	RL = Resting/Loating
	SS = Shrubland (dominated by greasewood, rabbitbrush)	FL = Flying
	DE = Deep water (>2')	UD = Undetermined
	SH = Shallow water (<2')	
	SG = Saltgrass (salt grass, alkali sacaton flats)	
	GR = Grassland (non salt grass but not wetland veg)	

Maps

1. Transect Walkers by Unit
 2. Duck Nests by Unit
-

Duck Nest Transects, June 14-18, 2004

Person	Unit	Transects	Alternate	Completed by:	Notes
Robin		1 55-71			Data dictionary: just water
Robin		2	Kelli	Robin	Data dictionary: just water
Ron		3 83-107	Robin-Em	Robin + Robin	
Emily		4 109-123		Emily	Data dictionary
Emily		5 127-141		Emily	
Brian	6 west	29 - 43	Emily	Brian	
Ron	6 east & 7	45-51		Ron (4 miles K + R)	
Ron	7	53-71	Kelli	Ron	Data dictionary
Brian	8 west	73 - 79		Brian	
Kelli		9 83-107	Ron	Kelli + Ron	Data dictionary: just water
Brian		10 109-123		Brian	Data dictionary
Emily		11 127-141		Emily	
Robin		14 23-37		Robin	Data dictionary
Kristen		15 37-53		Kristen	
Jessica	Robin	16 55-71		Jessica	
Brian	17 west	73-79		Brian	Data dictionary
Cary	18 west	83-99		Cary	To look at soil, lela distribution
Kelli	18 east	101-107		Kelli	Data dictionary
Mike B.		19 1-17		Mike	
Emily		20 21-35		Emily	
Robin	Jessica	21 37-53		Robin	
Jessica		22 55-71		Jessica	
Jessica		23 73-83		Jessica	
Kelli		24 109-123		Kelli	
Kelli	8 east	81-83		Kelli	Data dictionary
Kelli	17 east	81-89		Kelli	
Emily	17 east	91-97		Emily	

*Data dictionary done in units 7, 17, 8, and 24 but not done correctly.

PERSON	DUCK NEST #S	NON-DUCK NEST NUMBERS
Kelli	11-50	ND 1-50 (used 1-2) ND 3-ND 57
Ron	55-75	ND 51-75
Brian	79-100	ND 76-100 (used 76) ND 177-100
Emily	102-125	ND 101-125
Jessica	126-150	ND 126-150
Kristen	151-175	ND 151-175
Robin	176-200	ND 176-200 (used 176-178)
Mike Blem	201-225	ND 201-225
Cary Gard	259-276	ND 251-276 (used 256) 257

Unit 9
Kelli + data dict
ts
Ron + no dict
Ts 85, 87 > 99


Emily

MONTE VISTA NATIONAL WILDLIFE REFUGE



RIO GRANDE AND ALAMOSA COUNTIES, COLORADO

Jessica units 21, 22, 23
 Robin units 1, 2, 14, 19

UNITED STATES
 DEPARTMENT OF THE INTERIOR



2004



REVISIONS		4-25	RJS
		DATE	DRAWN
UNITED STATES DEPARTMENT OF THE INTERIOR FISH AND WILDLIFE SERVICE			
ENGINEERING			
MONTE VISTA NATIONAL WILDLIFE REFUGE			
RIO GRANDE AND ALAMOSA COUNTIES, COLORADO			
SUBMITTED			
REGIONAL ENGINEER			
REVIEWED			
RECOMMENDED			
REGIONAL DIRECTOR			
W.O. APPROVAL DATE	DESIGNED G.D.A.	DRAWN V.F.F.	DATE 9-76
DENVER COLORADO	DRAWING NO.		CHECKED

Red = May nests
Green = June nests