The Trail Inventory of Antioch NWR

Antioch, CA





Prepared By: Federal Highway Administration Central Federal Lands Highway Division January, 2012



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

Antioch NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Othe	ers	Total
Туре	Miles	%	Miles	%	Miles
Native	0.27	<mark>100%</mark>	0.00	0%	0.27
Admin Road	0.00	0%	0.87	<mark>100%</mark>	0.87
Total	0.27	<mark>24%</mark>	0.87	<mark>76%</mark>	<mark>1.14</mark>

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excell	ent	Othe	rs	Total
Classification	Miles	%	Miles	%	Miles
TC4	0.27	<mark>24%</mark>	0.87	<mark>76%</mark>	1.14
Total	0.27	<mark>24%</mark>	0.87	<mark>76%</mark>	1.14

*Admin Roads are included in the inventory but are not rated for condition.

Trail	Features
-------	----------


Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Trailhead	1	No	0.00	ANDU_C2_118 2
T400	Max Grade- %	13	No	0.01	
T401	Trailhead	1	No	0.00	ANDU_C2_118 3
T401	Begin Section	1	No	0.08	ANDU_C2_118 4
T401	Begin Section	1	No	0.18	ANDU_C2_118 5
T401	Begin Section	1	No	0.25	ANDU_C2_118 6
T401	Max Grade- %	22	No	0.73	

sf - square feet If - linear feet

cf - cubic feet

Antioch Dunes NWR Trail Location Map





Trails ID

Station Name: Antioch NWR

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T400	Sardis Unit Trail	Native	N/A	0.27	From Wilbur Ave Parking Lot to End of Loop
T401	Stamm Unit Trail	Admin Road	N/A	0.87	From Fulton Shipyard Road Parking Lot to End of Loop

Org Code: 81646


TRAIL CONDITION

	om					0.01	A STATE OF A
0.01 0	0.01	0.02	0.03				
Excellent G	Good F	air 📃	Poor 🧲	Very Po	or 📒	Admin Road	
▲ Begin Section	_		Step Feature	_ ,	Gate	N N	
Trailhead 🗠	Retaining Wall	• • • • • • • • • • • • • • • • • • •	Max. Grade	×	Bridge	W Contraction of the second se	
Trail Sign	Raised Trail Struc Water Bar	αure ↔	Min. Width Intersection	开 ×	Bench Other	Station Boundary	
Trail Name:Sardis Unit TrailTrail Number:T400	Refu	ge Name: Region:	Antioch NV 8	٧K		Total Length: 0.27 Miles	
]	rtegion.	~				
Section Number	001						
Section Length (miles) SAMMS Number	0.27 N/A						
Rating Date	09/26/2011						
Trail Section Information							
Trail Class	TC4						
Surface Type	Native						
Surface Firmness	Firm						
Width (inches)	96						
Average Grade (%)	6.9						
Average X-slope (%)	3.20						
Trail Condition Information							
Deferred Maintenance	¢10 777						
CRV FCI	\$48,777 0.00						
Condition	Excellent						

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$48,777	0.00	Excellent

TRAIL CONDITION



Rating Date	09/26/2011	09/26/2011	09/26/2011	09/26/2011	
Trail Section Information					
Trail Class	TC4	TC4	TC4	TC4	
Surface Type	Admin Road	Admin Road	Admin Road	Admin Road	
Surface Firmness	Firm	Firm	Firm	Firm	
Width (inches)	84	84	84	84	
Average Grade (%)	3.2	3.2	3.2	3.2	
Average X-slope (%)	2.10	2.10	2.10	2.10	
Trail Condition Information					
Deferred Maintenance					
CRV					
FCI					
Condition					

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition

TRAIL DEFICIENCY

No Deficiencies

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400 STATION: Antioch NWR DATE: 09/26/2011



Photo # ANDU_C2_1182 - MP 0.00 - Trailhead



Photo # ANDU_C2_1183 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T401 STATION: Antioch NWR DATE: 09/26/2011



Photo # ANDU_C2_1184 - MP 0.08 - Begin Section



TRAIL NUMBER: T401 STATION: Antioch NWR DATE: 09/26/2011

Photo # ANDU_C2_1185 - MP 0.18 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T401 STATION: Antioch NWR DATE: 09/26/2011



Photo # ANDU_C2_1186 - MP 0.25 - Begin Section

Glossary of Terms and Abbreviations

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	SAMMS number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Check Dam Condition	-
	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor
Condition	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI >20 = Failed
Condition Crib Wall Current Replacement Value	<pre>or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI <!--=01 = Excellent FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI -->20 = Failed Retaining wall. The value of an asset determined by the estimated cost of</pre>

Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity" field of the data dictionary.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the "Action" (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non- specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
МР	Distance of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
T Class	Trail Class: I-V (see Appendix ? for trail class descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.