The Trail Inventory of Egmont Key NWR





Prepared By: Federal Highway Administration Central Federal Lands Highway Division July, 2013



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CHANGES AND CONDITION RATING SHEETS	4 - 1
v.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
IX.	GLOSSARY	i

NOTE TO USERS OR READERS

In this report, the reader may find a mix of dates associated with the condition assessment and photographs. Chapter 4 shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the cycle 3 assessment was done to in 2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

In Chapter 6 the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because the existing photographs from Cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the Cycle 3 site visit.

The reader may also notice some of the feature photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Egmont Key NWR

Trail and Trail Feature Summaries

Trail Surface	Excellent		Fair		Total
Туре	Miles	%	Miles	%	Miles
Native	1.05	<mark>100%</mark>	0.00	0%	1.05
Concrete	0.36	<mark>75%</mark>	0.12	<mark>25%</mark>	<mark>0.48</mark>
Others	0.45	<mark>100%</mark>	0.00	0%	0.45
Total	1.86	<mark>94%</mark>	0.12	<mark>6%</mark>	<mark>1.98</mark>

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent		Fair		Total
Classification	Miles	%	Miles	%	Miles
TC2	0.21	<mark>100%</mark>	0.00	0%	0.21
тсз	0.43	<mark>100%</mark>	0.00	0%	0.43
TC4	1.22	<mark>91%</mark>	0.12	9%	1.34
Total	1.86	<mark>94%</mark>	0.12	<mark>6%</mark>	<mark>1.98</mark>

*Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Trailhead	1	No	0.00	EGKE_C3_008 2
T300	Intersection	1	No	0.00	EGKE_C3_008
T300	Intersection	1	No	0.10	EGKE_C3_008 4
T300	Sign	1	No	0.10	EGKE_C3_008 6
T300	Sign	2	No	0.11	EGKE_C3_008 5
T300	Max Grade- %	7	No	0.19	
T300	Sign	3	No	0.88	EGKE_C3_008 3
T301	Trailhead	1	No	0.00	EGKE_C3_008 7
T301	Sign	2	No	0.00	EGKE_C3_008 8
T301	Max Grade- %	6	No	0.22	
T301	Sign	1	No	0.23	EGKE_C3_009 0
T301	Sign	2	No	0.23	EGKE_C3_009
T301	Sign	1	No	0.23	EGKE_C3_009 2
T400	Trailhead	1	No	0.00	EGKE_C3_004 9
T400	Sign	8	Yes	0.11	EGKE_C3_005
T400	Begin Section	1	No	0.12	EGKE_C3_005
T400	Begin Section	1	No	0.23	
T400	Begin Section	1	No	0.32	
T400	Begin Section	1	No	0.41	
T400	Sign	1	No	0.47	EGKE_C3_005 6
T400	Begin Section	1	No	0.68	EGKE_C3_006 4
T400	Sign	1	No	0.71	EGKE_C3_006 5
T400	Sign	1	No	0.88	EGKE_C3_006 6
T400	Sign	1	No	0.89	EGKE_C3_006 7
T401	Trailhead	1	No	0.00	EGKE_C3_009 5


T401	Intersection	1	No	0.00	EGKE_C3_009 3
T401	Sign	1	No	0.00	EGKE_C3_009 4
T401	Max Grade- %	5	No	0.29	

sf - square feet


lf - linear feet

cf - cubic feet

Egmont Key NWR Trail Location Map









Trails ID

Station Name: Egmont Key NWR

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Gulf Trail	Native	10014656	0.20	From T400 to Beach
T301	Pilot Trail	Native	10014656	0.23	From T300 to Beach
T400	Historic Military Trail	Concrete	10014656	0.48	From Lighthouse to End of Trail
T400	Historic Military Trail	Native	10014656	0.21	From Lighthouse to End of Trail
T400	Historic Military Trail	Paver Block	10014656	0.45	From Lighthouse to End of Trail
T401	Old Well Trail	Native	10014656	0.41	From T400 to Beach

Org Code: 41562

CHANGES TO THE FISH AND WILDLIFE SERVICE TRAIL INVENTORY REPORT

Egmont Key NWR

	Trails added to previous inventory:				
Trail #	Trail Name	Reason for Addition			
T300	Gulf Trail	new trail			
T301	Pilot Trail	new trail			
T401	Old Well Trail	new trail			


Trails removed from previous inventory:

Trail # Trail Name

Reason for Removal

		Trails modified from previous inve	ntory:
Trail #	Trail Name	Type of Modification	Description of Modification
T400	Historic Military Trail	trail length changed	from 1.13 to 1.14
T400	Historic Military Trail	Name change	from Historical Military Trail

Comments:



Trail Condition TOTALS


Deferred Maintenance	CRV	FCI	Condition
	\$15,333	0.00	Excellent

	100		3	
0.075	•	0.075	0.15	0.225 Miles
Excellent	Good 📃 F	Fair 🦲 Poor	Uery Poor	Admin Road
Begin Section	Check Dam	Step Fe		WALE
🚹 Trailhead 🥻	Retaining Wall	cture ↔ Max. Gr	_	npr
Drainage Structure	Water Bar	Intersec		Station Boundary
Trail Name: Pilot Trail	Refu	ge Name: Egmo	nt Key NWR	
Trail Number: T301	T CIU	Region: 4		Total Length: 0.23 Miles
	001]		
Section Number Section Length (miles)	001 0.23			
SAMMS Number	10014656			
Rating Date	06/21/2012			
Trail Section Information				
Trail Class	тсз			
Surface Type	Native			
Surface Firmness	Firm			
Width (inches)	52			
Average Grade (%)	3.3			
Average X-slope (%)	3.10			
Trail Condition Information				
Deferred Maintenance	\$18,337			
CRV FCI	0.00			
Condition	Excellent			
Condition]		

Trail Condition TOTALS


Deferred Maintenance	CRV	FCI	Condition
	\$18,337	0.00	Excellent

		0.47 003 0.48 0.32 8	0 2 3			
0.1 0	0.1	0.2 0.3	es			
Excellent	Good 📃 F	Fair 🦲 Po	or 🛑 Very	y Poor 📃 ,	Admin Road	
 ▲ Begin Section ↓ Trailhead ↓ Trail Sign ₩ Drainage Structure 	Check Dam ed Retaining Wall Raised Trail Stru Water Bar	► Ma cture ↔ Min	ep Feature ux. Grade n. Width ersection	 ☑ Gate ➢ Bridge ☑ Bench ☑ Other 	N V Station Boundary	
Trail Name: Historic Military Trail Trail Number: T400	Refu	ge Name: Eg Region: 4	gmont Key NWR		al Length: 1.14	Miles
Section Number	001	002	003	004	005	
Section Length (miles)	0.12	0.16	0.26	0.03	0.36	
SAMMS Number	10014656	10014656	10014656	10014656	10014656	
Rating Date	03/16/2006	03/16/2006	03/16/2006	03/16/2006	03/16/2006	
Trail Section Information	ТСА	TC4	TC4	TC4	TC4	
Trail Class	TC4 Concrete	Paver Block	Paver Block	Paver Block	Concrete	
Surface Type Surface Firmness	Paved	Paved	Paved Block	Paved	Paved	
Width (inches)	118	160	160	160	160	
Average Grade (%)	0.6	0.6	0.6	0.6	0.6	
Average X-slope (%)	1	1 1 0 0	1 0 0	1.20	1.20	
	1.20	1.20	1.20	1.20	1.20	
Trail Condition Information	1.20	1.20	1.20	1.20	1.20	
Deferred Maintenance	\$3,303					
		1.20 \$121,129 0.00	1.20 \$196,834 0.00	\$22,712 0.00	\$138,277 0.00	



Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$3,303	\$547,717	0.01	Excellent




Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$37,719	0.00	Excellent


NOTE TO USERS OR READERS

This section shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the Cycle 3 assessment was done to in 2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

TRAIL DEFICIENCY



TRAIL DEFICIENCY



Mile Post	0.00
Section Number	001
Photo Number	EGKE_C3_0049
Deficiency	Trail Structure
Action	Repair
Item	Tread -sf
Quantity	1,198
Deferred Maintenance	\$3,303
	•

TRAIL NUMBER: T300 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0082 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0081 - MP 0.00 - Intersection

TRAIL NUMBER: T300 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0084 - MP 0.10 - Intersection






Photo # EGKE_C3_0086 - MP 0.10 - Sign

TRAIL NUMBER: T300 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0085 - MP 0.11 - Sign

TRAIL NUMBER: T300 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0083 - MP 0.88 - Sign

TRAIL NUMBER: T301 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0087 - MP 0.00 - Trailhead

TRAIL NUMBER: T301 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0088 - MP 0.00 - Sign

TRAIL NUMBER: T301 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0090 - MP 0.23 - Sign

TRAIL NUMBER: T301 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0091 - MP 0.23 - Sign

TRAIL NUMBER: T301 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0092 - MP 0.23 - Sign

TRAIL NUMBER: T400



Photo # EGKE_C3_0049 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Egmont Key NWR DATE: 03/16/2006



Photo # EGKE_C3_0051 - MP 0.11 - Sign

TRAIL NUMBER: T400 STATION: Egmont Key NWR DATE: 03/16/2006



Photo # EGKE_C3_0050 - MP 0.12 - Begin Section

TRAIL NUMBER: T400 STATION: Egmont Key NWR DATE: 03/16/2006



Photo # EGKE_C3_0056 - MP 0.47 - Sign

TRAIL	NUN	1BER:	T400
STATIO	N:	Egmor	nt Key NWR
DATE:	03	/16/200	6



Photo # EGKE_C3_0064 - MP 0.68 - Begin Section

TRAIL NUMBER: T400 STATION: Egmont Key NWR DATE: 03/16/2006



Photo # EGKE_C3_0065 - MP 0.71 - Sign

TRAIL NUMBER: T400



Photo # EGKE_C3_0066 - MP 0.88 - Sign

TRAIL NUMBER: T400 STATION: Egmont Key NWR DATE: 03/16/2006



Photo # EGKE_C3_0067 - MP 0.89 - Sign

TRAIL NUMBER: T401 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0093 - MP 0.00 - Intersection

TRAIL NUMBER: T401 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0095 - MP 0.00 - Trailhead

TRAIL NUMBER: T401 STATION: Egmont Key NWR DATE: 06/21/2012



Photo # EGKE_C3_0094 - MP 0.00 - Sign

A NOTE TO USERS OR READERS

In this chapter the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because existing photographs from cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the cycle 3 site visit.

The reader may also notice some photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Glossary of Terms and Abbreviations

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	SAMMS number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Check Dam Condition	-
	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor
Condition	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI >20 = Failed
Condition Crib Wall Current Replacement Value	<pre>or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI <!--=01 = Excellent FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI -->20 = Failed Retaining wall. The value of an asset determined by the estimated cost of</pre>

Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity" field of the data dictionary.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the "Action" (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non- specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
МР	Distance of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
T Class	Trail Class: I-V (see Appendix ? for trail class descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.