
The Trail Inventory of Felsenthal NWR

Crossett, AR





Prepared By: Federal Highway Administration Central Federal Lands Highway Division February, 2012



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

Felsenthal NWR

Trail and Trail Feature Summaries

Trail Surface	Excel	Excellent		r	Total	
Туре	Miles	%	Miles	%	Miles	
Native	2.58	<mark>86%</mark>	0.42	<mark>14%</mark>	<u>3.00</u>	
Gravel	0.01	<mark>100%</mark>	0.00	0%	0.01	
Asphalt	0.43	<mark>100%</mark>	0.00	0%	0.43	
Mowed	0.38	<mark>100%</mark>	0.00	0%	0.38	
Total	3.40	<mark>89%</mark>	0.42	<mark>11%</mark>	<u>3.82</u>	

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent		Fai	r	Total
Classification	Miles	%	Miles	%	Miles
тсз	2.97	<mark>88%</mark>	0.42	12%	<mark>3.39</mark>
TC5	0.43	<mark>100%</mark>	0.00	0%	0.43
Total	3.40	<mark>89%</mark>	0.42	<mark>11%</mark>	<mark>3.82</mark>

*Admin Roads are included in the inventory but are not rated for condition.

Trail Features


Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Sign	11	Yes	0.00	FELS_C2_000 4
T300	Trailhead	1	No	0.00	FELS_C2_000 1
T300	Sign	1	No	0.00	FELS_C2_154 0
T300	Sign	58	Yes	0.04	FELS_C2_000 2
T300	Sign	13	Yes	0.16	FELS_C2_000 6
T300	Begin Section	1	No	0.31	FELS_C2_000 7
T300	Bridge -sf	486	No	0.37	
T300	Begin Section	1	No	0.48	FELS_C2_011 5
T300	Sign	1	No	0.75	
T300	Boardwalk -If	46	No	0.79	FELS_C2_012 3
T300	Sign	4	Yes	0.85	FELS_C2_000 3
T300	Sign	1	No	1.40	
T300	Sign	5	Yes	1.44	FELS_C2_000 5
T300	Bridge -sf	420	No	1.44	
T300	Sign	1	No	1.48	
T300	Sign	2	Yes	1.56	
T300	Begin Section	1	No	1.98	
T300	Bridge -sf	65	No	2.08	
T301	Trailhead	1	No	0.00	FELS_C2_013 5
T301	Sign	2	No	0.00	FELS_C2_013 6
T301	Begin Section	1	No	0.01	
T301	Sign	1	No	0.03	FELS_C2_013 7
T301	Sign	2	No	0.04	FELS_C2_013 8
T301	Puncheon -If	80	No	0.11	FELS_C2_013 9
T301	Sign	7	Yes	0.18	FELS_C2_014 0
T500	Trailhead	1	No	0.00	FELS_C2_010 0

T500	Sign	1	No	0.00	FELS_C2_010 1
T500	Sign	1	No	0.01	FELS_C2_010 2
T500	Sign	11	Yes	0.03	FELS_C2_010 3
T500	Bench	1	No	0.21	
T500	Sign	6	Yes	0.26	FELS_C2_012 6
T500	Sign	1	No	0.33	FELS_C2_012 9
T500	Bench	1	No	0.33	
T500	Bench	1	No	0.35	
T500	Sign	1	No	0.35	FELS_C2_047 6
T500	Lookout/Ob Deck	1	No	0.37	
T500	Sign	2	No	0.38	FELS_C2_013 2

sf - square feet If - linear feet

cf - cubic feet

Felsenthal NWR Trail Location Map




Trails ID

Station Name: Felsenthal NWR

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Sand Prairie Trail	Mowed	N/A	0.38	From Sand Prairie Trail Parking (Rte 921) to End of Trail Loop at Sec 001
T300	Sand Prairie Trail	Native	N/A	2.40	From Sand Prairie Trail Parking (Rte 921) to End of Trail Loop at Sec 001
T301	Woodland Wildlife Trail Unpaved	Gravel	10018071	0.01	From Woodland Wildlife Trail (T500) to Visitor Center Parking (Rte 900)
T301	Woodland Wildlife Trail Unpaved	Native	10018071	0.60	From Woodland Wildlife Trail (T500) to Visitor Center Parking (Rte 900)
T500	Woodland Wildlife Trail	Asphalt	10018068	0.43	From Visitor Center Parking (Rte 900) to End of Trail Loop

TRAIL CONDITION



Trail Name: Sand Prairie Trail Trail Number: T300

	Excellent	Go	od 🦳 Fair		Poor	eee Very	Poo	or 🦲	Admin Road
	Begin Section Trailhead Trail Sign Drainage Structure		Check Dam Retaining Wall Raised Trail Structure Water Bar	 ** +	Step Featu Max. Grac Min. Width Intersectio	le 1	⊠ ₩ #	Gate Bridge Bench Other	W S Station Boundary
-									

Refuge Name: Felsenthal NWR Region: 4


Total Length: 2.78 Miles

Trail Number: 1300		Region. 4			
Section Number	001	002	003	004	
Section Length (miles)	0.31	1.67	0.42	0.38	
SAMMS Number	N/A	N/A	N/A	N/A	
Rating Date	06/02/2006	06/02/2006	06/02/2006	06/03/2006	
Trail Section Information					
Trail Class	TC3	TC3	TC3	TC3	
Surface Type	Native	Native	Native	Mowed	
Surface Firmness	Firm	Firm	Firm	Firm	
Width (inches)	120	120	120	120	
Average Grade (%)	0.9	0.9	0.9	0.9	
Average X-slope (%)	1.90	1.90	1.90	1.90	
Trail Condition Information					
Deferred Maintenance		\$204	\$8,517		
CRV	\$59,632	\$321,243	\$80,792	\$18,274	
FCI	0.00	0.00	0.10	0.00	
Condition	Excellent	Excellent	Fair	Excellent	

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$8,721	\$479,941	0.02	Good

TRAIL CONDITION



Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$35,674	0.00	Excellent


TRAIL CONDITION

	.0.21 .0. 	26			
0.1	0	0.1	0.2	0.3	
Excellent	Good F	air 📒	Poor	Very Poor	Admin Road
Begin Section	Check Dam Retaining Wall Raised Trail Struct Water Bar		Step Feature Max. Grade Min. Width Intersection	⊠ Gate ≍ Bridge ™ Bench ☆ Other	W E Station Boundary
Trail Name:Woodland Wildlife TrailTrail Number:T500	Refu	ge Name: Region:	Felsenthal N		Total Length: 0.43 Miles
Section Number Section Length (miles) SAMMS Number Rating Date Trail Section Information Trail Class Surface Type	001 0.43 10018068 06/02/2006 TC5 Asphalt				
Surface Firmness Width (inches) Average Grade (%) Average X-slope (%)	Paved 120 2.4 2.20				
Trail Condition Information					
Deferred Maintenance CRV FCI Condition	\$294 \$115,718 0.00 Excellent				

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$294	\$115,718	0.00	Excellent

TRAIL DEFICIENCY



Mile Post	1.88	2.27
Section Number	002	003
Photo Number	FELS_C2_0008	FELS_C2_0009
Deficiency	Drainage	Drainage
Action	Build/Add	Build/Add
Item	Step: Log -each	Bridge -sf
Quantity	2	180
Deferred Maintenance	\$204	\$8,517

TRAIL DEFICIENCY



	Excellent	Goo	d 📃 Fair		Poor 🦲	Very Po	or	Admin Road
	Begin Section	195	Erosion	╢	Trail Location	\otimes	Obstacle	W E
Ð	Trailhead	K	Drainage	۲	Trail Structure	×	Other	Station Boundary

Trail Name: Woodland	Wildlife Trail Re	efuge Name: Felsenthal	NWR	
Trail Number: T500		Region: 4	Total Len	gth: 0.43 Miles
Mile Post	0.06	0.10	0.13	0.16
Section Number	001	001	001	001
Photo Number	FELS_C2_0464		FELS_C2_0468	FELS_C2_0469
Deficiency	Obstacle	Obstacle	Obstacle	Obstacle
Action	Repair	Repair	Repair	Repair
Item	Other	Other	Other	Other
Quantity	100	500	350	210
Deferred Maintenance	\$37	\$37	\$37	\$37

TRAIL DEFICIENCY



		Excellent	Good	F	air		Poor		Very Po	oor	Admin Road
	\	Begin Section	 .05	Erosion	-	╟	Trail Locati	ion	\otimes	Obstacle	W SE E
H		Trailhead	 <u>K</u>	Drainage		•	Trail Struct	ure	×	Other	Station Boundary

Trail Name: Woodland	Wildlife Trail	Refuge Name: Felsenthal	NWR			
Trail Number: T500		Region: 4	Total Ler	Total Length: 0.43 Miles		
Mile Post	0.22	0.28	0.32	0.38		
Section Number	001	001	001	001		
Photo Number	FELS_C2_0471	FELS_C2_0472	FELS_C2_0473	FELS_C2_0478		
Deficiency	Obstacle	Obstacle	Obstacle	Obstacle		
Action	Repair	Repair	Repair	Repair		
Item	Other	Other	Other	Other		
Quantity	1,350	950	500	250		
Deferred Maintenance	\$37	\$37	\$37	\$37		

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0001 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0004 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 11/06/2011



Photo # FELS_C2_1540 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0002 - MP 0.04 - Sign

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0006 - MP 0.16 - Sign

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0007 - MP 0.31 - Begin Section

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0003 - MP 0.85 - Sign



TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/02/2006

Photo # FELS_C2_0005 - MP 1.44 - Sign

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0115 - MP 0.48 - Begin Section

TRAIL NUMBER: T300 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0123 - MP 0.79 - Boardwalk -If

TRAIL NUMBER: T301 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0136 - MP 0.00 - Sign

TRAIL NUMBER: T301 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0135 - MP 0.00 - Trailhead

TRAIL NUMBER: T301 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0137 - MP 0.03 - Sign

TRAIL NUMBER: T301 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0138 - MP 0.04 - Sign

TRAIL NUMBER: T301 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0139 - MP 0.11 - Puncheon -If

TRAIL NUMBER: T301 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0140 - MP 0.18 - Sign

TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0100 - MP 0.00 - Trailhead



TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 06/02/2006

Photo # FELS_C2_0101 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 06/02/2006



Photo # FELS_C2_0102 - MP 0.01 - Sign

TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 06/02/2006

Red maple Acer rubrum 100 This maple is named for the brilliant red color of its stems, flowers and autumn-leaves. It can tolerate both wer and dry conditions. The seed is good for songbirds, squirrels and small rodents: browse is good for deer; buds are good for squirrel.

Photo # FELS_C2_0103 - MP 0.03 - Sign

TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 06/03/2006



Photo # FELS_C2_0126 - MP 0.26 - Sign

TRAIL	NUMBE	R: T5	00
STATIO	N: Fel	senthal	NWR
DATE:	06/03/2	2006	



Photo # FELS_C2_0129 - MP 0.33 - Sign

TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 04/21/2011



Photo # FELS_C2_0476 - MP 0.35 - Sign



TRAIL NUMBER: T500 STATION: Felsenthal NWR DATE: 06/03/2006

Photo # FELS_C2_0132 - MP 0.38 - Sign

Glossary of Terms and Abbreviations

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	SAMMS number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Check Dam Condition	-
	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor
Condition	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI >20 = Failed
Condition Crib Wall Current Replacement Value	<pre>or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI <!--=01 = Excellent FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI -->20 = Failed Retaining wall. The value of an asset determined by the estimated cost of</pre>

Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity" field of the data dictionary.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the "Action" (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non- specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
МР	Distance of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
T Class	Trail Class: I-V (see Appendix ? for trail class descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.