The Trail Inventory of Flint Hills NWR

Hartford, KS





Prepared By: Federal Highway Administration Central Federal Lands Highway Division May, 2013



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CHANGES AND CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
IX.	GLOSSARY	i

NOTE TO USERS OR READERS

In this report, the reader may find a mix of dates associated with the condition assessment and photographs. Chapter 4 shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the cycle 3 assessment was done to in

2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

In Chapter 6 the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because the existing photographs from Cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the Cycle 3 site visit.

The reader may also notice some of the feature photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Flint Hills NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Total	
Туре	Miles	%	Miles	
Native	0.09	100%	0.09	
Gravel	1.28	100%	1.28	
Asphalt	0.12	100%	0.12	
Concrete	0.14	100%	0.14	
Boardwalk	0.02	100%	0.02	
Total	1.65	100%	1.65	

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excel	lent	Total	
Classification	Miles	%	Miles	
TC4	1.49	100%	1.49	
TC5	0.16	100%	0.16	
Total	1.65	100%	1.65	

^{*}Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Sign	1	No	0.00	FLHI_C3_0561
T400	Trailhead	1	No	0.00	FLHI_C3_1393
T400	Sign	6	No	0.00	FLHI_C3_0557
T400	Sign	1	No	0.01	FLHI_C3_0560
T400	Lookout/Ob Deck	1	No	0.04	
T400	Drainage Ditch -If	120	No	0.14	
T400	Max Grade- %	11	No	0.15	
T400	Culvert -If	10	No	0.17	
T400	Begin Section	1	No	0.18	
T400	Begin Section	1	No	0.24	
T400	Other	50	No	0.26	
T400	Culvert -If	8	No	0.26	
T400	Step: Log -each	1	No	0.26	
T400	Step: Log -each	2	No	0.28	
T400	Step: Log -each	1	No	0.30	
T400	Step: Log -each	1	No	0.31	
T400	Culvert -If	50	No	0.31	
T400	Begin Section	1	No	0.31	FLHI_C3_0559
T400	Culvert -If	50	No	0.31	
T400	Step: Log -each	5	No	0.31	
T400	Drainage Ditch -If	60	No	0.31	
T400	Bench	1	No	0.31	
T400	Culvert -If	50	No	0.32	
T400	Culvert -If	50	No	0.32	
T400	Culvert -If	6	No	0.35	
T400	Step: Log -each	7	No	0.37	
T400	Step: Log -each	1	No	0.38	
T400	Drainage Ditch -If	70	No	0.40	
T400	Culvert -If	50	No	0.40	
T400	Step: Log -each	2	No	0.40	
T400	Bridge -sf	35	No	0.41	FLHI_C3_1401
T400	Bridge -sf	70	No	0.43	FLHI_C3_1402
T400	Culvert -If	8	No	0.44	
T400	Drainage Ditch -If	60	No	0.44	
T400	Step: Log -each	2	No	0.45	
T400	Max Grade- %	17	No	0.47	
T400	Drainage Ditch -If	55	No	0.47	
T400	Culvert -If	8	No	0.47	


T400	Bench	1	No	0.48	
T400	Step: Log -each	9	No	0.48	
T400	Drainage Ditch -If	48	No	0.50	
T400	Step: Log -each	4	No	0.50	
T400	Culvert -If	5	No	0.52	
T400	Culvert -If	8	No	0.53	
T400	Step: Log -each	5	No	0.55	
T400	Culvert -If	5	No	0.55	
T400	Step: Log -each	3	No	0.56	
T400	Bridge -sf	88	No	0.57	FLHI_C3_1403
T400	Bench	1	No	0.59	
T400	Begin Section	1	No	0.59	FLHI_C3_1404
T400	Drainage Ditch -If	60	No	0.59	
T400	Culvert -If	8	No	0.59	
T400	Culvert -If	5	No	0.60	
T400	Sign	2	No	0.61	FLHI_C3_0558
T401	Sign	7	No	0.00	FLHI_C3_0550
T401	Trailhead	1	No	0.00	FLHI_C3_1409
T401	Culvert -If	6	No	0.05	
T401	Bench	4	No	0.11	
T401	Culvert -If	6	No	0.12	
T401	Culvert -If	6	No	0.12	
T401	Culvert -If	6	No	0.12	
T401	Other	20	No	0.14	
T401	Bridge -sf	180	No	0.16	FLHI_C3_1411
T401	Culvert -If	4	No	0.22	
T401	Bench	5	No	0.24	
T401	Sign	4	No	0.32	FLHI_C3_0552
T401	Begin Section	1	No	0.32	FLHI_C3_1413
T401	Begin Section	1	No	0.32	FLHI_C3_1412
T401	Max Grade- %	32	No	0.34	
T401	Sign	1	No	0.35	FLHI_C3_1412
T401	Step: Log -each	8	No	0.35	
T401	Bridge -sf	300	No	0.36	FLHI_C3_1415
T401	Sign	3	No	0.42	FLHI_C3_0553
T401	Begin Section	1	No	0.42	FLHI_C3_1416
T401	Sign	8	No	0.56	FLHI_C3_0554
T401	Sign	3	No	0.60	FLHI_C3_0555
T401	Begin Section	1	No	0.60	FLHI_C3_1418
T401	Step: Log -each	4	No	0.65	
T401	Drainage Ditch -If	55	No	0.65	
T401	Water Bar:Wood -each	4	No	0.66	
T500	Trailhead	1	No	0.00	FLHI_C3_1405

T500	Sign	6	No	0.01	FLHI_C3_0556
T500	Sign	1	No	0.01	FLHI_C3_1406
T500	Bench	3	No	0.06	
T500	Bench	2	No	0.13	
T500	Begin Section	1	No	0.14	FLHI_C3_1408

sf - square feet If - linear feet

cf - cubic feet

Flint Hills NWR Trail Location Map



HQ/VC

Miles

1.5

Trails ID

Station Name: Flint Hills NWR Org Code: 64580


Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T400	Dove Roost Trail	Gravel	10032138	0.64	From Dove Roost Trail Parking (Rte 915) to end of loop at Dove Roost Trail Parking (Rte 915)
T400	Dove Roost Trail	Native	10032138	0.09	From Dove Roost Trail Parking (Rte 915) to end of loop at Dove Roost Trail Parking (Rte 915)
T401	Townsite Trail	Asphalt	10032158	0.12	From HQ Trailhead Road Parking (Rte 921) to east of HQ Trailhead Spur (Rte 103)
T401	Townsite Trail	Gravel	10032158	0.64	From HQ Trailhead Road Parking (Rte 921) to east of HQ Trailhead Spur (Rte 103)
T500	Burgess Marsh Trail	Boardwalk	10032175	0.02	From Burgess Marsh Parking B (Rte 905) to end of pier
T500	Burgess Marsh Trail	Concrete	10032175	0.14	From Burgess Marsh Parking B (Rte 905) to end of pier

CHANGES TO THE FISH AND WILDLIFE SERVICE TRAIL INVENTORY REPORT

Flint Hills NWR

Trails added to previous inventory:							
Trail #	Trail Name	Reason for Addition					
		Trails removed from previous inventory:					
Trail #	Trail Name	Reason for Removal					
		Trails modified from previous inventory:					
Trail #	Trail Name	Type of Modification	Description of Modification				
Commen	its.						

TRAIL CONDITION






Trail Name:Dove Roost TrailRefuge Name:Flint Hills NWRTrail Number:T400Region: 6Total Length:0.73 Miles

Section Number	001	002	003	004	005
Section Length (miles)	0.18	0.06	0.37	0.03	0.09
SAMMS Number	10032138	10032138	10032138	10032138	10032138
Rating Date	04/24/2007	04/24/2007	04/24/2007	04/24/2007	04/24/2007
Trail Section Information					
Trail Class	TC4	TC4	TC4	TC4	TC4
Surface Type	Gravel	Gravel	Gravel	Gravel	Native
Surface Firmness	Hard	Hard	Hard	Hard	Firm
Width (inches)	84	84	84	84	48
Average Grade (%)	4.6	4.6	4.6	4.6	4.6
Average X-slope (%)	1.80	1.80	1.80	1.80	1.80
Trail Condition Information					
Deferred Maintenance					
CRV	\$3,688	\$1,224	\$7,742	\$620	\$1,745
FCI	0.00	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$15,020	0.00	Excellent

TRAIL CONDITION



	0.06		0	0.06	0.1	2	0.1	_
								Miles
	Excellent	Goo	od Fair		Poor	Very Poo	or 🛑	Admin Road
\triangle	Begin Section		Check Dam		Step Feature	\bowtie	Gate	₹ ^N
	Trailhead	ద	Retaining Wall		Max. Grade	\succ	Bridge	W TO E
Ŕī	Trail Sign	1	Raised Trail Structure	₩	Min. Width	-7\-	Bench	Š
	Drainage Structure		Water Bar	+	Intersection	×	Other	Station Boundary


Trail Name:Townsite TrailRefuge Name:Flint Hills NWRTrail Number:T401Region: 6Total Length:0.76 Miles

Section Number	001	002	003	004	005
Section Length (miles)	0.32	0.03	0.12	0.24	0.05
SAMMS Number	10032158	10032158	10032158	10032158	10032158
Rating Date	04/24/2007	04/24/2007	04/24/2007	04/24/2007	04/24/2007
Trail Section Information					
Trail Class	TC4	TC4	TC4	TC4	TC4
Surface Type	Gravel	Gravel	Asphalt	Gravel	Gravel
Surface Firmness	Hard	Firm	Paved	Hard	Hard
Width (inches)	60	60	60	60	60
Average Grade (%)	2.3	2.3	2.3	2.3	2.3
Average X-slope (%)	2.50	2.50	2.50	2.50	2.50
Trail Condition Information					
Deferred Maintenance					
CRV	\$6,713	\$974	\$2,610	\$5,123	\$1,145
FCI	0.00	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$16,564	0.00	Excellent

TRAIL CONDITION



	0.03	_	-	0.03		0.01	•	0.	Miles
	xcellent	God	od Fair		Poor		Very Poo	or 💮	Admin Road
Tra	gin Section ilhead	<u>س</u>	Check Dam Retaining Wall		Step Fea	ade	\succeq	Gate Bridge	W E
	il Sign iinage Structure		Raised Trail Structure Water Bar	+	Min. Wid Intersect		T	Bench Other	Station Boundary

Trail Name: Burgess Marsh Trail Refuge Name: Flint Hills NWR

Trail Number: T500 Region: 6 Total Length: **0.16 Miles**

Section Number Section Length (miles)	001 0.14	002 0.02
SAMMS Number	10032175	10032175
Rating Date	04/24/2007	04/24/2007
Trail Section Information		
Trail Class	TC5	TC5
Surface Type	Concrete	Boardwalk
Surface Firmness	Paved	Hard
Width (inches)	60	64
Average Grade (%)	1.4	1.4
Average X-slope (%)	3.10	3.10
Trail Condition Information		
Deferred Maintenance		
CRV	\$4,073	\$2,383
FCI	0.00	0.00
Condition	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$6,456	0.00	Excellent

NOTE TO USERS OR READERS

This section shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the Cycle 3 assessment was done to in 2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

TRAIL DEFICIENCY

No Deficiencies

TRAIL NUMBER: T400 STATION: Flint Hills NWR DATE: 07/27/2012



Photo # FLHI_C3_0557 - MP 0.00 - Sign




Photo # FLHI_C3_0561 - MP 0.00 - Sign

TRAIL NUMBER: T400 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1393 - MP 0.00 - Trailhead



Photo # FLHI_C3_0560 - MP 0.01 - Sign

TRAIL NUMBER: T400 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1401 - MP 0.41 - Bridge -sf



Photo # FLHI_C3_1402 - MP 0.43 - Bridge -sf

TRAIL NUMBER: T400 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1403 - MP 0.57 - Bridge -sf



Photo # FLHI_C3_0558 - MP 0.61 - Sign

TRAIL NUMBER: T400 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_0559 - MP 0.31 - Begin Section



Photo # FLHI_C3_1404 - MP 0.59 - Begin Section

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 07/27/2012



Photo # FLHI_C3_0550 - MP 0.00 - Sign



Photo # FLHI_C3_1409 - MP 0.00 - Trailhead

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1411 - MP 0.16 - Bridge -sf



Photo # FLHI_C3_0552 - MP 0.32 - Sign

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1413 - MP 0.32 - Begin Section



Photo # FLHI_C3_1412 - MP 0.35 - Sign

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1412 - MP 0.32 - Begin Section



Photo # FLHI_C3_1415 - MP 0.36 - Bridge -sf

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 07/27/2012



Photo # FLHI_C3_0553 - MP 0.42 - Sign



Photo # FLHI_C3_1416 - MP 0.42 - Begin Section

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 07/27/2012



Photo # FLHI_C3_0554 - MP 0.56 - Sign



Photo # FLHI_C3_0555 - MP 0.60 - Sign

TRAIL NUMBER: T401 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1418 - MP 0.60 - Begin Section

TRAIL NUMBER: T500 STATION: Flint Hills NWR



Photo # FLHI_C3_1405 - MP 0.00 - Trailhead

TRAIL NUMBER: T500 STATION: Flint Hills NWR DATE: 07/27/2012



Photo # FLHI_C3_0556 - MP 0.01 - Sign



Photo # FLHI_C3_1406 - MP 0.01 - Sign

TRAIL NUMBER: T500 STATION: Flint Hills NWR DATE: 04/24/2007



Photo # FLHI_C3_1408 - MP 0.14 - Begin Section

A NOTE TO USERS OR READERS

In this chapter the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because existing photographs from cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the cycle 3 site visit.

The reader may also notice some photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped features include non-unique signs (mileposts, **Grouped Features**

> interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Type of accessibility information available at trailhead: Info Type

brochure, sign or other.

Item on which the "Action" (see above) will be **Item**

performed.

Managed use of the trail: HIKE, BIKE, NSPC (non-Manage Use

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

Distance of a trail feature or deficiency from the MP

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail

Structure

Boardwalk, Turnpike, Puncheon.

Trail Class: I-V (see Appendix? for trail class T Class

descriptions).

Trail Designation: Standard (Std), National Historic Trail Tr Desig

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Trail tread elevated with dirt, rock or other aggregate Turnpike

from parallel side ditches and held in place by logs.