The Trail Inventory of Kofa NWR

Yuma, AZ





Prepared By: Federal Highway Administration Central Federal Lands Highway Division January, 2012



TABLE OF CONTENTS

SECTION		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

Kofa NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Total	
Туре	Miles	%	Miles	
Native	0.43	100%	0.43	
Total	0.43	100%	0.43	

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent	Total	
Classification	Miles %	Miles	
тсз	0.43 100%	0.43	
Total	0.43 100%	0.43	

^{*}Admin Roads are included in the inventory but are not rated for condition.

Trail Features


Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T301	Trailhead	1	No	0.00	KOFA_C2_005 0
T301	Sign	1	No	0.00	KOFA_C2_005 0
T301	Sign	1	No	0.01	
T301	Step: Rock -each	3	No	0.01	KOFA_C2_006
T301	Other	1	No	0.02	KOFA_C2_005 2
T301	Turnpike -If	8	No	0.08	KOFA_C2_005 3
T301	Turnpike -If	4	No	0.12	KOFA_C2_005 4
T301	Max Grade- %	1	No	0.22	
T301	Turnpike -If	10	No	0.26	KOFA_C2_005 6
T301	Turnpike -If	6	No	0.32	KOFA_C2_005 8
T301	Turnpike -If	7	No	0.41	KOFA_C2_006 0
T301	Step: Rock -each	2	No	0.42	KOFA_C2_006 1
T301	Sign	1	No	0.43	KOFA_C2_006 2

sf - square feet

If - linear feet


cf - cubic feet

Kofa NWR Trail Location Map









Report Generated: 1/6/2012

Trails ID

Station Name: Kofa NWR Org Code: 22570

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T301	Palm Canyon Trail	Native	10059173	0.43	From Trailhead (from end of Route 101) to End of Trail/ Observation Point

TRAIL CONDITION





Trail Name:Palm Canyon TrailRefuge Name:Kofa NWRTrail Number:T301Region: 2

Section Number 001 Section Length (miles) 0.43 10059173 SAMMS Number 02/22/2011 Rating Date Trail Section Information TC3 Trail Class Native Surface Type Surface Firmness Firm Width (inches) 70 Average Grade (%) 11.0 Average X-slope (%) 3.84 Trail Condition Information \$639 **Deferred Maintenance**

Trail Condition TOTALS

\$46,677

0.01

Excellent

Deferred Maintenance	CRV	FCI	Condition
\$639	\$46,677	0.01	Good


CRV

FCI

Condition

Total Length: 0.43 Miles

TRAIL DEFICIENCY



TRAIL NUMBER: T301 STATION: Kofa NWR DATE: 02/22/2011



Photo # KOFA_C2_0050 - MP 0.00 - Trailhead



Photo # KOFA_C2_0050 - MP 0.00 - Sign

TRAIL NUMBER: T301 STATION: Kofa NWR DATE: 02/22/2011



Photo # KOFA_C2_0061 - MP 0.01 - Step: Rock -each



Photo # KOFA_C2_0052 - MP 0.02 - Other

TRAIL NUMBER: T301 STATION: Kofa NWR DATE: 02/22/2011



Photo # KOFA_C2_0053 - MP 0.08 - Turnpike -If



Photo # KOFA_C2_0054 - MP 0.12 - Turnpike -If

TRAIL NUMBER: T301 STATION: Kofa NWR DATE: 02/22/2011



Photo # KOFA_C2_0056 - MP 0.26 - Turnpike -If



Photo # KOFA_C2_0058 - MP 0.32 - Turnpike -If

TRAIL NUMBER: T301 STATION: Kofa NWR DATE: 02/22/2011



Photo # KOFA_C2_0060 - MP 0.41 - Turnpike -If



Photo # KOFA_C2_0061 - MP 0.42 - Step: Rock -each



Photo # KOFA_C2_0062 - MP 0.43 - Sign

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped features include non-unique signs (mileposts, **Grouped Features**

> interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Type of accessibility information available at trailhead: Info Type

brochure, sign or other.

Item on which the "Action" (see above) will be **Item**

performed.

Managed use of the trail: HIKE, BIKE, NSPC (non-Manage Use

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

Distance of a trail feature or deficiency from the MP

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail

Structure

Boardwalk, Turnpike, Puncheon.

Trail Class: I-V (see Appendix? for trail class T Class

descriptions).

Trail Designation: Standard (Std), National Historic Trail Tr Desig

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Trail tread elevated with dirt, rock or other aggregate Turnpike

from parallel side ditches and held in place by logs.