# The Trail Inventory of Montezuma NWR

Seneca Falls, NY





Prepared By: Federal Highway Administration Central Federal Lands Highway Division April, 2012



### TABLE OF CONTENTS

<b>SECTION</b>		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

#### **Montezuma NWR**

#### **Trail and Trail Feature Summaries**

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Othe	ers	Total
Туре	Miles	%	Miles	%	Miles
Native	0.09	100%	0.00	0%	0.09
Gravel	1.24	100%	0.00	0%	1.24
Mowed	2.07	100%	0.00	0%	2.07
Admin Road	0.00	0%	0.33	100%	0.33
Total	3.40	91%	0.33	9%	3.73

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent		Others		Total
Classification	Miles	%	Miles	%	Miles
тс3	2.76	91%	0.26	9%	3.02
TC4	0.64	90%	0.07	10%	0.71
Total	3.40	91%	0.33	9%	3.73

<sup>\*</sup>Admin Roads are included in the inventory but are not rated for condition.

#### **Trail Features**

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Trailhead	1	No	0.00	MONT_C2_00 01
T300	Sign	1	No	0.00	MONT_C2_00 02
T300	Sign	2	No	0.01	MONT_C2_00 03
T300	Step Stones -each	9	No	0.03	
T300	Bridge -sf	144	No	0.04	MONT_C2_00 04
T300	Sign	1	No	0.09	MONT_C2_00 05
T300	Water Bar:Wood -each	2	No	0.15	
T300	Intersection	1	No	0.17	
T300	Bench	1	No	0.17	
T300	Sign	2	No	0.17	MONT_C2_00 06
T300	Water Bar:Wood -each	2	No	0.26	
T300	Water Bar:Wood -each	2	No	0.27	
T300	Sign	3	No	0.49	MONT_C2_00 10
T300	Begin Section	1	No	0.51	MONT_C2_001 1
T300	Bench	1	No	0.57	
T300	Bridge -sf	160	No	0.66	MONT_C2_00 13
T300	Begin Section	1	No	0.68	MONT_C2_00 14
T300	Lookout/Ob Deck	1	No	0.73	
T300	Water Bar:Wood -each	3	No	0.76	
T300	Sign	4	No	0.78	MONT_C2_00 16
T300	Bench	1	No	0.78	
T300	Bench	1	No	0.94	
T300	Sign	1	No	1.24	MONT_C2_00 19
T300	Sign	1	No	1.24	MONT_C2_00 18
T300	Begin Section	1	No	1.24	MONT_C2_00 20
T300	Water Bar:Wood -each	8	No	1.26	
T300	Sign	1	No	1.26	MONT_C2_00 21
T300	Bridge -sf	168	No	1.28	MONT_C2_00 22

T300	Water Bar:Wood -each	2	No	1.31	
T300	Water Bar:Wood -each	3	No	1.38	
		5	No	1.39	
T300	Water Bar:Wood -each Bench	1	No	1.40	
T300		1		1.49	
T300	Water Bar:Wood -each	9	No		
T300	Water Bar:Wood -each		No	1.53	
T300	Water Bar:Wood -each	3	No	1.65	
T300	Water Bar:Wood -each	5	No	1.68	
T300	Boardwalk -lf	82	No	1.71	MONT_C2_00 24
T300	Begin Section	1	No	1.72	MONT_C2_00 26
T300	Sign	1	No	1.72	MONT_C2_00 25
T301	Trailhead	1	No	0.00	MONT_C2_00 27
T301	Sign	1	No	0.00	MONT_C2_00 28
T301	Lookout/Ob Deck	1	No	0.03	
T301	Sign	1	No	0.03	MONT_C2_00 30
T301	Begin Section	1	No	0.05	MONT_C2_00 31
T301	Begin Section	1	No	0.45	MONT_C2_00 33
T301	Sign	2	No	0.61	MONT_C2_00 32
T302	Sign	2	No	0.00	MONT_C2_00 50
T302	Trailhead	1	No	0.00	MONT_C2_00 49
T302	Culvert -lf	44	No	0.01	
T302	Lookout/Ob Deck	1	No	0.14	
T400	Trailhead	1	No	0.00	MONT_C2_00 34
T400	Bench	1	No	0.01	
T400	Begin Section	1	No	0.01	
T400	Bench	1	No	0.03	
T400	Other	1	No	0.04	MONT_C2_00 39
T400	Sign	1	No	0.04	MONT_C2_00 38
T400	Culvert -If	10	No	0.04	
T400	Bench	2	No	0.06	
T400	Max Grade- %	8	No	0.06	
T400	Begin Section	1	No	0.06	MONT_C2_00 41
T400	Lookout/Ob Deck	1	No	0.13	
T400	Lookout/Ob Deck	1	No	0.15	
		I .	1		1


T400	Begin Section	1	No	0.24	MONT_C2_00 44
T400	Other	1	No	0.31	MONT_C2_00 45
T400	Begin Section	1	No	0.31	MONT_C2_00 46
T400	Begin Section	1	No	0.66	MONT_C2_00 47
T400	Begin Section	1	No	0.75	MONT_C2_00 48

sf - square feet

If - linear feet


cf - cubic feet

## Montezuma NWR Trail Location Map









#### Trails ID

Station Name: Montezuma NWR Org Code: 52550

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Esker Brook Trail	Gravel	10022711	0.55	From Esker Brook Parking (Rte 904) to End of Loop
T300	Esker Brook Trail	Mowed	10022711	1.21	From Esker Brook Parking (Rte 904) to End of Loop
T301	South Spring Pool Trail	Gravel	10022735	0.05	From South Spring Pool Parking (Rte 905) to Esker Brook Trail (T300)
T301	South Spring Pool Trail	Mowed	10022735	0.86	From South Spring Pool Parking (Rte 905) to Esker Brook Trail (T300)
T302	Photo Blind Trail	Admin Road	10022722	0.14	From Photo Blind Parking (Rte 913) to Photo Blind
T400	Seneca Trail	Admin Road	10054612	0.19	From Visitor Parking (Rte 900) to Visitor Parking (Rte 900)
T400	Seneca Trail	Gravel	10054612	0.64	From Visitor Parking (Rte 900) to Visitor Parking (Rte 900)
T400	Seneca Trail	Native	10054612	0.09	From Visitor Parking (Rte 900) to Visitor Parking (Rte 900)





Trail Name: Esker Brook Trail
Trail Number: T300


Refuge Name: Montezuma NWR Region: 5

Section Number 001 002 003 004 005 Section Length (miles) 0.51 0.17 0.56 0.48 0.04 10022711 10022711 10022711 10022711 10022711 SAMMS Number 07/14/2006 07/14/2006 07/14/2006 07/14/2006 07/14/2006 Rating Date Trail Section Information TC3 TC3 TC3 TC3 TC3 Trail Class Gravel Mowed Mowed Mowed Gravel Surface Type Surface Firmness Firm Firm Firm Firm Firm Width (inches) 48 84 48 48 24 Average Grade (%) 3.5 3.5 3.5 3.5 3.5 Average X-slope (%) 2.90 2.90 2.90 2.90 2.90 **Trail Condition Information Deferred Maintenance** \$915 \$13,582 \$11,642 CRV \$53,976 \$7,215 \$2,115 0.01 0.00 0.00 0.00 0.00 FCI Excellent Excellent Excellent Excellent Excellent Condition

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
\$915	\$88,530	0.01	Excellent

Total Length: 1.76 Miles





**Trail Name:** South Spring Pool Trail Refuge Name: Montezuma NWR **Trail Number:** T301 Region: 5


Section Number	001	002	003	
Section Length (miles)	0.05	0.40	0.46	
SAMMS Number	10022735	10022735	10022735	
Rating Date	07/14/2006	07/14/2006	07/14/2006	
Trail Section Information				
Trail Class	TC3	TC3	TC3	
Surface Type	Gravel	Mowed	Mowed	
Surface Firmness	Firm	Firm	Firm	
Width (inches)	48	72	72	
Average Grade (%)	3.5	3.5	3.5	
Average X-slope (%)	3.20	3.20	3.20	
Trail Condition Information				
Deferred Maintenance				
CRV	\$5,292	\$14,553	\$16,736	
FCI	0.00	0.00	0.00	
Condition	Excellent	Excellent	Excellent	

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
	\$36,580	0.00	Excellent

Total Length: 0.91 Miles






**Trail Name:** Photo Blind Trail Refuge Name: Montezuma NWR **Trail Number:** T302 Region: 5

Section Number	001
Section Length (miles)	0.14
SAMMS Number	10022722
Rating Date	07/14/2006
Trail Section Information	
Trail Class	TC3
Surface Type	Admin Road
Surface Firmness	Firm
Width (inches)	84
Average Grade (%)	2.3
Average X-slope (%)	1.80
Trail Condition Information	
Deferred Maintenance	
CRV	
FCI	
Condition	

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition

Total Length: 0.14 Miles






Trail Name:Seneca TrailRefuge Name:Montezuma NWRTrail Number:T400Region: 5Total Length:0.92 Miles

Section Number Section Length (miles) SAMMS Number Rating Date	001 0.06 10054612 07/14/2006	002 0.05 10054612 07/14/2006	003 0.18 10054612 07/14/2006	004 0.07 10054612 07/14/2006	005 0.35 10054612 07/14/2006
Trail Section Information					
Trail Class	TC4	TC4	TC4	TC4	TC4
Surface Type	Gravel	Gravel	Gravel	Admin Road	Gravel
Surface Firmness	Firm	Firm	Firm	Firm	Firm
Width (inches)	60	72	60	120	60
Average Grade (%)	2.7	2.7	2.7	2.7	2.7
Average X-slope (%)	1.40	1.40	1.40	1.40	1.40
Trail Condition Information					
Deferred Maintenance					
CRV	\$7,938	\$7,938	\$23,813		\$46,303
FCI	0.00	0.00	0.00		0.00
Condition	Excellent	Excellent	Excellent		Excellent





Trail Name:Seneca TrailRefuge Name:Montezuma NWRTrail Number:T400Region: 5


Section Number	006	007
Section Length (miles)	0.09	0.12
SAMMS Number	10054612	10054612
Rating Date	07/14/2006	07/14/2006
Trail Section Information		
Trail Class	TC3	TC3
Surface Type	Native	Admin Road
Surface Firmness	Firm	Firm
Width (inches)	96	120
Average Grade (%)	2.7	2.7
Average X-slope (%)	1.40	1.40
Trail Condition Information		
Deferred Maintenance		
CRV	\$17,465	
FCI	0.00	
Condition	Excellent	

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
	\$103,457	0.00	Excellent

Total Length: 0.92 Miles

#### TRAIL DEFICIENCY



TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0001 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0002 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0003 - MP 0.01 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0004 - MP 0.04 - Bridge -sf

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0005 - MP 0.09 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0006 - MP 0.17 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0010 - MP 0.49 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0011 - MP 0.51 - Begin Section

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0013 - MP 0.66 - Bridge -sf

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0014 - MP 0.68 - Begin Section

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0016 - MP 0.78 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0018 - MP 1.24 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006




Photo # MONT\_C2\_0019 - MP 1.24 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT C2 0020 - MP 1.24 - Begin Section

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006




Photo # MONT\_C2\_0021 - MP 1.26 - Sign

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0022 - MP 1.28 - Bridge -sf

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0024 - MP 1.71 - Boardwalk -If

TRAIL NUMBER: T300 STATION: Montezuma NWR



Photo # MONT\_C2\_0026 - MP 1.72 - Begin Section

TRAIL NUMBER: T300 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0025 - MP 1.72 - Sign

TRAIL NUMBER: T301 STATION: Montezuma NWR



Photo # MONT\_C2\_0027 - MP 0.00 - Trailhead

TRAIL NUMBER: T301 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0028 - MP 0.00 - Sign

TRAIL NUMBER: T301 STATION: Montezuma NWR



Photo # MONT C2 0030 - MP 0.03 - Sign

TRAIL NUMBER: T301 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0031 - MP 0.05 - Begin Section

TRAIL NUMBER: T301 STATION: Montezuma NWR



Photo # MONT\_C2\_0033 - MP 0.45 - Begin Section

TRAIL NUMBER: T301 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0032 - MP 0.61 - Sign

TRAIL NUMBER: T302 STATION: Montezuma NWR



Photo # MONT\_C2\_0049 - MP 0.00 - Trailhead

TRAIL NUMBER: T302 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0050 - MP 0.00 - Sign

TRAIL NUMBER: T400 STATION: Montezuma NWR



Photo # MONT\_C2\_0034 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0038 - MP 0.04 - Sign

TRAIL NUMBER: T400 STATION: Montezuma NWR



Photo # MONT\_C2\_0039 - MP 0.04 - Other

TRAIL NUMBER: T400 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0041 - MP 0.06 - Begin Section

TRAIL NUMBER: T400 STATION: Montezuma NWR



Photo # MONT\_C2\_0044 - MP 0.24 - Begin Section

TRAIL NUMBER: T400 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0045 - MP 0.31 - Other

TRAIL NUMBER: T400 STATION: Montezuma NWR



Photo # MONT\_C2\_0046 - MP 0.31 - Begin Section

TRAIL NUMBER: T400 STATION: Montezuma NWR

DATE: 07/14/2006



Photo # MONT\_C2\_0047 - MP 0.66 - Begin Section

TRAIL NUMBER: T400 STATION: Montezuma NWR



Photo # MONT\_C2\_0048 - MP 0.75 - Begin Section

#### **Glossary of Terms and Abbreviations**

Acc Info Accessibility information available at trailhead.

**Action** Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

**Alt SAMMS** SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

**AvgGrade** The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**AvgSlope** The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**Check Dam** A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

**Condition** Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

**Crib Wall** Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

**Def type** Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

**Maintenance (DM)** 

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

**Facility** 

**Condition Index (FCI)** 

DM/CRV

Grouped features include non-unique signs (mileposts, **Grouped Features** 

> interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Type of accessibility information available at trailhead: Info Type

brochure, sign or other.

Item on which the "Action" (see above) will be **Item** 

performed.

Managed use of the trail: HIKE, BIKE, NSPC (non-Manage Use

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

Distance of a trail feature or deficiency from the MP

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

**Raised Trail** 

Structure

Boardwalk, Turnpike, Puncheon.

Trail Class: I-V (see Appendix? for trail class T Class

descriptions).

Trail Designation: Standard (Std), National Historic Trail Tr Desig

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Trail tread elevated with dirt, rock or other aggregate **Turnpike** 

from parallel side ditches and held in place by logs.