The Trail Inventory of National Key Deer Refuge

Big Pine Key, FL





Prepared By: Federal Highway Administration Central Federal Lands Highway Division March, 2012



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

National Key Deer Refuge

Trail and Trail Feature Summaries

Trail Surface Type	Excellent		Others		Total	
	Miles	%	Miles	%	Miles	
Native	1.40	<mark>100%</mark>	0.00	0%	1.40	
Gravel	0.95	<mark>100%</mark>	0.00	0%	0.95	
Concrete	0.05	<mark>100%</mark>	0.00	0%	0.05	
Admin Road	0.00	0%	1.67	<mark>100%</mark>	1.67	
Total	2.40	<mark>59%</mark>	1.67	<mark>41%</mark>	4.07	

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

Trail Classification	Excellent		Others		Total	
	Miles	%	Miles	%	Miles	
TC2	0.61	<mark>100%</mark>	0.00	0%	0.61	
тсз	0.79	<mark>100%</mark>	0.00	0%	0.79	
TC4	0.95	<mark>100%</mark>	0.00	0%	0.95	
TC5	0.05	<mark>3%</mark>	1.67	<mark>97%</mark>	1.72	
Total	2.40	<mark>59%</mark>	1.67	<mark>41%</mark>	<mark>4.07</mark>	

*Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Trailhead	1	No	0.00	NADE_C2_006
T200	Sign	1	No	0.00	NADE_C2_006 2
T200	Sign	1	No	0.07	NADE_C2_006 3
T300	Trailhead	1	No	0.00	NADE_C2_006 4
T400	Sign	1	No	0.00	NADE_C2_000
T400	Trailhead	1	No	0.00	NADE_C2_000 2
T400	Sign	1	No	0.01	NADE_C2_000 4
T400	Sign	1	No	0.01	NADE_C2_000 3
T400	Sign	1	No	0.02	NADE_C2_000
T400	Sign	12	Yes	0.05	NADE_C2_000 6
T400	Sign	3	No	0.06	NADE_C2_000 7
T400	Sign	1	No	0.12	NADE_C2_001
T400	Sign	1	No	0.20	NADE_C2_001 2
T400	Sign	1	No	0.34	NADE_C2_001 7
T400	Crib: Log -cf	60	No	0.35	
T400	Culvert -If	8	No	0.37	
T400	Culvert -If	8	No	0.38	
T400	Culvert -If	8	No	0.38	
T400	Bridge -sf	20	No	0.64	NADE_C2_002 7
T401	Trailhead	1	No	0.00	NADE_C2_003
T401	Sign	4	Yes	0.00	NADE_C2_002 9
T401	Sign	1	No	0.02	NADE_C2_003 3
T401	Bench	1	No	0.04	
T401	Sign	1	No	0.04	NADE_C2_003
T401	Sign	1	No	0.05	NADE_C2_003 5

T401	Sign	1	No	0.06	NADE_C2_003
T401	Bench	1	No	0.07	
T401	Sign	1	No	0.09	NADE_C2_003 7
T401	Bench	1	No	0.10	
T401	Sign	1	No	0.10	NADE_C2_003 8
T401	Sign	2	Yes	0.12	NADE_C2_003 9
T401	Sign	5	Yes	0.14	NADE_C2_004
T401	Lookout/Ob Deck	1	No	0.14	
T402	Trailhead	1	No	0.00	NADE_C2_004 7
T402	Sign	1	No	0.00	NADE_C2_004 8
T402	Sign	1	No	0.11	NADE_C2_004 9
T500	Begin Section	1	No	0.00	
T500	Trailhead	1	No	0.00	NADE_C2_005 1
T500	Sign	1	No	0.00	NADE_C2_005 0
T500	Lookout/Ob Deck	1	No	0.02	
T500	Sign	2	Yes	0.02	NADE_C2_005 6
T500	Lookout/Ob Deck	1	No	0.03	
T500	Sign	6	Yes	0.03	NADE_C2_006 0
T500	Bench	1	No	0.03	
T501	Trailhead	1	No	0.00	NADE_C2_006 5
T501	Sign	1	No	0.01	NADE_C2_006 6


sf - square feet If - linear feet


cf - cubic feet

National Key Deer NWR Trail Location Map



National Key Deer NWR Trail Location Map





Trails ID

Station Name: National Key Deer Refuge

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T200	Longbeach Trail	Native	N/A	0.61	From Intersection of Hwy 1 and Longbeach Dr to End of Trail
T300	Cutthroat Trail	Native	N/A	0.79	From End of Cutthroat Dr 0.3 miles North of Hwy 1 to End of Trail
T400	Watson Trail	Gravel	10014783	0.70	From Watson Trail Parking Area (Rte 908) to end of loop
T401	Manillo Trail	Gravel	N/A	0.14	From Watson Trail Parking Area (Rte 908) to Observation Deck
T402	Blue Hole Gravel Trail	Gravel	10014804	0.11	From Blue Hole Parking (Rte 909) to End of Trail at sign
T500	Blue Hole Paved Trail	Concrete	10014804	0.05	From Blue Hole Handicapped Parking (Rte 910) to End of Trail
T501	Upper Sugar Loaf Trail	Admin Road	N/A	1.67	From Upper Sugarloaf Parking (Rte 902) to End of Trail

Org Code: 41580


TRAIL CONDITION	
0.1	0 0,1 0,2 0,3
Excellent	Good Fair Poor Very Poor Admin Road
Begin SectionTrailhead	III Check Dam Step Feature ⊠ Gate Retaining Wall I Nax. Grade → Bridge W
Trail Sign	📗 Raised Trail Structure 🌳 Min. Width 🕂 Bench S
Drainage Structure	✓ Water Bar ➡ Intersection 次 Other Image: Comparison of the section of the sectin of the section of the section of the sectin of the se
Trail Name: Longbeach Trail Trail Number: T200	Refuge Name: National Key Deer Refuge Region: 4 Total Length: 0.61 Miles
Section Number	001
Section Length (miles)	0.61
SAMMS Number	N/A Decize/2006
Rating Date	06/26/2006
Trail Section Information	TC2
Trail Class Surface Type	Native
Surface Firmness	Soft
Width (inches)	36
Average Grade (%) Average X-slope (%)	3.3
Trail Condition Information	2.40
Deferred Maintenance CRV	\$40,175
FCI	0.00
Condition	Excellent

Trail Condition TOTALS

Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$40,175	0.00	Excellent

Condition



Deferred Maintenance	CRV	FCI	Condition
	\$86,719	0.00	Excellent

		0.35 0.34 008 38 0.2 02	0.12	0.05.0 0.06 A			
Nobala Shini maharini ka ayan a	0.08	0	0.08	0.16		0.24 Miles	
	Excellent	Good Fair		or 🛑 Very	Poor	Admin Road	
	 Begin Section Trailhead Trail Sign Drainage Structure 	Check Dam Retaining Wall Raised Trail Structure Water Bar	► Ma: ❤ Min	p Feature c. Grade . Width rsection	⊠ Gate → Bridge → Bench → Other	W Station Boundary	
Trail Name: Trail Number	Watson Trail r: T400	Refuge	Name: Na Region: 4	tional Key Deer		Total Length: 0.70	Miles
Section Num Section Leng SAMMS Num Rating Date Trail Section	gth (miles)	001 0.70 10014783 06/25/2006					
Trail Class Surface Type Surface Firm Width (inche Average Gra Average X-s	e nness es) ade (%)	TC4 Gravel Firm 60 1.7 1.10					
	ion Information						
CRV FCI Condition		\$83,825 0.00 Excellent					

Deferred Maintenance	CRV	FCI	Condition
	\$83,825	0.00	Excellent

			0.05 0.07 0.064 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1				
and the second	0.06	0	0.06	0.12	0.18		To Michold
Trail Name: M	Excellent Begin Section Trailhead Trail Sign Drainage Structure anillo Trail	Check Dam H Retaining Wall Raised Trail Strue Water Bar	ture ↔ Max ture ↔ Min. ★ Inter	r Very Feature Grade Width section	⊠ Gate ≻ Bridge 7 Bench ☆ Other	Admin Road	
	T401		Region: 4			I Length: 0.14 M	Ailes
Section Number Section Length (SAMMS Number Rating Date Trail Section Int	miles)	001 0.14 N/A 06/25/2006					
Trail Class Surface Type Surface Firmnes Width (inches) Average Grade (Average X-slope	(%)	TC4 Gravel Hard 60 0.7 1.20					
Trail Condition							
Deferred Mainter CRV FCI Condition	nance	\$16,765 0.00 Excellent					


Deferred Maintenance	CRV	FCI	Condition
	\$16,765	0.00	Excellent

		р. 11 	001				
	0.06	0	0.06		0.12	0.18 Miles	
Exc	ellent 📃 G	, Good	air 🛑	Poor 🧰	· Very Poor	Admin Road	
▲ Begin : ↓ Trailhe ★ Trail S	Section ad <u>c</u>	Check Dam		Step Feature Max. Grade Min. Width Intersection	⊠ Gate → Bridge → Bench ★ Other	W Station Boundary	
Trail Name: Blue Hol Trail Number: T402	e Gravel Trail	Refu	ge Name: Region:		Deer Refuge	Total Length: 0.1	1 Miles
Section Number Section Length (miles) SAMMS Number Rating Date Trail Section Information	tion	001 0.11 10014804 06/25/2006					
Trail Class Surface Type Surface Firmness Width (inches) Average Grade (%) Average X-slope (%)		TC4 Gravel Firm 48 1.3 1.40					
Trail Condition Inform	nation						
Deferred Maintenance CRV FCI Condition		\$10,537 0.00 Excellent					

Deferred Maintenance	CRV	FCI	Condition
	\$10,537	0.00	Excellent

Begin Section	Good F Retaining Wall Raised Trail Stru	Na	ep Feature ax. Grade	a13 Poor ⊠ Gate → Bridge → Bridge → Bench	Admin Road	
Trail Name: Blue Hole Paved Trail	Water Bar		ersection ational Key Deer	⊻ Other	Station Boundary	
Trail Number: T500	Keid	Region: 4	allonal Ney Deel		otal Length: 0.05 I	Viles
Section Number Section Length (miles) SAMMS Number Rating Date <i>Trail Section Information</i>	001 0.03 10014804 06/25/2006	002 0.02 10014804 06/25/2006				
Trail Class Surface Type Surface Firmness Width (inches)	TC5 Concrete Paved 48	TC5 Concrete Paved 48				
Average Grade (%) Average X-slope (%)	0.9 0.70	0.9 0.70				
Trail Condition Information						
Deferred Maintenance CRV FCI Condition	\$4,127 0.00 Excellent	\$2,747 0.00 Excellent				

Deferred Maintenance	CRV	FCI	Condition
	\$6,875	0.00	Excellent



Deferred Maintenance	CRV	FCI	Condition

TRAIL DEFICIENCY

No Deficiencies

TRAIL NUMBER: T200 STATION: National Key Deer Refuge DATE: 06/26/2006



Photo # NADE_C2_0061 - MP 0.00 - Trailhead



Photo # NADE_C2_0062 - MP 0.00 - Sign

TRAIL NUMBER: T200 STATION: National Key Deer Refuge DATE: 06/26/2006




Photo # NADE_C2_0063 - MP 0.07 - Sign



Photo # NADE_C2_0064 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0002 - MP 0.00 - Trailhead



Photo # NADE_C2_0001 - MP 0.00 - Sign

TRAIL NUMBER: T400 STATION: National Key Deer Refuge DATE: 06/25/2006




Photo # NADE_C2_0003 - MP 0.01 - Sign



Photo # NADE_C2_0004 - MP 0.01 - Sign

TRAIL NUMBER: T400 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0005 - MP 0.02 - Sign



Photo # NADE_C2_0006 - MP 0.05 - Sign



Photo # NADE_C2_0007 - MP 0.06 - Sign



TRAIL NUMBER: T400 STATION: National Key Deer Refuge DATE: 06/25/2006

Photo # NADE_C2_0010 - MP 0.12 - Sign

TRAIL NUMBER: T400 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0012 - MP 0.20 - Sign



Photo # NADE_C2_0017 - MP 0.34 - Sign

TRAIL NUMBER: T400 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0027 - MP 0.64 - Bridge -sf



Photo # NADE_C2_0032 - MP 0.00 - Trailhead

TRAIL NUMBER: T401 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0029 - MP 0.00 - Sign



Photo # NADE_C2_0033 - MP 0.02 - Sign

TRAIL NUMBER: T401 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0034 - MP 0.04 - Sign



Photo # NADE_C2_0035 - MP 0.05 - Sign

TRAIL NUMBER: T401 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0036 - MP 0.06 - Sign



Photo # NADE_C2_0037 - MP 0.09 - Sign

TRAIL NUMBER: T401 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0038 - MP 0.10 - Sign



Photo # NADE_C2_0039 - MP 0.12 - Sign

TRAIL NUMBER: T401 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0041 - MP 0.14 - Sign



Photo # NADE_C2_0047 - MP 0.00 - Trailhead

TRAIL NUMBER: T402 STATION: National Key Deer Refuge DATE: 06/25/2006




Photo # NADE_C2_0048 - MP 0.00 - Sign



Photo # NADE_C2_0049 - MP 0.11 - Sign

TRAIL NUMBER: T500 STATION: National Key Deer Refuge DATE: 06/25/2006



Photo # NADE_C2_0051 - MP 0.00 - Trailhead

Carl Carl			
Sheer and			and all a
SUP CALL			
+ 34			
	Welcome to Natio	nal Key Deer Refuge 🛛 🔹 👘	-
		ess for wildlife dependents activities.	State C
		2 hour after sunset Visitor Center - 305-872-0774 vironment, certain rules apply.	
	PERMITTED	PROHIBITED	
	Wildlife and Wildlands Observation	Feeding/Harassing Wildlife	1. 20
	Environmental Education	Camping/Fires	-1
	Photography	Removing/Damaging Plants, Animals, or Natural Features	Sec. 1
KAR TAKEN	Ex Pets on Leash	Horses/Horseback Riding	
	Walking on Designated Trails	Motorized Vehicles including ATV's Mopeds, and Motorcycles	
	න්ඩ Biking on Designated Trails	Searching for Antiquities	
SPACE 1		Biking on the Blue Hole, Watson and Mannillo Trails	Park -
		Dumping of Trash	
		Weapons/Fireworks	
and the second s			11.00
	B I I I I I I I I I I I I I I I I I I I	UN 25 2005	125
Contraction of the	-C-ARE		ALC: NO
		A CONTRACTOR OF THE OWNER	Parts

Photo # NADE_C2_0050 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: National Key Deer Refuge DATE: 06/25/2006




Photo # NADE_C2_0056 - MP 0.02 - Sign



Photo # NADE_C2_0060 - MP 0.03 - Sign



Photo # NADE_C2_0065 - MP 0.00 - Trailhead



TRAIL NUMBER: T501 STATION: National Key Deer Refuge DATE: 06/26/2006

Photo # NADE_C2_0066 - MP 0.01 - Sign

Glossary of Terms and Abbreviations

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	SAMMS number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Check Dam Condition	-
	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor
Condition	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI >20 = Failed
Condition Crib Wall Current Replacement Value	<pre>or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI <!--=01 = Excellent FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI -->20 = Failed Retaining wall. The value of an asset determined by the estimated cost of</pre>

Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity" field of the data dictionary.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the "Action" (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non- specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
МР	Distance of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
T Class	Trail Class: I-V (see Appendix ? for trail class descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.