# The Trail Inventory of Tennessee NWR

# Paris, TN





Prepared By: Federal Highway Administration Central Federal Lands Highway Division March, 2012



# TABLE OF CONTENTS

SECTION		<b>PAGE</b>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

#### Tennessee NWR

# **Trail and Trail Feature Summaries**

Trail Surface	Excel	lent	Good		Others		Total
Туре	Miles	%	Miles	%	Miles	%	Miles
Native	0.67	<mark>100%</mark>	0.00	0%	0.00	0%	0.67
Gravel	0.11	<mark>9%</mark>	1.09	<mark>91%</mark>	0.00	0%	<mark>1.20</mark>
Wood Chip	0.00	0%	1.94	<mark>100%</mark>	0.00	0%	<mark>1.94</mark>
Admin Road	0.00	0%	0.00	0%	0.38	<mark>100%</mark>	0.38
Total	0.78	<mark>19%</mark>	3.03	<mark>72%</mark>	0.38	<mark>9%</mark>	<mark>4.19</mark>

Trail Miles and Percentages by Surface Type and Condition

#### Trail Miles and Percentages by Trail Classification and Condition

Trail	Excell	ent	Good		Others		Total
Classification	Miles	%	Miles	%	Miles	%	Miles
тсз	0.67	<mark>26%</mark>	1.94	<mark>74%</mark>	0.00	0%	<mark>2.61</mark>
TC4	0.11	7%	1.09	<mark>69%</mark>	0.38	24%	<mark>1.58</mark>
Total	0.78	<mark>19%</mark>	3.03	<mark>72%</mark>	0.38	<mark>9%</mark>	<mark>4.19</mark>

\*Admin Roads are included in the inventory but are not rated for condition.

#### **Trail Features**


Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Sign	1	No	0.00	TENN_C2_001 1
T300	Trailhead	1	No	0.00	TENN_C2_001 2
T300	Water Bar:Wood -each	10	No	0.02	
T300	Sign	12	Yes	0.06	TENN_C2_001 4
T300	Sign	31	Yes	0.09	TENN_C2_129 9
T300	Bench	1	No	0.29	
T300	Bridge -sf	72	No	0.62	TENN_C2_001 5
T300	Bridge -sf	72	No	0.68	TENN_C2_001 6
T300	Sign	3	Yes	1.47	TENN_C2_001 7
T300	Bench	1	No	1.47	
T300	Begin Section	1	No	1.47	TENN_C2_001 8
T300	Bridge -sf	72	No	1.59	TENN_C2_001 9
T300	Bench	1	No	1.94	
T300	Bench	3	No	1.95	
T300	Sign	15	Yes	1.97	TENN_C2_001 3
T301	Trailhead	1	No	0.00	TENN_C2_002 0
T301	Gate	1	No	0.01	
T301	Bench	1	No	0.09	
T301	Bench	1	No	0.16	
T301	Sign	2	Yes	0.17	TENN_C2_002 2
T301	Lookout/Ob Deck	1	No	0.17	
T400	Trailhead	1	No	0.00	TENN_C2_002 3
T400	Lookout/Ob Deck	1	No	0.26	
T401	Trailhead	1	No	0.00	TENN_C2_002 6
T401	Sign	1	No	0.00	TENN_C2_002 7
T402	Sign	1	No	0.00	TENN_C2_049 1
T402	Trailhead	1	No	0.00	TENN_C2_049 0

T402	Sign	9	Yes	0.02	TENN_C2_049 2
T402	Bridge -sf	60	No	0.05	TENN_C2_049 3
T402	Max Grade- %	16	No	0.06	
T402	Bench	1	No	0.32	
T402	Drainage Ditch -If	6	No	0.43	
T402	Bench	1	No	0.47	
T402	Drainage Ditch -If	6	No	0.48	
T402	Bridge -sf	60	No	0.55	TENN_C2_049 9
T402	Bridge -sf	70	No	0.59	TENN_C2_050 0
T402	Drainage Ditch -If	6	No	0.60	
T402	Drainage Ditch -If	6	No	0.65	
T402	Drainage Ditch -If	6	No	0.68	
T402	Bench	1	No	0.78	
T402	Drainage Ditch -If	6	No	0.86	
T402	Bridge -sf	60	No	0.87	TENN_C2_050 6
T402	Bridge -sf	60	No	0.88	TENN_C2_050 7
T402	Drainage Ditch -If	6	No	0.88	
T402	Bridge -sf	40	No	0.99	TENN_C2_050 9
T403	Culvert -If	20	No	0.00	
T403	Trailhead	1	No	0.00	TENN_C2_051 0
T403	Sign	1	No	0.01	TENN_C2_051 1
T403	Boardwalk -If	95	No	0.10	TENN_C2_051 3
T403	Lookout/Ob Deck	1	No	0.11	

# sf - square feet If - linear feet

cf - cubic feet

# Tennessee NWR Trail Location Map










#### Trails ID

#### Station Name: Tennessee NWR

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Britton Ford Interpretive Hiking Trail	Native	10058243	0.50	From Britton Ford Hiking Trail Parking (Rte 931) to End of Trail Loop at Sec 001
T300	Britton Ford Interpretive Hiking Trail	Wood Chip	10058243	1.94	From Britton Ford Hiking Trail Parking (Rte 931) to End of Trail Loop at Sec 001
T301	Birdsong Trail	Native	N/A	0.17	From Duck River Scenic Overlook Birdsong (Rte 925) to Observation Deck
T400	Rudy Hut Trail	Admin Road	N/A	0.26	From Pool 5 Parking (Rte 911) to Observation Deck
T401	Duck River Pump Station Trail	Admin Road	10058213	0.12	From Pump Station Boat Ramp (Rte 914) to Fishing Pier
T402	Chickasaw Nature Trail	Gravel	10055781	1.09	From South of Big Sandy Road (Rte 012) to End of Trail Loop
T403	Pintail Point Trail	Gravel	10016987	0.11	From Haul Road (Route 113) to Observation Deck



Good	Excellent	
Trail (	Condition	TOTALS

TC3

Wood Chip

Soft

72

5.7

9.30

\$2,346

\$122,918

0.02

Deferred Maintenance	CRV	FCI	Condition
\$2,346	\$185,644	0.01	Good

TC3

Native

Soft

72

5.7

9.30

\$62,726

0.00

Trail Section Information

Trail Class

CRV

Condition

FCI

Surface Type Surface Firmness

Width (inches)

Average Grade (%)

Average X-slope (%)

**Deferred Maintenance** 


Trail Condition Information

			0.09	11	
0.06	0	0.06	0.12	0.18	liles
Excellent Begin Section Trailhead Trail Sign Excellent Drainage Structure	Good F Check Dam Retaining Wall Raised Trail Stru Vater Bar	Fair -	<ul> <li>Poor</li> <li>Step Feature</li> <li>Max. Grade</li> <li>Min. Width</li> <li>Intersection</li> </ul>	Very Poor ⊠ Gate → Bridge → Bench ☆ Other	Admin Road
Trail Name: Birdsong Trail Trail Number: T301	Refu	ige Name: Regio			Total Length: 0.17 Miles
Section Number Section Length (miles) SAMMS Number Rating Date <b>Trail Section Information</b>	001 0.17 N/A 07/14/2006				
Trail Class Surface Type Surface Firmness Width (inches) Average Grade (%) Average X-slope (%)	TC3 Native Firm 72 11.0 3.80				
Trail Condition Information					
Deferred Maintenance CRV FCI Condition	\$21,329 0.00 Excellent				


Deferred Maintenance	CRV	FCI	Condition	
	\$21,329	0.00	Excellent	

0.26			001			
0.07	-	0.07		0.14		0.21 Miles
Begin Section	Good Fa Check Dam Retaining Wall Raised Trail Structu Vater Bar		Poor Step Feature Max. Grade Min. Width Intersection	Very Po	Gate Bridge Bench	Admin Road
Trail Name: Rudy Hut Trail Trail Number: T400	Refug	e Name: Region:	Tennessee 4	NWR		Total Length: 0.26 Miles
Section Number Section Length (miles) SAMMS Number Rating Date	001 0.26 N/A 07/14/2006					
Trail Section Information Trail Class Surface Type Surface Firmness Width (inches) Average Grade (%) Average X-slope (%)	TC4 Admin Road Hard 120 1.7 2.30					
<b>Trail Condition Information</b> Deferred Maintenance CRV FCI Condition						

Deferred Maintenance	CRV	FCI	Condition



Deferred Maintenance	CRV	FCI	Condition




Deferred Maintenance	CRV	FCI	Condition
\$2,579	\$132,598	0.02	Good

				801 101		
	0.06	0	0.06	0.12	0.18 Miles	
	Excellent Begin Section Trailhead Trail Sign Drainage Structure	Good Fa Check Dam M Retaining Wall Raised Trail Struc Water Bar	ture TH Min. 1	Feature 🖂 Grade 🔀	Gate Bridge Bench Other	
Trail Name: Trail Number:	Pintail Point Trail T403	Refug	ge Name: Ten Region: 4	nessee NWR	Total Length: 0.11 Mile	s
Section Numb Section Length SAMMS Numb Rating Date <b>Trail Section I</b> Trail Class	h (miles) ber	001 0.11 10016987 04/22/2011 TC4 Gravel				
Surface Type Surface Firmn Width (inches) Average Grad Average X-slo	) le (%)	Firm 89 1.1				
	n Information	1.40				

Deferred Maintenance	CRV	FCI	Condition
	\$18,611	0.00	Excellent

## TRAIL DEFICIENCY




Trail Name:Britton Ford Interpretive Hiking Tra Refuge Name:Tennessee NWRTrail Number:T300Region: 4

Mile Post	0.20	0.59
Section Number	001	001
Photo Number	TENN_C2_1300	TENN_C2_1301
Deficiency	Drainage	Drainage
Action	Build/Add	Build/Add
Item	Boardwalk -If	Boardwalk -If
Quantity	40	30
Deferred Maintenance	\$1,335	\$1,011

Total Length: 2.44 Miles

## TRAIL DEFICIENCY



Trail Name: Chickasaw Trail Number: T402	Nature Trail Re	fuge Name: Tennessee Region: 4		gth: 1.09 Miles
Mile Post	0.06	0.87	0.99	
Section Number	001	001	001	
Photo Number	TENN_C2_0004	TENN_C2_0008	TENN_C2_0010	
Deficiency	Trail Structure	Trail Structure	Trail Structure	

Repair

Bridge -sf

48

\$1,269

Repair

Bridge -sf

24

\$655

Repair

Bridge -sf

24

\$655

Action

**Deferred Maintenance** 

Item Quantity

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0012 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0011 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0014 - MP 0.06 - Sign

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 09/12/2011



Photo # TENN\_C2\_1299 - MP 0.09 - Sign

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0015 - MP 0.62 - Bridge -sf

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0016 - MP 0.68 - Bridge -sf

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0017 - MP 1.47 - Sign

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0018 - MP 1.47 - Begin Section

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0019 - MP 1.59 - Bridge -sf

TRAIL NUMBER: T300 STATION: Tennessee NWR DATE: 07/12/2006



Photo # TENN\_C2\_0013 - MP 1.97 - Sign

TRAIL NUMBER: T301 STATION: Tennessee NWR DATE: 07/14/2006



Photo # TENN\_C2\_0020 - MP 0.00 - Trailhead



TRAIL NUMBER: T301 STATION: Tennessee NWR DATE: 07/14/2006

Photo # TENN\_C2\_0022 - MP 0.17 - Sign

TRAIL NUMBER: T400 STATION: Tennessee NWR DATE: 07/14/2006



Photo # TENN\_C2\_0023 - MP 0.00 - Trailhead

TRAIL NUMBER: T401 STATION: Tennessee NWR DATE: 07/14/2006



Photo # TENN\_C2\_0026 - MP 0.00 - Trailhead

TRAIL NUMBER: T401 STATION: Tennessee NWR DATE: 07/14/2006



Photo # TENN\_C2\_0027 - MP 0.00 - Sign

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0490 - MP 0.00 - Trailhead

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0491 - MP 0.00 - Sign

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0492 - MP 0.02 - Sign

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0493 - MP 0.05 - Bridge -sf

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0499 - MP 0.55 - Bridge -sf

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0500 - MP 0.59 - Bridge -sf

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0506 - MP 0.87 - Bridge -sf

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0507 - MP 0.88 - Bridge -sf

TRAIL NUMBER: T402 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0509 - MP 0.99 - Bridge -sf

TRAIL NUMBER: T403 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0510 - MP 0.00 - Trailhead

TRAIL NUMBER: T403 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0511 - MP 0.01 - Sign

TRAIL NUMBER: T403 STATION: Tennessee NWR DATE: 04/22/2011



Photo # TENN\_C2\_0513 - MP 0.10 - Boardwalk -If

# **Glossary of Terms and Abbreviations**

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	SAMMS number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Check Dam Condition	-
	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor
Condition	or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI =01 = Excellent<br FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI >20 = Failed
Condition Crib Wall Current Replacement Value	<pre>or channel to lower the speed of concentrated flows. Subjective rating of trail based on Facility Condition Index (FCI): FCI <!--=01 = Excellent FCI .0205 = Good FCI .0610 = Fair FCI .1120 = Poor FCI -->20 = Failed Retaining wall. The value of an asset determined by the estimated cost of</pre>

Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity" field of the data dictionary.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the "Action" (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non- specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
МР	Distance of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
T Class	Trail Class: I-V (see Appendix ? for trail class descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.