
The Trail Inventory of Wassaw NWR Savannah, GA





Prepared By: Federal Highway Administration Central Federal Lands Highway Division August, 2012



TABLE OF CONTENTS

SECTION		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

Wassaw NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excellent	Total
Туре	Miles %	Miles
Native	10.28 100%	10.28
Total	10.28 100%	10.28

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent	Total	
Classification	Miles %	Miles	
TC2	10.28 100%	10.28	
Total	10.28 100%	10.28	

^{*}Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Trailhead	1	No	0.00	WASS_C3_00 01
T200	Max Grade- %	8	No	0.17	
T200	Max Grade- %	20	No	0.32	
T201	Trailhead	1	No	0.00	WASS_C3_00 12
T201	Max Grade- %	13	No	0.11	
T202	Trailhead	1	No	0.00	WASS_C3_00 13
T202	Max Grade- %	41	No	0.40	
T203	Trailhead	1	No	0.00	WASS_C3_00 04
T203	Culvert -If	20	No	0.03	
T203	Culvert -If	19	No	0.04	
T203	Intersection	1	No	0.08	
T203	Intersection	1	No	0.28	
T203	Max Grade- %	9	No	0.36	
T203	Culvert -If	24	No	0.41	
T204	Trailhead	1	No	0.00	WASS_C3_00 05
T204	Max Grade- %	26	No	0.03	
T205	Trailhead	1	No	0.00	WASS_C3_00 06
T205	Max Grade- %	14	No	0.52	
T205	Intersection	1	No	0.68	
T206	Trailhead	1	No	0.00	WASS_C3_00 07
T206	Max Grade- %	14	No	0.70	
T207	Trailhead	1	No	0.00	WASS_C3_00 08
T208	Trailhead	1	No	0.00	WASS_C3_00 10
T208	Sign	1	No	0.03	WASS_C3_001
T208	Intersection	1	No	0.83	
T208	Culvert -If	26	No	0.91	
T208	Intersection	1	No	1.80	
T208	Intersection	1	No	2.41	
T208	Intersection	1	No	3.75	WASS_C3_03 28
T208	Sign	1	No	3.75	WASS_C3_03 27


T208	Intersection	1	No	4.10	
T208	Sign	1	No	5.77	WASS_C3_03 31
T208	Sign	2	No	5.78	WASS_C3_03 30

sf - square feet

If - linear feet

cf - cubic feet

Wassaw NWR Trail Location Map



HQ/VC

Trails ID

Station Name: Wassaw NWR Org Code: 41628


Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T200	Marsh Road	Native	N/A	1.10	From Ranger Station to Trust Fire Break (T201)
T201	First Fire Trail	Native	10054738	0.50	From Main Road (T208) to South Beach
T202	Pavilion Trail	Native	10015095	0.46	From South Beach to Main Road (T208)
T203	Dike Road	Native	N/A	0.45	From Main Road (T208) to North Marshy Road
T204	Hog Hammock	Native	N/A	0.23	From Dike Road (T203) to Marsh @ MP 0.2
T205	Middle Road	Native	N/A	0.91	From Dike Road (T203) to Marsh @ MP 0.8
T206	Old House Road	Native	N/A	0.80	From Middle Road (T205) to Dead End in marsh @ MP 0.7
T207	South of Beach pond	Native	10054738	0.11	From Main Road (T208) to Beach
T208	Main Road	Native	N/A	5.72	From North Beach to South Beach



Trail Name:Marsh RoadRefuge Name:Wassaw NWRTrail Number:T200Region: 4Total Length:1.10 Miles

Section Number	001
Section Length (miles)	1.10
SAMMS Number	N/A
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	120
Average Grade (%)	1.2
Average X-slope (%)	1.70
Trail Condition Information	
Deferred Maintenance	
CRV	\$209,297
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$209,297	0.00	Excellent






Trail Name:First Fire TrailRefuge Name:Wassaw NWRTrail Number:T201Region: 4Total Length:0.50 Miles

Section Number	001
Section Length (miles)	0.50
SAMMS Number	10054738
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	96
Average Grade (%)	1.8
Average X-slope (%)	1.10
Trail Condition Information	
Deferred Maintenance	
CRV	\$76,108
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$76,108	0.00	Excellent






Trail Name:Pavilion TrailRefuge Name:Wassaw NWRTrail Number:T202Region: 4Total Length:0.46 Miles

Section Number	001
Section Length (miles)	0.46
SAMMS Number	10015095
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Soft
Width (inches)	70
Average Grade (%)	1.4
Average X-slope (%)	1.50
Trail Condition Information	
Deferred Maintenance	
CRV	\$51,056
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$51,056	0.00	Excellent






Trail Name:Dike RoadRefuge Name:Wassaw NWRTrail Number:T203Region: 4Total Length:0.45 Miles

1	
Section Number	001
Section Length (miles)	0.45
SAMMS Number	N/A
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	108
Average Grade (%)	1.4
Average X-slope (%)	1.60
Trail Condition Information	
Deferred Maintenance	
CRV	\$77,059
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$77,059	0.00	Excellent





Trail Name: Hog Hammock Refuge Name: Wassaw NWR

Trail Number: T204 Region: 4 Total Length: 0.23 Miles

Section Number	001
Section Length (miles)	0.23
SAMMS Number	N/A
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	110
Average Grade (%)	1.2
Average X-slope (%)	1.20
Trail Condition Information	
Deferred Maintenance	
CRV	\$40,115
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$40,115	0.00	Excellent



Trail Name:Middle RoadRefuge Name:Wassaw NWRTrail Number:T205Region: 4Total Length:0.91 Miles

Section Number	001
Section Length (miles)	0.91
SAMMS Number	N/A
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	100
Average Grade (%)	1.5
Average X-slope (%)	1.60
Trail Condition Information	
Deferred Maintenance	
CRV	\$144,288
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$144,288	0.00	Excellent




	Excellent	Good Fair	Poor	Very Poor	Admin Road
<u> </u>	Begin Section Trailhead Trail Sign Drainage Structure	Check Dam Retaining Wall Raised Trail Structure Water Bar	Step Feature Max. Grade Min. Width Intersection	☐ Gate ☐ Bridge ☐ Bench ☐ Other	W Station Boundary

Trail Name:Old House RoadRefuge Name:Wassaw NWRTrail Number:T206Region: 4Total Length:0.80 Miles

Section Number	001
Section Length (miles)	0.80
SAMMS Number	N/A
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	108
Average Grade (%)	1.5
Average X-slope (%)	1.30
Trail Condition Information	
Deferred Maintenance	
CRV	\$136,995
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$136,995	0.00	Excellent





Trail Name: South of Beach pond Refuge Name: Wassaw NWR **Trail Number:** T207 Region: 4

0.00

Excellent

Section Number 001 Section Length (miles) 0.11 10054738 SAMMS Number 05/17/2006 Rating Date Trail Section Information TC2 Trail Class Native Surface Type Surface Firmness Firm Width (inches) 120 Average Grade (%) 1.5 Average X-slope (%) 1.30 Trail Condition Information **Deferred Maintenance** \$20,930 CRV


Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$20,930	0.00	Excellent

FCI

Condition

Total Length: 0.11 Miles



Trail Name:Main RoadRefuge Name:Wassaw NWRTrail Number:T208Region: 4Total Length:5.72 Miles

Section Number	001
Section Length (miles)	5.72
SAMMS Number	N/A
Rating Date	05/17/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	108
Average Grade (%)	1.3
Average X-slope (%)	1.50
Trail Condition Information	
Deferred Maintenance	
CRV	\$979,509
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$979,509	0.00	Excellent

TRAIL DEFICIENCY

No Deficiencies

TRAIL NUMBER: T200 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0001 - MP 0.00 - Trailhead

TRAIL NUMBER: T201 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0012 - MP 0.00 - Trailhead

TRAIL NUMBER: T202 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0013 - MP 0.00 - Trailhead

TRAIL NUMBER: T203 STATION: Wassaw NWR



Photo # WASS_C3_0004 - MP 0.00 - Trailhead

TRAIL NUMBER: T204 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0005 - MP 0.00 - Trailhead

TRAIL NUMBER: T205 STATION: Wassaw NWR



Photo # WASS_C3_0006 - MP 0.00 - Trailhead

TRAIL NUMBER: T206 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0007 - MP 0.00 - Trailhead

TRAIL NUMBER: T207 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0008 - MP 0.00 - Trailhead

TRAIL NUMBER: T208 STATION: Wassaw NWR DATE: 05/17/2006



Photo # WASS_C3_0010 - MP 0.00 - Trailhead

TRAIL NUMBER: T208 STATION: Wassaw NWR DATE: 05/17/2006




Photo # WASS_C3_0011 - MP 0.03 - Sign

TRAIL NUMBER: T208 STATION: Wassaw NWR DATE: 07/11/2006



Photo # WASS_C3_0328 - MP 3.75 - Intersection

TRAIL NUMBER: T208 STATION: Wassaw NWR DATE: 07/03/2012



Photo # WASS_C3_0327 - MP 3.75 - Sign

TRAIL NUMBER: T208 STATION: Wassaw NWR DATE: 07/03/2012



Photo # WASS_C3_0331 - MP 5.77 - Sign

TRAIL NUMBER: T208 STATION: Wassaw NWR DATE: 07/03/2012



Photo # WASS_C3_0330 - MP 5.78 - Sign

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped Features Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Info Type Type of accessibility information available at trailhead:

brochure, sign or other.

Item Item on which the "Action" (see above) will be

performed.

Manage_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

MP Distance of a trail feature or deficiency from the

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

T Class Trail Class: I-V (see Appendix? for trail class

descriptions).

Tr Desig Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Turnpike Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.