

TABLE OF CONTENTS

CHAPTER

PAGE

1.	ND STATE SUMMARY	
	Table of Contents	1-1
	List of Refuges	1-2
	Mileage by Trail Class, Condition, and Surface	1-3
2-10.	REFUGE SUMMARIES	
	Mileage by Trail Class, Condition, and Surface	X-1
	Trail Location Map	X-2

Trail Location Map	X-2
Trail Identification	X-3
Condition and Deficiency Sheets	X-4
Photographic Sheets	X-5

11.	APPENDIX	
	Glossary of Terms and Abbreviations	11-1
	Trail Classification System	11-4

Station Name	Trail Miles	Chapter
Audubon NWR	0.92	2
Des Lacs NWR	0.94	3
Garrison Dam NFH	1.65	4
Kellys Slough NWR	0.50	5
Lake IIo NWR	1.02	6
Sully Hill NGP	2.14	7
Tewaukon NWR	0.73	8
Upper Souris NWR	2.81	9
Valley City WMD	0.99	10

FWS Stations in North Dakota with Trails

North Dakota FWS Stations Trail Summaries

					Milea	ge by Tı	ail Cond	lition					Total
Trail Surface	Exce	ellent	Go	od	Fa	air	Pc	or	Very	Poor	Not R	lated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	WIIC5
Native	0.78	7%		0%	0.07	1%		0%		0%		0%	0.85
Gravel	5.10	44%		0%		0%		0%		0%		0%	5.10
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete	0.15	1%	0.03	0%		0%		0%		0%		0%	0.18
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk	0.03	0%	0.02	0%		0%		0%		0%		0%	0.05
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips	0.30	3%		0%		0%		0%		0%		0%	0.30
Mowed	2.39	20%	0.73	6%		0%		0%		0%		0%	3.12
Admin Road		0%		0%		0%		0%		0%	2.10	18%	2.10
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	8.75	75%	0.78	7%	0.07	1%	0.00	0%	0.00	0%	2.10	18%	11.70

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition											Total
Trail	Exce	ellent	Go	od	Fa	air	Po	or	Very	Poor	Not R	ated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2	1.24	11%		0%		0%		0%		0%	0.12	1%	1.36
TC3	3.05	26%	0.73	6%	0.07	1%		0%		0%	1.37	12%	5.22
TC4	4.28	37%	0.02	0%		0%		0%		0%		0%	4.30
TC5	0.18	2%	0.03	0%		0%		0%		0%	0.61	5%	0.82
Totals	8.75	75%	0.78	7%	0.07	1%	0.00	0%	0.00	0%	2.10	18%	11.70

* Admin Roads are included in the inventory but are not rated for condition.

The Trail Inventory of Audubon National Wildlife Refuge Coleharbor, ND



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Audubon NWR Trail and Trail Feature Summaries

		Mileage by Trail Condition											Tatal
Trail Surface	Exce	ellent	Go	od	Fa	air	Po	oor	Very	Poor	Not R	ated*	Total Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Ninoo
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	0.92	100%		0%		0%		0%		0%		0%	0.92
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed		0%		0%		0%		0%		0%		0%	0.00
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	0.92	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.92

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition										Total	
Trail	Exce	ellent	Go	od	Fa	air	Po	oor	Very	Poor	Not R	ated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2		0%		0%		0%		0%		0%		0%	0.00
TC3		0%		0%		0%		0%		0%		0%	0.00
TC4	0.92	100%		0%		0%		0%		0%		0%	0.92
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	0.92	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.92

* Admin Roads are included in the inventory but are not rated for condition.

Trail Features


Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Sign	1	No	0.00	2506
T400	Sign	11	Yes	N/A	2507
T400	Bench	1	No	0.13	N/A
T400	Sign	1	No	0.24	2511
T400	Bench	1	No	0.36	N/A
T400	Bench	1	No	0.74	N/A
T400	Sign	1	No	0.77	2512

sf-square feet

If-linear feet

cf-cubic feet

AUDUBON NATIONAL WILDLIFE REFUGE TRAIL LOCATION MAP



TRAILS ID

Station Name: Audubon NWR

Org. Code: 62540

Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T400	Prairie Trail	Gravel	10038885	0.92	From Prairie Trail Parking (Rte 906) to Auto Tour Rte (Rte 011), 150 ft NW of Rte 906.

TRAIL CONDITION

Rte 011	0.74 MP 0.77 head, Sign S	MP 0.36 MP 0.1 Rte 906	M Sec MP 0.13	P 0.18: Begin tion, Max Grade
		10 001		
R	te 010	te 901		
0	18			
	1 inch equal	s 500 feet		
Excellent Good	Fair	Poor	Very Poor	Admin Road
Begin Section	Dam	Step Feature	Gate	N
	ing Wall	Max. Grade	à Bridge	W
Õ Trail Sign h Raised	Trail Structure	Min. Width	5 Bench	S
Drainage Structure P Water	Bar	G Intersection	Ð Other	Station Boundary
Trail Name: Prairie Trail	Refug	e Name: Audubo	on NWR	
Trail Number: T400		Region: 6	TOTAL	LENGTH: 0.92 Miles
Section Number	001	002		
Section Length (miles) SAMMS Number	0.88 10038885	0.04 10038885		
Rating Date	7/18/2007	7/18/2007		
Trail Section Information				
Trail Class	TC4	TC4		
Surface Type	Gravel	Gravel		
Surface Firmness Width (inches)	Hard 96	Hard 72		
Average Grade (%)	1.6	1.6		
Average X-slope (%)	5.1	5.1		
Trail Condition Information				
Deferred Maintenance CRV	\$0 \$161054	\$0 \$5884		
FCI	5161054 0	φ ₂₀₀₄		
Condition	Excellent	Excellent		
	Trail Condit	ion TOTALS	I	l
Deferred				

Deferred Maintenance	CRV	FCI	Condition
\$0	\$166938	0	Excellent

TRAIL NUMBER: **T400** STATION: Audubon NWR DATE: 7/18/2007



Photo # 2505 - MP 0.0 - Trailhead

TRAIL NUMBER: **T400** STATION: Audubon NWR DATE: 7/18/2007



Photo # 2506 - MP 0.0 - Sign

TRAIL NUMBER: **T400** STATION: Audubon NWR DATE: 7/18/2007



Photo # 2507 - MP 0.01 - Sign (Grouped)

TRAIL NUMBER: **T400** STATION: Audubon NWR DATE: 7/18/2007



Photo # 2508 - MP 0.18 - Begin Section 002

TRAIL NUMBER: **T400** STATION: Audubon NWR DATE: 7/18/2007



Photo # 2511 - MP 0.24 - Sign

TRAIL NUMBER: **T400** STATION: Audubon NWR DATE: 7/18/2007



Photo # 2512 - MP 0.77 - Sign

The Trail Inventory of Des Lacs National Wildlife Refuge Kenmare, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Des Lacs NWR Trail and Trail Feature Summaries

					Milea	age by T	rail Con	dition					Total
Trail Surface	Exce	ellent	Good		Fa	Fair		oor	Very	Poor	Not R	ated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	0.22	23%		0%		0%		0%		0%		0%	0.22
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed	0.72	77%		0%		0%		0%		0%		0%	0.72
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	0.94	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.94

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition										Total	
Trail		cellent Good				Fair Poor			Very Poor		Not R	Not Rated*	
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Miles
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2	0.72	77%		0%		0%		0%		0%		0%	0.72
TC3		0%		0%		0%		0%		0%		0%	0.00
TC4	0.22	23%		0%		0%		0%		0%		0%	0.22
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	0.94	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.94

* Admin Roads are included in the inventory but are not rated for condition.


Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Sign	1	No	0.00	155
T400	Bench	1	No	0.01	N/A
T400	Bench	1	No	0.22	N/A
T400	Sign	18	Yes	N/A	158
T400	Water Bar:Rock -each	1	No	0.22	N/A
T400	Bench	1	No	0.27	N/A
T400	Bench	1	No	0.50	N/A
of a much set					

sf-square feet If-linear feet

cf-cubic feet

DES LACS NATIONAL WILDLIFE REFUGE TRAIL LOCATION MAP




TRAILS ID

Station Name: Des Lacs NWR

Org. Code: 62570


Trail #	Trail Name	Trail Name Surface Type		Trail Mileage	Trail Description (Begin and End point of trail)			
T400	Munch's Coulee Hiking Trail	Gravel, Mowed	10028374	1194	From Lower Lake Road Parking II (Rte 908) to end of trail loop back at Lower Lake Road Parking II (Rte 908).			

TRAIL CONDITION



Deferred Maintenance	CRV I		Condition
\$76	\$52411	0.001	Excellent

TRAIL DEFICIENCY



Trail Name: Munch's Coulee Hiking Trail

Refuge Name: Des Lacs NWR

Trail Number: T400		Region: 6	TOTAL LENGTH: 0.94 Miles
Mile Post	0.22		
Section Number	003		
Photo Number	160		
Deficiency	Other		
Action	Repair		
ltem	Tread -sf		
Quantity	75		
Deferred Maintenance	\$76		

TRAIL NUMBER: **T400** STATION: Des Lacs NWR DATE: 7/17/2007



Photo # 154 - MP 0.0 - Trailhead

TRAIL NUMBER: **T400** STATION: Des Lacs NWR DATE: 7/17/2007



Photo # 155 - MP 0.0 - Sign

TRAIL NUMBER: **T400** STATION: Des Lacs NWR DATE: 7/17/2007



Photo # 158 - MP 0.11 - Begin Section 002, Sign (Grouped)

TRAIL NUMBER: **T400** STATION: Des Lacs NWR DATE: 7/17/2007



Photo # 159 - MP 0.18 - Begin Section 003

TRAIL NUMBER: **T400** STATION: Des Lacs NWR DATE: 7/17/2007



Photo # 160 - MP 0.22 - Other Deficiency (Slumped tread)

TRAIL NUMBER: **T400** STATION: Des Lacs NWR DATE: 7/17/2007

3-5-3

The Trail Inventory of Garrison Dam National Fish Hatchery Riverdale, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Garrison Dam NFH Trail and Trail Feature Summaries

					Milea	age by T	rail Con	dition					Total
Trail Surface	Exce	ellent	Go	od	Fa	air	Po	or	Very	Poor	Not Rated*		Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	1.65	100%		0%		0%		0%		0%		0%	1.65
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed		0%		0%		0%		0%		0%		0%	0.00
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	1.65	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	1.65

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition										Total	
Trail		Excellent Good Fair Poo				oor	r Very Poor Not F				Miles		
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2		0%		0%		0%		0%		0%		0%	0.00
TC3		0%		0%		0%		0%		0%		0%	0.00
TC4	1.65	100%		0%		0%		0%		0%		0%	1.65
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	1.65	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	1.65

* Admin Roads are included in the inventory but are not rated for condition.


Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Sign	1	No	0.00	2518
T400	Sign	1	No	0.00	2520
T400	Bridge -sf	72	No	0.10	2524
T400	Bench	1	No	0.13	N/A
T400	Other	1	No	0.19	N/A
T400	Sign	3	No	0.19	2516
T400	Sign	1	No	0.19	2517
T400	Bench	1	No	0.35	N/A
T400	Sign	1	No	0.48	2515
T400	Sign	14	Yes	N/A	2514
T400	Sign	1	No	0.66	2513
T400	Sign	1	No	0.75	2534
T400	Sign	1	No	0.83	2533
T400	Sign	1	No	0.86	2531
T400	Other	1	No	0.86	N/A
T400	Bridge -sf	75	No	1.30	2528
T400	Sign	1	No	1.44	2527
T400	Sign	1	No	1.49	2526
T400	Bridge -sf	72	No	1.50	2525
sf-square feet					

sf-square feet If-linear feet

cf-cubic feet

GARRISON DAM NATIONAL FISH HATCHERY TRAIL LOCATION MAP



TRAILS ID

Station Name: Garrison Dam NFH

Org. Code: 62210

Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T400	Wetlands Observation Trail	Gravel	10027054, 10048496	1.65	From Wetlands Trail Access (Rte 901) to Camp Loop #1

	MP 0. 0.66	0.62	n Section	MP 0.13 35 MP 0.19: Signs	MP MP MP 0: Tr MP 0.02: Max	: Bridge 0.06: Begin So 0.1 Rte 100 Rte 901 ailhead, Signs	ARRIS		
			inch equals	_	Von / Door		Deed		
Excellent	Goo		Fair –	Poor	Very Poor	Admin I			
Begin Section		Check Dam Retaining Wa	all (Step Feature Max. Grade	Gat à Brid		E		
Õ Trail Sign	h	Raised Trail	•	Min. Width	5 Ber	-	S		
m Drainage Structure	Ρ	Water Bar	(G Intersection	Đ Oth	ner Statio	on Boundary		
Trail Name: Wetlands Observat	tion ⁻	Trail	Refuge	e Name: Garris	son Dam NFH				
Trail Number: T400				Region: 6		TOTAL LENG	TH: 1.65 Miles		
Section Number			001	002	003	004			
Section Length (miles)			0.06	0.6	0.88	0.11			
SAMMS Number Rating Date			10027054 7/18/2007	10027054 7/18/2007	10048496 7/18/2007	10027054 7/18/2007			
Trail Section Information	n		.,			1,10,2001			
Trail Class	-		TC4	TC4	TC4	TC4			
Surface Type			Gravel	Gravel	Gravel	Gravel			
Surface Firmness			Hard	Hard	Hard	Hard			
Width (inches)			84	96	48	60			
Average Grade (%) Average X-slope (%)			2.8 3.3	2.8 3.3	2.8 3.3	2.8 3.3			
Trail Condition Information Deferred Maintenance CRV FCI Condition	ion		\$0 \$9042 0 Excellent	\$0 \$109166 0 Excellent	\$0 \$87405 0 Excellent	\$0 \$16297 0 Excellent			
		τ.							
Trail Condition TOTALS Deferred Condition									

Deferred Maintenance	CRV	FCI	Condition
\$0	\$221910	0	Excellent

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2519 - MP 0.0 - Trailhead



Photo # 2518 - MP 0.0 - Sign

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2520 - MP 0.0 - Sign



Photo # 2521 - MP 0.06 - Begin Section 002

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2523 - MP 0.06 - Begin Section 004



Photo # 2524 - MP 0.1 - Bridge

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2516 - MP 0.19 - Signs



Photo # 2517 - MP 0.19 - Sign

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2515 - MP 0.48 - Sign



Photo # 2514 - MP 0.62 - Sign (Grouped Feature)

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2513 - MP 0.66 - Sign




Photo # 2534 - MP 0.75 - Sign

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2533 - MP 0.83 - Sign



Photo # 2531 - MP 0.86 - Sign

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2528 - MP 1.3 - Bridge

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2527 - MP 1.44 - Sign

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2526 - MP 1.49 - Sign

TRAIL NUMBER: **T400** STATION: Garrison Dam NFH DATE: 7/18/2007



Photo # 2525 - MP 1.5 - Bridge

The Trail Inventory of Kellys Slough National Wildlife Refuge Devils Lake, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Kellys Slough NWR Trail and Trail Feature Summaries

					Milea	ige by T	rail Cond	lition					Total
Trail Surface	Exce	ellent	Good		Fa	air	Po	oor	Very	Poor	Not R	lated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	0.50	100%		0%		0%		0%		0%		0%	0.50
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed		0%		0%		0%		0%		0%		0%	0.00
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	0.50	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.50

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition											Total
Trail	Excellent Good			Fa	Fair Poor			Very Poor		Not Rated*		Miles	
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	WIIIC3
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2		0%		0%		0%		0%		0%		0%	0.00
TC3		0%		0%		0%		0%		0%		0%	0.00
TC4	0.50	100%		0%		0%		0%		0%		0%	0.50
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	0.50	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.50

* Admin Roads are included in the inventory but are not rated for condition.


Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Gate	1	No	0.00	N/A
T400	Sign	1	No	0.04	2094
T400	Lookout/Ob Deck	1	No	0.04	N/A
T401	Gate	1	No	0.00	N/A
T401	Sign	1	No	0.26	2097
T401	Water Control Struc	1	No	0.27	N/A
T402	Sign	2	No	0.00	2098
T402	Gate	1	No	0.00	N/A
T402	Sign	1	No	0.18	2100
T402	Sign	1	No	0.18	2099

sf-square feet If-linear feet

cf-cubic feet

KELLYS SLOUGH NATIONAL WILDLIFE REFUGE TRAIL LOCATION MAP




TRAILS ID


Station Name: Kellys Slough NWR

Org. Code: 62583


Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)			
T400	Turtle River Trail	Gravel	10028735 0.05		From Parking at Turtle River (Rte 904) to end of trail a observation deck			
T401	Pool 5 Trail	Gravel	10028737	0.27	From Main parking at lower pool #1 (Rte 900) to end of trail			
T402	Pool 2 Trail	Gravel	10028736	0.18	From Parking at pool #2 (Rte 903) to end of trail			



Deferred Maintenance	CRV	FCI	Condition
\$0	\$16434	0	Excellent



Deferred Maintenance	CRV	FCI	Condition
\$0	\$79587	0	Excellent



Deferred Maintenance	CRV	FCI	Condition
\$0	\$49064	0	Excellent

TRAIL NUMBER: **T400** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2093 - MP 0.0 - Trailhead

TRAIL NUMBER: **T400** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2094 - MP 0.04 - Sign

TRAIL NUMBER: **T401** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2096 - MP 0.0 - Trailhead

TRAIL NUMBER: **T401** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2097 - MP 0.26 - Sign

TRAIL NUMBER: **T402** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2098 - MP 0.0 - Trailhead, Sign

TRAIL NUMBER: **T402** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2099 - MP 0.18 - Sign

TRAIL NUMBER: **T402** STATION: Kellys Slough NWR DATE: 7/11/2007



Photo # 2100 - MP 0.18 - Sign

The Trail Inventory of Lake Ilo National Wildlife Refuge Coleharbor, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Lake IIo NWR Trail and Trail Feature Summaries

					Milea	ige by T	rail Cond	lition					Total
Trail Surface	Excellent		Good		Fa	Fair		oor	Very	Poor	Not F	Rated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Nines
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	0.36	35%		0%		0%		0%		0%		0%	0.36
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete	0.11	11%		0%		0%		0%		0%		0%	0.11
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed	0.55	54%		0%		0%		0%		0%		0%	0.55
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	1.02	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	1.02

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition											Total
Trail		Excellent Good			Fa	Fair Poor			Very Poor No		Not R	ated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	WIIIC3
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2		0%		0%		0%		0%		0%		0%	0.00
TC3	0.91	89%		0%		0%		0%		0%		0%	0.91
TC4		0%		0%		0%		0%		0%		0%	0.00
TC5	0.11	11%		0%		0%		0%		0%		0%	0.11
Totals	1.02	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	1.02


* Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T500	Sign	1	No	0.00	2537
T500	Sign	12	Yes	N/A	2538
T500	Bench	1	No	0.02	N/A
T500	Bench	1	No	0.06	N/A
T500	Lookout/Ob Deck	1	No	0.11	N/A
T500	Bench	1	No	0.31	N/A
T500	Bench	1	No	0.39	N/A
T500	Sign	2	No	0.39	2540
T500	Sign	5	Yes	N/A	2542
sf-square feet					

If-linear feet

LAKE ILO NATIONAL WILDLIFE REFUGE TRAIL LOCATION MAP



TRAILS ID

Station Name: Lake IIo NWR

Org. Code: 62571

Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T500	North Shore Nature Trail	Gravel, Concrete, Mowed	10028421	1.02	From North Shore Drive (Rte 013) to end of trail loop

	-	-				
Rte 904 Rte 907 MP 0.01 MP 0.02 MP 0: Trailhead, Sign MP 0.06: Begin Section, Benc		003 Rte 013 002	MP 0.33 Bench,	MP 0.31 9: Begin Sect Sign	MP 0	Rte 903 4 Rte 902
	4	inch equal	500 foot	200	1	/
Excellent	1 Good	Fair	5 500 feet	Very Poor	Admin	Poad
_	Check Dom		Step Feature	Gat		N
 Begin Section Trailhead 	Check Dam U Retaining Wa	all	Max. Grade	à Brid		E
Õ Trail Sign	Raised Trail	Structure	Min. Width	5 Ber		S
Drainage Structure	P Water Bar		G Intersection	Đ Oth	er Sta	tion Boundary
Trail Name: North Shore Natu	re Trail	Refuge	e Name: Lake	llo		
Trail Number: T500			Region: 6	1	TOTAL LEN	GTH: 1.02 Miles
Section Number Section Length (miles)		001	002 0.36	003 0.55		
SAMMS Number		10028421	10028421	0.55		
Rating Date		7/19/2007	7/19/2007	7/19/2007		
Trail Section Informatio	on					
Trail Class Surface Type		TC5 Concrete	TC3 Gravel	TC3 Mowed		
Surface Firmness		Paved	Hard	Hard		
Width (inches)		60	60	48		
Average Grade (%) Average X-slope (%)		6.9 2.4	6.9 2.4	6.9 2.4		
Trail Condition Informa	tion	<u>ک.4</u>	2.4	۷.4		
Deferred Maintenance		\$0	\$0	\$0		
CRV		\$16952	\$39686	\$11360		
FCI Condition		0 Excellent	0 Excellent	0 Excellent		
Condition	-					<u> </u>
Deferred	1	rali Conditi	ion TOTALS	>		

Deferred Maintenance	CRV	FCI	Condition
\$0	\$67998	0	Excellent

TRAIL NUMBER: **T500** STATION: Lake IIo DATE: 7/19/2007



Photo # 2536 - MP 0.0 - Trailhead



Photo # 2537 - MP 0.0 - Sign

TRAIL NUMBER: **T500** STATION: Lake IIo DATE: 7/19/2007



Photo # 2538 - MP 0.01 - Sign (Grouped Feature)



Photo # 2539 - MP 0.06 - Begin Section 002

TRAIL NUMBER: **T500** STATION: Lake IIo DATE: 7/19/2007



Photo # 2540 - MP 0.39 - Sign



Photo # 2541 - MP 0.39 - Begin Section 003



Photo # 2542 - MP 0.4 - Sign (Grouped Feature)

The Trail Inventory of Sullys Hill National Game Preserve Devils Lake, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Sullys Hill NGP Trail and Trail Feature Summaries

					Milea	ige by T	rail Cond	lition					Total
Trail Surface	Exce	ellent	Go	od	Fa	air	P	oor	Very	Poor	Not F	Rated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Nines
Native	0.78	36%		0%	0.07	3%		0%		0%		0%	0.85
Gravel		0%		0%		0%		0%		0%		0%	0.00
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete	0.07	3%		0%		0%		0%		0%		0%	0.07
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk	0.03	1%	0.02	1%		0%		0%		0%		0%	0.05
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips	0.30	14%		0%		0%		0%		0%		0%	0.30
Mowed		0%		0%		0%		0%		0%		0%	0.00
Admin Road		0%		0%		0%		0%		0%	0.87	41%	0.87
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	1.18	55%	0.02	1%	0.07	3%	0.00	0%	0.00	0%	0.87	41%	2.14

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition							Total				
Trail	Exce	ellent	Go	od	Fa	air	P	or	Very	Poor	Not R	ated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Willes
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2	0.05	2%		0%		0%		0%		0%		0%	0.05
TC3	1.03	48%		0%	0.07	3%		0%		0%	0.26	12%	1.36
TC4		0%	0.02	1%		0%		0%		0%		0%	0.02
TC5	0.10	5%		0%		0%		0%		0%	0.61	29%	0.71
Totals	1.18	55%	0.02	1%	0.07	3%	0.00	0%	0.00	0%	0.87	41%	2.14


* Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Sign	1	No	0.00	2058
T300	Sign	1	No	0.00	2041
T300	Step: Log -each	9	No	0.00	N/A
T300	Sign	14	Yes	N/A	2043
T300	Sign	1	No	0.14	2045
T300	Bench	1	No	0.18	N/A
T300	Step: Log -each	109	No	0.19	N/A
T300	Step: Log -each	33	No	0.25	N/A
T300	Step: Log -each	65	No	0.32	N/A
T300	Bench	1	No	0.42	N/A
T300	Step: Log -each	88	No	0.59	N/A
T300	Bench	1	No	0.59	N/A
T300	Sign	2	No	0.62	2049
T300	Bench	1	No	0.63	N/A
T300	Bench	1	No	0.65	N/A
T300	Sign	1	No	0.99	2082
T300	Sign	1	No	1.29	2061
T300	Sign	2	No	1.29	2062
T300	Sign	1	No	1.30	2063
T300	Step: Log -each	29	No	1.35	N/A
T300	Bench	1	No	1.36	N/A
T300	Water Bar:Wood -each	1	No	1.50	N/A
T300	Water Bar:Wood -each	3	No	1.62	N/A
T300	Bench	2	No	1.64	N/A
T300	Step: Log -each	3	No	1.67	N/A
T300	Crib: Log -cf	9	No	1.67	N/A
T300	Bench	1	No	1.69	N/A
T400	Bridge -sf	80	No	0.01	2073
T400	Lookout/Ob Deck	1	No	0.03	N/A
T500	Sign	1	No	0.00	2086
sf-square feet If-linear feet cf-cubic feet					

cf-cubic feet

SULLYS HILL NATIONAL GAME PRESERVE TRAIL LOCATION MAP




TRAILS ID

Station Name: Sullys Hill NGP

Org. Code: 62594

Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T200	Cross Country Ski Trail	Native	10028890	0.05	From Sullys Hill Nature Trail (T300) sec 008 to end of distinguishable trail
T300	Sullys Hill Nature Trail	Wood Chip, Native, Concrete, Admin Road, Boardwalk	10028849	2.03	From Visitor Center Parking (Rte 914) to end of loop
T400	Bever Pond Overlook Trail	Boardwalk	10028892	0.03	From Sullys Hill Nature Trail (T300) sec 011 to observation deck
T500	Accessible Nature Trail	Concrete	10028870	0.03	From Visitor Center Parking (Rte 914) to end of trail




Deferred Maintenance	CRV	FCI	Condition
\$0	\$11132	0	Excellent

	002 MP 0.21 P 0.19	0.25 MP 0. 0.28	1	e 010 003 MP 0.62: Begin Se	Log Sign,	0.59: Step: , Bench
E	1:	30	3		005 4 .63: Bench, n Section	MP 0.65
Excellent Begin Section C Trailhead Õ Trail Sign M Drainage Structure	Check Dam Check Dam Check Dam Retaining Wa Raised Trail P Water Bar		Poor Step Feature Max. Grade Min. Width	Very Poor Gat à Brid 5 Ber Đ Oth	dge wi	Road $\sum_{s}^{N} E$ on Boundary
Trail Name: Sullys Hill Nature Trail Number: T300 Section Number Section Length (miles) SAMMS Number Rating Date Trail Section Informatio Trail Class Surface Type Surface Firmness		001 0.21 10028849 7/11/2007 TC3 Wood Chip	Name: Sullys Region: 6 002 0.07 10028849 7/11/2007 TC3 Native Firm	003 0.34 10028849 7/11/2007 TC3 Native Firm	004 0.03 10028849 7/11/2007 TC5 Concrete Paved	TH: 2.03 Miles 005 0.01 10028849 7/11/2007 TC5 Concrete Paved
Width (inches) Average Grade (%) Average X-slope (%) Trail Condition Informa Deferred Maintenance CRV FCI Condition		48 12.5 2.6 \$0 \$19480 0 Excellent	48 12.5 2.6 \$608 \$8738 0.07 Fair	24 12.5 2.6 \$0 \$28092 0 Excellent	48 12.5 2.6 \$71 \$4154 0.017 Good	48 12.5 2.6 \$0 \$1928 0 Excellent
Deferred					Cond	:4:00

Deferred Maintenance	CRV	FCI	Condition
\$913	\$91426	0.01	Excellent


TRAIL DEFICIENCY




Trail Name: Sullys Hill Nature Trail

Refuge Name: Sullys Hill NGP


Trail Number: T300		Region: 6	TOTAL	LENGTH: 2.03 Miles
Mile Post	0.24	1.72	1.64	
Section Number	002	004	011	
Photo Number	2047	2051	2068	
Deficiency	Trail Structu	ure Other	Trail Structure	
Action	Replace	Repair	Repair	
Item	Step: Log -ea	ach Tread -sf	Boardwalk -If	
Quantity	5	10	12	
Deferred Maintena	ance \$608	\$71	\$234	



Deferred Maintenance	CRV	FCI	Condition
\$913	\$91426	0.01	Excellent




Deferred Maintenance	CRV	FCI	Condition
\$913	\$91426	0.01	Excellent



Deferred Maintenance	CRV	FCI	Condition
\$202	\$18677	0.011	Excellent

TRAIL DEFICIENCY



Trail Name: Bever Pond Overlook Trail

Refuge Name: Sullys Hill NGP

Trail Number: T400		Region: 6	TOTAL LENGTH: 0.03 Miles
Mile Post	0.01		
Section Number	001		
Photo Number	2074		
Deficiency	Trail Structure		
Action	Repair		
Item	Boardwalk -If		
Quantity	10		
Deferred Maintenance	\$202		

osal (001 O: Trailhea Sig	d, n Rte 914		te 010	No the second se
Excellent	Good 🦲	Fair	Poor	Very Poor	Adr	min Road
 Begin Section Trailhead Trail Sign Drainage Structure Trail Name: Accessable Nature	Check Dam U Retaining W Raised Trail P Water Bar	fall (Step Feature Max. Grade Min. Width Intersection	∎ Ga à Br 5 Be ₽ Ot	ate idge ench	$W \underbrace{\bigoplus_{S}^{N} E}_{S}$ Station Boundary
Trail Number: T500			Region: 6		τοται ι β	ENGTH: 0.03 Miles
Section Number Section Length (miles) SAMMS Number Rating Date		001 0.03 10028870 7/11/2007	_			
Trail Section Informati Trail Class Surface Type Surface Firmness Width (inches) Average Grade (%) Average X-slope (%)	on	TC5 Concrete Paved 72 5.1 1.9				
Trail Condition Informa Deferred Maintenance CRV FCI Condition	ation	\$0 \$4935 0 Excellent				
	T	rail Condit	ion TOTALS	5		1
Deferred						

Deferred Maintenance	CRV	FCI	Condition
\$0	\$4935	0	Excellent

TRAIL NUMBER: **T200** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2059 - MP 0.0 - Trailhead



Photo # 2058 - MP 0.0 - Sign

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2041 - MP 0.0 - Trailhead, Sign



Photo # 2084 - MP 0.0 - Begin Section 014

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2043 - MP 0.05 - Sign (Grouped)



Photo # 2045 - MP 0.14 - Sign

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2046 - MP 0.21 - Begin Section 002



Photo # 2047 - MP 0.24 - Trail Structure Deficiency

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2048 - MP 0.28 - Begin Section 003



Photo # 2049 - MP 0.62 - Sign

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2050 - MP 0.62 - Begin Section 004



Photo # 2052 - MP 0.63 - Begin Section 005

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2056 - MP 0.63 - Begin Section 006



Photo # 2051 - MP 0.65 - Other Deficiency (Concrete cracking)

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2079 - MP 0.98 - Begin Section 007



Photo # 2082 - MP 0.99 - Sign

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2057 - MP 1.24 - Begin Section 008



Photo # 2061 - MP 1.29 - Begin Section 009, Sign

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2062 - MP 1.3 - Sign



Photo # 2063 - MP 1.3 - Sign

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2066 - MP 1.62 - Begin Section 010



Photo # 2068 - MP 1.64 - Trail Structure Deficiency

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2067 - MP 1.64 - Begin Section 011



Photo # 2071 - MP 1.66 - Begin Section 012

TRAIL NUMBER: **T300** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2078 - MP 1.69 - Begin Section 013



Photo # 2072 - MP 0.0 - Trailhead

TRAIL NUMBER: **T400** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2074 - MP 0.01 - Trail Structure Deficiency



Photo # 2073 - MP 0.01 - Bridge

TRAIL NUMBER: **T500** STATION: Sullys Hill NGP DATE: 7/11/2007



Photo # 2085 - MP 0.0 - Trailhead



Photo # 2086 - MP 0.0 - Sign

The Trail Inventory of Tewaukon National Wildlife Refuge Cayuga, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Tewaukon NWR Trail and Trail Feature Summaries

					Milea	ige by T	rail Cond	lition					Total
Trail Surface	Exce	ellent	Go	od	Fa	air	Po	or	Very	Poor	Not R	lated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Nines
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel		0%		0%		0%		0%		0%		0%	0.00
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed		0%	0.73	100%		0%		0%		0%		0%	0.73
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	0.00	0%	0.73	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.73

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition									Total		
Trail	Exce	ellent	Go	od	Fa	air	Po	or	Very	Poor	Not R	ated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2		0%		0%		0%		0%		0%		0%	0.00
TC3		0%	0.73	100%		0%		0%		0%		0%	0.73
TC4		0%		0%		0%		0%		0%		0%	0.00
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	0.00	0%	0.73	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.73

* Admin Roads are included in the inventory but are not rated for condition.


Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Sign	1	No	0.10	2025
T300	Sign	1	No	0.21	2026
T300	Sign	1	No	0.31	2027
T300	Lookout/Ob Deck	1	No	0.32	N/A
T300	Sign	1	No	0.34	2028
T300	Sign	1	No	0.43	2030
T300	Sign	1	No	0.52	2031
T300	Sign	1	No	0.61	2032
T300	Sign	1	No	0.69	2034
sf-square feet					

sf-square feet If-linear feet

cf-cubic feet

TEWAUKON NATIONAL WILDLIFE REFUGE TRAIL LOCATION MAP




TRAILS ID

Station Name: Tewaukon NWR


Org. Code: 62660

Trail #	Trail Name	Trail Name Surface Type SAMMS		Trail Mileage	Trail Description (Begin and End point of trail)
T300	Visitor Center Trail	Mowed	10036521	0.73	From Visitor Center Parking (Rte 900) to end of loop



Deferred Maintenance	CRV	FCI	Condition
\$389	\$23666	0.016	Good

TRAIL DEFICIENCY



Trail Name: Visitor Center Trail

Refuge Name: Tewaukon NWR

Trail Number: T300		Region: 6	TOTAL LENGTH: 0.73 Miles
Mile Post	0.67		
Section Number	001		
Photo Number	2033		
Deficiency	Drainage		
Action	Build/Add		
Item	Puncheon -If		
Quantity	30		
Deferred Maintenance	\$389		
1	1	1	

TRAIL NUMBER: **T300** STATION: Tewaukon NWR DATE: 7/9/2007



Photo # 2022 - MP 0.0 - Trailhead



Photo # 2025 - MP 0.1 - Sign

TRAIL NUMBER: **T300** STATION: Tewaukon NWR DATE: 7/9/2007




Photo # 2026 - MP 0.21 - Sign



Photo # 2027 - MP 0.31 - Sign

TRAIL NUMBER: **T300** STATION: Tewaukon NWR DATE: 7/9/2007



Photo # 2028 - MP 0.34 - Sign



Photo # 2030 - MP 0.43 - Sign

TRAIL NUMBER: **T300** STATION: Tewaukon NWR DATE: 7/9/2007



Photo # 2031 - MP 0.52 - Sign




Photo # 2032 - MP 0.61 - Sign

TRAIL NUMBER: **T300** STATION: Tewaukon NWR DATE: 7/9/2007



Photo # 2033 - MP 0.67 - Drainage Deficiency



Photo # 2034 - MP 0.69 - Sign

The Trail Inventory of Upper Souris National Wildlife Refuge Foxholm, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Upper Souris NWR Trail and Trail Feature Summaries

					Milea	ige by T	rail Cond	dition					Total
Trail Surface	Exce	ellent	Go	od	Fa	air	Po	oor	Very	Poor	Not R	ated*	Total Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Willes
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	0.46	16%		0%		0%		0%		0%		0%	0.46
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed	1.12	40%		0%		0%		0%		0%		0%	1.12
Admin Road		0%		0%		0%		0%		0%	1.23	44%	1.23
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	1.58	56%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	1.23	44%	2.81

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition								Total			
Trail	Exce	ellent	Go	od	Fa	air	Po	oor	Very	Poor	Not R	lated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	Willes
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2	0.47	17%		0%		0%		0%		0%	0.12	4%	0.59
TC3	1.11	40%		0%		0%		0%		0%	1.11	40%	2.22
TC4		0%		0%		0%		0%		0%		0%	0.00
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	1.58	56%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	1.23	44%	2.81

* Admin Roads are included in the inventory but are not rated for condition.


Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Sign	1	No	0.34	2499
T201	Sign	2	No	0.12	2502
T201	Bench	1	No	0.25	N/A
T201	Other- photo blind	1	No	0.25	N/A
T201	Sign	2	No	0.25	2503-4
T300	Gate	1	No	0.00	N/A
T300	Sign	3	No	0.00	2483-4
T300	Gate	1	No	1.11	N/A
T301	Sign	1	No	0.00	2494
T301	Bench	1	No	0.05	N/A
T400	Sign	17	Yes	N/A	2487
T400	Sign	2	No	0.00	2486
T400	Bench	1	No	0.01	N/A
T400	Sign	2	No	0.01	2488
T400	Bench	1	No	0.05	N/A
T400	Sign	2	Yes	N/A	2490
T400	Bench	1	No	0.10	N/A
T400	Bench	1	No	0.18	N/A
T400	Bench	1	No	0.24	N/A
T400	Bench	1	No	0.29	N/A
T400	Bench	1	No	0.36	N/A
T400	Sign	1	No	0.39	2489
T400	Bench	1	No	0.56	N/A
sf-square feet					

If-linear feet

cf-cubic feet

UPPER SOURIS NATIONAL WILDLIFE REFUGE TRAIL LOCATION MAP



TRAILS ID


Station Name: Upper Souris NWR

Org. Code: 62680

Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T200	Cottonwood Nature Trail	Mowed	Mowed 10029876 0.34		From Cottonwood Trail Parking (Rte 904) to end of distinguishable trail
T201	Pelican Nature Trail	Admin Road, Mowed	10029877	0.25	From Stop #1 on Prairie Marsh Scenic Drive (Rte 011) to photo blind
T300	Centennial Wildlife Nature Trail	Admin Road	N/A	1.11	From refuge boundary to refuge boundary
T301	Overlook Viewing Trail	Mowed	10029876	0.05	From Overlook Viewing Trail Parking (Rte 910) to end of mowed segment
T400	Oxbow Nature Trail	Gravel, Mowed	10029875	1.06	From Outlet Fishing Area (Rte 101) to end of loop at Outlet Fishing Area (Rte 101)

	としている	001 0 MP 0.34	Rts 077 MP 0	Rte 904	San Aller	TO MARKE
170/1	4	inch oquala	500 foot	1	State of the state	the second se
Excellent	Good C	inch equals	Poor	Very Poor	Admin I	Road
 Begin Section Trailhead Trail Sign Drainage Structure 	Check Dam U Retaining Wa	II C	Step Feature Max. Grade Min. Width Intersection	Gate Gate 5 Benc D Othe	ye w	N S E
Trail Name: Cottonwood Nature	e Trail	Refuge	Name: Upper	Souris NWR		
Trail Number: T200		-	Region: 6		TOTAL LENG	TH: 0.34 Miles
Section Number Section Length (miles) SAMMS Number Rating Date		001 0.34 10029876 7/18/2007				
Trail Section Information Trail Class Surface Type Surface Firmness Width (inches) Average Grade (%) Average X-slope (%)	n	TC2 Mowed Firm 24 3.8 4.3				
Trail Condition Informat Deferred Maintenance CRV FCI Condition		\$0 \$3599 0 Excellent				
Trail Condition TOTALS						

Deferred Maintenance	CRV	FCI	Condition
\$0	\$3599	0	Excellent



Deferred Maintenance	CRV	FCI	Condition
\$0	\$5460	0	Excellent

MP 1.11	007	MP 0: Trailhe	ead, Gate, Sign		
	1 inch eq	uals 1,000 feet		11	
Excellent					
Begin Section	Check Dam	Step Feature	Gate	N N	
C Trailhead	Retaining Wall Raised Trail Structure	Max. Grade	à Bridge	W S E	
Trail Sign	P Water Bar	G Intersection	5 Bench Ð Other 🖬	Station Boundary	
Trail Name: Centennial Wildlif	•	fuge Name: Upper		· <u> </u>	
Trail Number: T300		Region: 6		LENGTH: 1.11 Miles	
Section Number	001	_			
Section Length (miles)	1.11				
SAMMS Number Rating Date	N/A 7/17/200)7			
Trail Section Information					
Trail Class	TC3				
Surface Type	Admin Ro	bad			
Surface Firmness Width (inches)	Firm 0				
Average Grade (%)	0.8				
Average X-slope (%)	0.6				
Trail Condition Informa					
Deferred Maintenance	\$0				
CRV FCI	\$0 0				
Condition	Not Rate	ed			
L	Trail Condition TOTALS				
Deferred					


Deferred Maintenance	CRV	FCI	Condition
\$0	\$0	0	Not Rated

TRAIL CONDITION

	P 0.05 001	MP 0: Tr Rte 910	ailhead, Sign	A S S S S S S S S S S S S S S S S S S S
- Ben	Histe		41	
Excellent Good	1 inch equals		Very Poor	Admin Road
Begin Section Check I		Step Feature	Gate	
C Trailhead U Retainir		Max. Grade	à Bridge	W E
	Trail Structure	Min. Width	5 Bench Ð Other	Station Boundary
Trail Name: Overlook Viewing Trail Trail Number: T301	-	e Name: Upper So Region: 6		
Section Number	001		IOTAL	LENGTH: 0.05 Miles
Section Length (miles)	0.05			
SAMMS Number	10029876 7/18/2007			
Rating Date Trail Section Information	//10/2007			
Trail Class	TC3			
Surface Type	Mowed			
Surface Firmness Width (inches)	Firm 60			
Average Grade (%)	10.1			
Average X-slope (%)	10.6			
Trail Condition Information	* -			
Deferred Maintenance CRV	\$0 \$1352			
FCI	0			
Condition	Excellent			
	Trail Conditi	on TOTALS		
Deferred				

Deferred Maintenance	CRV	FCI	Condition
\$0	\$1352	0	Excellent

TRAIL CONDITION



Deferred Maintenance	CRV	FCI	Condition
\$0	\$79336	0	Excellent

TRAIL NUMBER: **T200** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2498 - MP 0.0 - Trailhead

TRAIL NUMBER: **T200** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2499 - MP 0.34 - Sign

TRAIL NUMBER: **T201** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2500 - MP 0.0 - Trailhead

TRAIL NUMBER: **T201** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2501 - MP 0.12 - Begin Section 002

TRAIL NUMBER: **T201** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2502 - MP 0.12 - Sign

TRAIL NUMBER: **T201** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2503-4 - MP 0.25 - Sign

TRAIL NUMBER: **T300** STATION: Upper Souris NWR DATE: 7/17/2007



Photo # 2485 - MP 0.0 - Trailhead

TRAIL NUMBER: **T300** STATION: Upper Souris NWR DATE: 7/17/2007



Photo # 2483-4 - MP 0.0 - Sign

TRAIL NUMBER: **T301** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2495 - MP 0.0 - Trailhead

TRAIL NUMBER: **T301** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2494 - MP 0.0 - Sign

TRAIL NUMBER: **T400** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2486 - MP 0.0 - Trailhead, Sign

TRAIL NUMBER: **T400** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2487 - MP 0.0 - Sign (Grouped)

TRAIL NUMBER: **T400** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2488 - MP 0.01 - Sign

TRAIL NUMBER: **T400** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2490 - MP 0.07 - Sign (Grouped), Begin Section 002

TRAIL NUMBER: **T400** STATION: Upper Souris NWR DATE: 7/18/2007



Photo # 2489 - MP 0.39 - Sign

The Trail Inventory of Valley City Wetland Management District Valley City, North Dakota



Prepared By: Federal Highway Administration Central Federal Lands Highway Division July 2007





Valley City WMD Trail and Trail Feature Summaries

		Mileage by Trail Condition									Total		
Trail Surface	Exce	ellent	Go	od	Fa	air	Po	or	Very	Poor	Not F	Rated*	Miles
Туре	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	IVIIIC3
Native		0%		0%		0%		0%		0%		0%	0.00
Gravel	0.99	100%		0%		0%		0%		0%		0%	0.99
Asphalt		0%		0%		0%		0%		0%		0%	0.00
Concrete		0%		0%		0%		0%		0%		0%	0.00
Turnpike		0%		0%		0%		0%		0%		0%	0.00
Boardwalk		0%		0%		0%		0%		0%		0%	0.00
Puncheon		0%		0%		0%		0%		0%		0%	0.00
Woodchips		0%		0%		0%		0%		0%		0%	0.00
Mowed		0%		0%		0%		0%		0%		0%	0.00
Admin Road		0%		0%		0%		0%		0%		0%	0.00
Other		0%		0%		0%		0%		0%		0%	0.00
Totals	0.99	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.99

Trail Miles and Percentages by Surface Type and Condition

Trail Miles and Percentages by Trail Classification and Condition

		Mileage by Trail Condition									Total		
Trail	Exce	ellent	Go	od	Fa	air	P	oor	Very	Poor	Not R	ated*	Miles
Classification	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	WIIIC3
TC1		0%		0%		0%		0%		0%		0%	0.00
TC2		0%		0%		0%		0%		0%		0%	0.00
TC3		0%		0%		0%		0%		0%		0%	0.00
TC4	0.99	100%		0%		0%		0%		0%		0%	0.99
TC5		0%		0%		0%		0%		0%		0%	0.00
Totals	0.99	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.99

* Admin Roads are included in the inventory but are not rated for condition.

Trail Features


Feature Type	Quantity	Grouped Feature	Milepost	Photo
Gate	1	No	0.01	2037
Lookout/Ob Deck	1	No	0.25	N/A
Lookout/Ob Deck	1	No	0.33	N/A
Lookout/Ob Deck	1	No	0.55	N/A
Gate	1	No	0.86	N/A
	Gate Lookout/Ob Deck Lookout/Ob Deck Lookout/Ob Deck	Gate1Lookout/Ob Deck1Lookout/Ob Deck1Lookout/Ob Deck1	Gate1NoLookout/Ob Deck1NoLookout/Ob Deck1NoLookout/Ob Deck1No	Gate 1 No 0.01 Lookout/Ob Deck 1 No 0.25 Lookout/Ob Deck 1 No 0.33 Lookout/Ob Deck 1 No 0.55

sf-square feet

If-linear feet

cf-cubic feet

VALLEY CITY WETLAND MANAGEMENT DISTRICT TRAIL LOCATION MAP




TRAILS ID

Station Name: Valley City WMD

Org. Code: 62532

Trail #	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T400	Wetlands & Waterfowl Trail	Gravel	10057444	0.99	From trailhead to end of trail

TRAIL CONDITION



Deferred Maintenance	CRV	FCI	Condition
\$0	\$190775	0	Excellent

TRAIL NUMBER: **T400** STATION: Valley City WMD DATE: 7/10/2007



Photo # 2037 - MP 0.0 - Trailhead, Gate

APPENDIX

Glossary of Terms and Abbreviations

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	Asset number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Condition	Subjective rating of trail based on Facility Condition Index (FCI): FCI $ ExcellentFCI .01105 = GoodFCI .05110 = FairFCI .1120 = PoorFCI >20 = Very Poor$
Crib Wall	Retaining wall.
Current Replacement Value (CRV)	The value of an asset determined by the estimated cost of replacing it.
Def type	Deficiency Type: Trail Structure, Drainage, Erosion, Obstacle, Trail Location, Other.

Deferred Maintenance (DM)	Maintenance that was not performed when scheduled.
Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity" field of the data dictionary. CRV for grouped features are included in whatever trail section the GPS point was taken.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the "Action" (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non- specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
Max Grade	Maximum grade (in percent) of trail. Only collected for Trail Classes 4 and 5 and when > 10%.
Min Width	Minimum Width (inches) of trail. Only collected for Trail Classes 4 and 5.
MP (Milepost)	Distance, in miles, of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
SAMMS No	Asset Number

Station Boundary	Approved Acquisition Boundary files downloaded from FWS website in March 2007.
T Class	Trail Class: TC1-5 (see Trail Classification System for descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Trail No	Trails are numbered based on Trail Class at the trailhead. TC $1 = T100$ series, TC $2 = T200$ series, etc.
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.

National Trail Data Standards

Trail Classification

Trail Attributes	Trail Class 1 Minimal/Undeveloped Trail	Trail Class 2 Simple/Minor Development Trail	Trail Class 3 Developed/Improved Trail	Trail Class 4 Highly Developed Trail	Trail Class 5 Fully Developed Trail					
	General Criteria Physical Characteristics to be Applied to All National Forest Sytem Trails									
Tread & Traffic Flow	 Tread intermittent and often indistinct May require route finding Native materials only 	 Tread discernible and continuous, but narrow and rough Few or no allowances constructed for passing Native materials 	 Tread obvious and continuous Width accommodates unhindered one-lane travel (occasional allowances constructed for passing) Typically native materials 	 Tread wide and reltively smooth with few irregularities Width may consistently accommodate two- lane travel Native or imported materials May be hardened 	 Width generally accommodates two-lane and two- directional travel, or provides frequent passing turnouts Commonly hardened with asphalt or other imported material 					
Obstacles	 Obstacles common Narrow passages; brush, steep grades, rocks and logs present 	 Obstacles occasionally present Blockages cleared to define route and protect resources Vegetation may encroach into trailway 	 Obstacles infrequent Vegetation cleared outside of trailway 	 Few or no obstacles exist Grades typically <12% Vegetation cleared outside of trailway 	 No obstacles Grades typically <8% 					
Constructed Features & Trail Elements	 Minimal to non- existent Drainage is functional No constructed bridges or foot crossings 	 Structures are of limited size, scale, and number Drainage functional Structures adequate to protect trail infrastructure and resources Primitive foot crossings and fords 	 Trail structures (walls, steps, drainage, raised trail) may be common and substantial Trail bridges as needed for resource protection and appropriate access Generally native materials used in Wilderness 	 Structures frequent and substantial Substantial trail bridges are appropriate at water crossings Trailside amenities may be present 	 Structures frequent or continuous; may include curbs, handrails, trailside amenities, and boardwalks Drainage structures frequent; may include culverts and road-like designs 					
Signs	 Minimum required Generally limited to regulation and resource protection No destination signs present 	 Minimum required for basic direction Generally limited to regulation and resource protection Typically very few or no destination signs present 	 Regulation, resource protection, user reassurance Directional signs at junctions, or when confusion is likely Destination signs typically present Informational and interpretive signs may be present outside of Wilderness 	 Wide variety of signs likely present Informational signs likely (outside of Wilderness) Interpretive signs possible (outside of Wilderness) Trail Universal Access information likely displayed at trailhead 	 Wide variety of signage is present Information and interpretive signs likely Trail Universal Access information is typically displayed at trailhead 					
Typical Recreation Environs & Experience ²	 Natural, unmodified ROS: Often Primitive setting, but may occur in other ROS settings WROS: Primitive 	 Natural, essentially unmodified ROS: Typically Semi- Primitive setting WROS: Primitive to Semi-Primitive 	 Natural, primarily unmodified ROS: Typically Semi- Primitive to Roaded Natural setting WROS: Semi-Primitive to Transition 	 May be modified ROS: Typically Roaded Natural to Rural setting WROS: Transition (rarely present in Wilderness) 	 Can be highly modified ROS: Typically Rural to Urban setting Commonly associated with Visitor Centers or high-use recreation sites Not present in Wilderness 					

Note: Trail Class descriptions define "typical" attributes, and exceptions may occur for any attribute.