Code 1 2 3 4: 3 1 0 2 | Number 5 6 7 8 9: | 10 11: 0 0 | 12 13 14: | 15 16 17: 0 7

# WILDLIFE INFORMATION REPORT

Division of Wildlife Refuges

| SPECIES NAME | LINE CODE 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | NO. HARVESTED 27-32 | USE DAYS 33-36 | BREEDING POPULATION 40-45 | PEAK POPULATION Number 52-55 | No. 56 57 | DQ 58 59 | NO. PRODUCED* 70-76 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Golden Eagle | 7 | 2 | 3 | 3 | 4 | 6 | 0 | W | B | | | | | | | |
| Bald Eagle | 7 | 0 | 1 | 3 | 5 | 2 | 1 | W | T | | | | | | | |
| Peregrine Falcon | 7 | 0 | 1 | 3 | 5 | 6 | 1 | W | T | | | | | | | |
| Wood Stork[3] | 7 | 0 | 1 | 1 | 8 | 8 | 0 | W | T | | | | | | | |
| White-tailed Deer | 0 | 7 | 2 | 8 | 5 | 4 | 0 | W | B | 12 | 5520 | | 60 | 1 | 0 | C |
| Alligator[1] | 7 | 0 | 1 | 9 | 0 | 0 | 0 | W | T | | 1380 | | 15 | 1 | 0 | C |
| Eastern Bluebird | 7 | 0 | 4 | 7 | 6 | 6 | 0 | W | U | | | | | | | |
| Red-headed Woodpecker | 7 | 2 | 4 | 4 | 0 | 6 | 0 | W | O | | 27,600 | | 300 | 1 | 0 | C |
| Mourning Dove[3] | 7 | 2 | 4 | 3 | 1 | 6 | 0 | W | O | | 23,000 | | 250 | 1 | 2 | C |
| Eastern Wild Turkey[2,3] | 0 | 7 | 1 | 3 | 1 | 0 | 0 | W | R | | | | | | | |
| Raccoon (furbearers)[3] | 0 | 7 | 2 | 8 | 3 | 6 | 5 | W | B | | 16,100 | | 175 | 1 | 1 | C |
| Cottontail (& Swamp) Rabbit | 0 | 7 | 2 | 8 | 0 | 2 | 0 | W | S | 5 | 13,800 | | 150 | 1 | 1 | C |
| Fox (& Gray) Squirrel | 0 | 7 | 2 | 8 | 1 | 3 | 0 | W | B | 100 | 18,400 | | 200 | 1 | 0 | C |
| Osprey[1] | 7 | 0 | 4 | 3 | 6 | 4 | 0 | W | U | | | | | | | |
| Woodcock[1] | 7 | 2 | 2 | 2 | 2 | 8 | 0 | W | S | | | | | | | |
| Beaver[1] | 0 | 7 | 2 | 8 | 1 | 0 | 0 | W | B | | 23,000 | | 250 | 1 | 1 | C |
| * 1 Hillside 2 Panther, 3 Yazoo | | | | | | | | | | | | | | | | |
| CONTROL TOTALS | 9 | 9 | 7 | 0 | 0 | 0 | 0 | F | A | 117 | 128,800 | | 1400 | | | |

Region 4 Station Mathews Brake Date Prepared 1-3-90 Page 1 of 1

Name H. Bateman

Form 3-245

| Code 1 2 3 4 | Number 5 6 7 8 |
|---|---|
| 3 1 0 5 | |

| Code 1 2 3 4 | Number 5 6 7 8 9 | 10 11 | 12 13 14 | Y 15 | Q 16 | 17 |
|---|---|---|---|---|---|---|
| 3 1 5 | | 0 0 | | 9 | 2 | |

# WILDLIFE INFORMATION REPORT

Division of Wildlife Refuges

| SPECIES NAME | LINE CODE 18 19 20 21 22 23 24 25 26 | NO. HARVESTED 27-32 | USE DAYS 33-38 | BREEDING POPULATION 39-44 | PEAK POPULATION Number 45-50 | PEAK POPULATION No. 51 52 | PEAK POPULATION DQ 53 54 | NO. PRODUCED 70-79 |
|---|---|---|---|---|---|---|---|---|
| Golden Eagle | 7 2 3 3 4 3 0 W B | | | | | | | |
| Bald Eagle | 7 0 1 3 5 0 1 W T | | | | | | | |
| Peregrine Falcon | 7 0 1 3 5 6 1 W T | | | | | | | |
| Wood Stork[3] | 7 0 1 1 3 2 0 W T | | | | | | | |
| White-tailed Deer | 0 7 2 8 5 4 0 W B | 10 | 3600 | | 40 | 0 1 | C | |
| Alligator[1] | 7 0 1 9 0 0 0 W T | | 1800 | | 20 | 0 3 | C | |
| Eastern Bluebird | 7 2 4 7 6 5 0 W U | | | | | | | |
| Red-headed Woodpecker | 7 2 4 4 0 5 0 W O | | 22,500 | | 250 | 0 3 | C | |
| Mourning Dove[3] | 7 2 4 3 1 6 0 W O | | 27,000 | | 300 | 0 1 | C | |
| Eastern Wild Turkey[2,3] | 0 7 1 3 1 0 0 W R | | | | | | | |
| Raccoon (furbearers)[3] | 0 7 2 8 3 5 5 W B | | 18,000 | | 200 | 0 1 | C | |
| Cottontail (& Swamp) Rabbit | 0 7 2 8 0 2 0 W B | 10 | 18,000 | | 200 | 0 1 | C | |
| Fox (& Gray) Squirrel | 0 7 2 8 1 3 0 W B | 10 | 18,000 | | 200 | 0 1 | C | |
| Osprey[1] | 7 0 4 3 6 4 0 W U | | | | | | | |
| Woodcock[1] | 7 2 2 2 2 3 0 W S | | | | | | | |
| Beaver[1] | 0 7 2 8 1 0 0 W B | | 15,750 | | 175 | 0 3 | C | |
| * 1 Hillside 2 Panther, 3 Yazoo | | | | | | | | |
| CONTROL TOTALS | 9 9 7 0 0 0 0 F G | 30 | 124,650 | | 1385 | | | |

Region 4

Name H. Bei...

Region 4 Station Mathews Brake Date Prepared 4-3-89 Page 1 of 1

H. Bei...

Form 3-245

| Code 1 2 3 | 4 | Number 5 6 7 8 9 | 10 11 | 12 13 14 | Y 15 | Qtr 16 17 |
|---|---|---|---|---|---|---|
| 9 1 0 | 0 | | 0 0 | | 7 | |

# WILDLIFE INFORMATION REPORT

Division of Wildlife Refuges

| SPECIES NAME | LINE CODE 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | NO. HARVESTED 27-33 | USE DAYS 34-36 | BREEDING POPULATION 45-55 | PEAK POPULATION Number 56-65 | Mo. 66 67 | DQ 68 69 | NO. PRODUCED* 70-79 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Golden Eagle | 7 | 2 | 3 | 3 | 4 | 9 | 0 | W | R | | | | | | | |
| Bald Eagle | 7 | 0 | 1 | 3 | 5 | 2 | 1 | W | T | | | | | | | |
| Peregrine Falcon | 7 | 0 | 1 | 3 | 5 | 6 | 1 | W | T | | | | | | | |
| Wood Stork[3] | 7 | 0 | 1 | 1 | 8 | 8 | 0 | W | T | | | | | | | |
| White-tailed Deer | 0 | 7 | 2 | 8 | 5 | 4 | 0 | W | B | | | | | | | |
| Alligator[1] | 7 | 0 | 1 | 9 | 0 | 0 | 0 | W | T | | | | | | | |
| Eastern Bluebird | 7 | 0 | 4 | 7 | 6 | 6 | 0 | W | U | | | | | | | |
| Red-headed Woodpecker | 7 | 2 | 4 | 4 | 0 | 6 | 0 | W | O | | | | | | | |
| Mourning Dove[3] | 7 | 2 | 4 | 3 | 1 | 6 | 0 | W | O | | | | | | | |
| Eastern Wild Turkey[2,3] | 0 | 7 | 1 | 3 | 1 | 0 | 0 | W | R | | | | | | | |
| Raccoon (furbearers)[3] | 0 | 7 | 2 | 8 | 3 | 5 | 5 | W | B | | | | | | | |
| Cottontail (& Swamp) Rabbit | 0 | 7 | 2 | 8 | 0 | 2 | 0 | W | B | | | | | | | |
| Fox (& Gray) Squirrel | 0 | 7 | 2 | 8 | 1 | 3 | 0 | W | B | | | | | | | |
| Osprey[1] | 7 | 0 | 4 | 3 | 6 | 4 | 0 | W | U | | | | | | | |
| Woodcock[1] | 7 | 2 | 2 | 2 | 2 | 3 | 0 | W | S | | | | | | | |
| Beaver[1] | 0 | 7 | 2 | 8 | 1 | 0 | 0 | W | B | | | | | | | |
| * 1 Hillside 2 Panther, 3 Yazoo | | | | | | | | | | | | | | | | |
| CONTROL TOTALS | 9 | 9 | 7 | 0 | 0 | 0 | 0 | F | 8 | | | | | | | |

Region _____ Station _____ Date Prepared _____ Page 1 of 1

Name _____

Form 3-245

| Code 1 2 3 | 4 | Number 5 6 7 8 9 | 10 11 | 12 13 14 | Y 15 | Q 16 | 17 |
|---|---|---|---|---|---|---|---|
| 3 1 0 | 5 | | 0 0 | | 8 | 3 | |

# WILDLIFE INFORMATION REPORT

Division of Wildlife Refuges

| SPECIES NAME | LINE CODE 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | NO. HARVESTED 27-35 | USE DAYS 36-45 | BREEDING POPULATION 46-55 | PEAK POPULATION Number 56-65 | Mo. 66 67 | DQ 68 69 | NO. PRODUCED* 70-79 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Golden Eagle | 7 | 2 | 3 | 3 | 4 | 9 | 0 | W | R | | | | | | | |
| Bald Eagle | 7 | 0 | 1 | 3 | 5 | 2 | 1 | W | T | | | | | | | |
| Peregrine Falcon | 7 | 0 | 1 | 3 | 5 | 6 | 1 | W | T | | | | | | | |
| Wood Stork 3 | 7 | 0 | 1 | 1 | 8 | 8 | 0 | W | T | | | | | | | |
| White-tailed Deer | 0 | 7 | 2 | 8 | 5 | 4 | 0 | W | B | | 2120 | 20 | 30 | 06 | C | 10 |
| Alligator 1 | 7 | 0 | 1 | 9 | 0 | 0 | 0 | W | T | | 1365 | | 15 | 06 | C | |
| Eastern Bluebird | 7 | 0 | 4 | 7 | 6 | 6 | 0 | W | U | | | | | | | |
| Red-headed Woodpecker | 7 | 2 | 4 | 4 | 0 | 6 | 0 | W | O | | 9300 | 100 | 300 | 05 | C | 200 |
| Mourning Dove 3 | 7 | 2 | 4 | 3 | 1 | 6 | 0 | W | O | | 30,200 | 200 | 600 | 06 | C | 400 |
| Eastern Wild Turkey 2,3 | 0 | 7 | 1 | 3 | 1 | 0 | 0 | W | R | | | | | | | |
| Raccoon (furbearers) 3 | 0 | 7 | 2 | 8 | 3 | 5 | 5 | W | B | | 13,550 | | 150 | 06 | C | |
| Cottontail (& Swamp) Rabbit | 0 | 7 | 2 | 8 | 0 | 2 | 0 | W | B | | 27,050 | 150 | 600 | 06 | C | 450 |
| Fox (& Gray) Squirrel | 0 | 7 | 2 | 8 | 1 | 3 | 0 | W | B | | 27050 | 150 | 600 | 06 | C | 450 |
| Osprey 1 | 7 | 0 | 4 | 3 | 6 | 4 | 0 | W | U | | | | | | | |
| Woodcock 1 | 7 | 2 | 2 | 2 | 2 | 3 | 0 | W | S | | | | | | | |
| Beaver 1 | 0 | 7 | 2 | 8 | 1 | 0 | 0 | W | B | | 9330 | 15 | 30 | 05 | C | 60 |
| * 1 Hillside 2 Panther, 3 Yazoo | | | | | | | | | | | | | | | | |
| CONTROL TOTALS | 9 | 9 | 7 | 0 | 0 | 0 | 0 | F | 4 | | 115,965 | 635 | 2375 | | | 1570 |

Region 4 Station Matthews Brake Date Prepared 7-1-88 Page 1 of 1

Name D. Beierman

Form 3-245

| Code 1 | 2 | 3 | 4 | Number 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | Y 15 | Qtr 16 | 17 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 | 1 | 0 | 0 | | | | | | 0 | 0 | | | | 7 | 4 | |

# WILDLIFE INFORMATION REPORT

Division of Wildlife Refuges

| SPECIES NAME | LINE CODE 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | NO. HARVESTED 27-33 | USE DAYS 33-45 | BREEDING POPULATION 46-55 | PEAK POPULATION Number 56-65 | Mo. 66 | 67 | DQ 68 | 69 | NO. PRODUCED* 70-79 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Golden Eagle | 7 | 2 | 3 | 3 | 4 | 9 | 0 | W | R | | | | | | | | | |
| Bald Eagle | 7 | 0 | 1 | 3 | 5 | 2 | 1 | W | T | | | | | | | | | |
| Peregrine Falcon | 7 | 0 | 1 | 3 | 5 | 6 | 1 | W | T | | | | | | | | | |
| Wood Stork 3 | 7 | 0 | 1 | 1 | 8 | 8 | 0 | W | T | | | | | | | | | |
| White-tailed Deer | 0 | 7 | 2 | 8 | 5 | 4 | 0 | W | B | | 5600 | 20 | 70 | 0 | 8 | | C | 25 |
| Alligator 1 | 7 | 0 | 1 | 9 | 0 | 0 | 0 | W | T | | 1875 | 10 | 25 | 0 | 8 | | C | |
| Eastern Bluebird | 7 | 0 | 4 | 7 | 6 | 6 | 0 | W | U | | | | | | | | | |
| Red-headed Woodpecker | 7 | 2 | 4 | 4 | 0 | 6 | 0 | W | O | | 22,600 | 100 | 300 | 0 | 9 | | C | |
| Mourning Dove 3 | 7 | 2 | 4 | 3 | 1 | 6 | 0 | W | O | 200 | 25,000 | 120 | [illegible] | 0 | 8 | | C | 250 |
| Eastern Wild Turkey 2,3 | 0 | 7 | 1 | 3 | 1 | 0 | 0 | W | R | | | | | | | | | |
| Raccoon (furbearers) 3 | 0 | 7 | 2 | 8 | 3 | 5 | 5 | W | B | | 22,300 | 90 | 275 | 0 | 7 | | C | |
| Cottontail (& Swamp) Rabbit | 0 | 7 | 2 | 8 | 0 | 2 | 0 | W | B | | 27,300 | 100 | 200 | 0 | [illegible] | | [illegible] | 100 |
| Fox (& Gray) Squirrel | 0 | 7 | 2 | 8 | 1 | 3 | 0 | W | B | | 10,950 | 125 | 450 | [illegible] | [illegible] | | C | 250 |
| Osprey 1 | 7 | 0 | 4 | 3 | 6 | 4 | 0 | W | U | | | | | | | | | |
| Woodcock 1 | 7 | 2 | 2 | 2 | 2 | 3 | 0 | W | S | | | | | | | | | |
| Beaver 1 | 0 | 7 | 2 | 8 | 1 | 0 | 0 | W | B | | 4550 | 18 | 50 | 0 | 7 | | C | 20 |
| * 1 Hillside 2 Panther, 3 Yazoo | | | | | | | | | | | | | | | | | | |
| CONTROL TOTALS | 9 | 9 | 7 | 0 | 0 | 0 | 0 | F | 3 | 200 | 150,175 | 633 | 1750 | | | | | 755 |

Region 4 Station Grace Div. Date Prepared 10/5/87 Page 1 of 1

Name

Form 3-245

| TR Code 1 2 3 | 4 | Organization Number 5 6 7 8 9 | 10 11 | Name 12 13 14 | Report Period FY 15 QTR 16 17 |
|---|---|---|---|---|---|
| 3 1 1 | 0 | [illegible] | 0 0 | [illegible] | [illegible] |

# WILDLIFE INFORMATION REPORT

Marsh & Water Birds

Fish and Wildlife Service
Division of Wildlife Refuges

| MIGRATORY BIRD SPECIES NAME | LINE CODE 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | NO. HARVESTED 27-35 | USE DAYS 36-45 | UNIT REU 46-55 | PEAK POPULATION Number 56-65 | Mo. 66 | Day 67 | 68 | 69 | NO. PRODUCED 70-79 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GREAT BLUE HERON | 7 | 2 | 1 | 1 | 2 | 1 | 0 | W | W | | 13500 | | 150 | 0 | 6 | 2 | 4 | |
| GREEN HERON | 7 | 2 | 1 | 2 | 0 | 1 | 0 | W | W | | 5200 | | 65 | 0 | [illegible] | 2 | 4 | |
| GREAT EGRET | 7 | 2 | 1 | 1 | 9 | 6 | 0 | W | W | | 3000 | | 50 | 0 | [illegible] | [illegible] | 1 | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | 2 | 1 | | | | | W | W | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | |
| CONTROL TOTALS | 9 | 9 | 7 | 0 | 0 | 0 | 0 | F | K | | 21700 | | 265 | | | | | |

Region 4 Station [illegible] Date Prepared [illegible] Page ___ of 1

Name [illegible]

Form 3-245a
Rev. 12/75