

Federal Communications Commission.

Michael C. Ruger,

*Assistant Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.*

[FR Doc. 91-28705 Filed 11-27-91; 8:45 am]

BILLING CODE 6712-01-M

#### 47 CFR Part 73

[MM Docket No. 88-512; RM-6418, RM-6507, RM-7168]

#### Radio Broadcasting Services; Bonita Springs, Cape Coral, Fort Myers Beach and Tampa, FL

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

**SUMMARY:** This document substitutes Channel 280C1 for Channel 279C2 at Cape Coral, Florida, and modifies the license of Station WAKS, Cape Coral, to specify operation on Channel 280C1. See 53 FR 44502, November 3, 1988. This document also denies a proposal by Jacor Communications, Inc. for a Channel 283A allotment at Bonita Springs, Florida, and dismisses a proposal by Chapman S. Root Revocable Trust for a Channel 283C for Channel 284C substitution at Tampa, Florida. Finally, this document dismisses a proposal by Carl Haefling for the allotment of Channel 285A to Fort Myers Beach, Florida. The reference coordinates for Channel 280C1 at Cape Coral, Florida, are 26-47-43 and 81-48-04. With this action, this proceeding is terminated.

**EFFECTIVE DATE:** January 9, 1992.

**FOR FURTHER INFORMATION CONTACT:** Robert Hayne, Mass Media Bureau (202) 634-6530.

**SUPPLEMENTARY INFORMATION:** This is a synopsis of the Commission's Report and Order, MM Docket No. 88-512, adopted November 12, 1991, and released November 25, 1991. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Dockets Branch (Room 230), 1919 M Street, NW., Washington, DC. The complete text of this decision may also be purchased from the Commission's copy contractors, Downtown Copy Center (202) 452-1422, 1714 21st Street, NW., suite 140, Washington, DC 20036

#### List of Subjects in 47 CFR Part 73

Radio broadcasting.

#### PART 73—[AMENDED]

1. The authority citation for part 73 continues to read as follows:

Authority: 47 U.S.C. 154, 303.

#### § 73.202 [Amended]

2. Section 73.202(b), the Table of FM Allotments under Florida, is amended by removing Channel 279C2 and adding Channel 280C1 at Cape Coral.

Federal Communications Commission.

Andrew J. Rhodes,

*Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.*

[FR Doc. 91-28703 Filed 11-27-91; 8:45 am]

BILLING CODE 6712-01-M

#### 47 CFR Part 73

[MM Docket No. 90-547; RM-7477, RM-7683]

#### Radio Broadcasting Services; Claude and Dimmitt, TX

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

**SUMMARY:** The Commission, at the request of Lucille Ann Lacy, permittee of Station KARX-FM, Channel 239A, Claude, Texas, substitutes Channel 239C1 for Channel 239A at Claude, Texas, and modifies Station KARX-FM's authorization to specify operation on the higher powered channel. To accommodate the upgrade at Claude, the Commission also substitutes Channel 263C3 for Channel 240C3 at Dimmitt, Texas, and modifies the construction permit of Station KDIU-FM to specify operation on the alternate Class C3 channel. See 55 FR 48869, November 23, 1990. Channel 239C1 and Channel 263C3 can be allotted to Claude and Dimmitt, respectively, in compliance with the Commission's minimum distance separation requirements. Channel 239C1 has a site restriction of 17.0 kilometers (10.6 miles) southwest to accommodate Lacy's desired site. Channel 263C3 can be allotted to Dimmitt at the site specified in Station KDIU-FM's construction permit. The coordinates for Channel 239C1 are 35-03-40 and 101-32-35. The coordinates for Channel 263C3 are 34-35-11 and 102-18-35. With this action, this proceeding is terminated.

**EFFECTIVE DATE:** January 9, 1992.

**FOR FURTHER INFORMATION CONTACT:** Pamela Blumenthal, Mass Media Bureau (202) 634-6530.

**SUPPLEMENTARY INFORMATION:** This is a synopsis of the Commission's Report and Order, MM Docket No. 90-547, adopted November 4, 1991, and released November 25, 1991. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Dockets Branch (room 230), 1919 M Street, NW.,

Washington, DC. The complete text of this decision may also be purchased from the Commission's copy contractor, Downtown Copy Center (202) 452-1422, 1714 21st Street, NW., Washington, DC 20036.

#### List of Subjects in 47 CFR Part 73

Radio broadcasting.

#### PART 73—[AMENDED]

1. The authority citation for part 73 continues to read as follows:

Authority: 47 U.S.C. 154, 303.

#### § 73.202 [Amended]

2. Section 73.202(b), the Table of FM Allotments under Texas, is amended by removing Channel 239A and adding Channel 239C1 at Claude and by removing Channel 240C3 and adding Channel 263C3 at Dimmitt.

Federal Communications Commission.

Michael C. Ruger,

*Assistant Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.*

[FR Doc. 91-28704 Filed 11-27-91; 8:45 am]

BILLING CODE 6712-01-M

## DEPARTMENT OF THE INTERIOR

### Fish and Wildlife Service

#### 50 CFR Part 17

RIN 1018-AB52

#### Endangered and Threatened Wildlife and Plants; Determination of Endangered Status for *Lepanthes Ettorensis* and *Cranichis Ricartii*, Two Endemic Puerto Rican Orchids

**AGENCY:** Fish and Wildlife Service, Interior.

**ACTION:** Final rule.

**SUMMARY:** The Service determines *Lepanthes eltorensis* and *Cranichis ricartii* to be endangered species pursuant to the Endangered Species Act (Act) of 1973, as amended. Both *Lepanthes eltorensis* and *Cranichis ricartii* are orchids endemic to mountain forests in Puerto Rico. *Lepanthes eltorensis* is a small epiphytic orchid which grows on trunks at upper elevations in the Luquillo Mountains of eastern Puerto Rico. The species is currently known from five discrete sites in the palo colorado and dwarf forests of these mountains. *Cranichis ricartii*, a terrestrial orchid, has been found at only three locations in the Maricao Forest of western Puerto Rico. Both species are threatened by forest management practices, hurricane damage, and

collection. This final rule will implement the Federal protection and recovery provisions afforded by the Act for *Lepanthes eltoensis* and *Cranichis ricartii*.

**EFFECTIVE DATE:** December 30, 1991.

**ADDRESSES:** The complete file for this rule is available for inspection, by appointment, during normal business hours at the Caribbean Field Office, U.S. Fish and Wildlife Service, P.O. Box 491, Boquerón, Puerto Rico 00622; and at the Service's Southeast Regional Office, Suite 1282, 75 Spring Street SW., Atlanta, Georgia 30303.

**FOR FURTHER INFORMATION CONTACT:** Ms. Susan Silander at the Caribbean Field Office address (809/851-7297) or Mr. Dave Flemming at the Atlanta Regional Office address (404/331-3583 or FTS 841-3583).

**SUPPLEMENTARY INFORMATION:**

**Background**

*Lepanthes eltoensis*, an epiphytic orchid, was described by William Stimson in 1969 (Stimson 1969) in his study of the genus *Lepanthes* in Puerto Rico. All species belonging to this genus had previously been considered to be conspecific with *L. selenitepala* until it was recognized that the variability observed in the field indicated the presence of several species. *L. eltoensis* was named for the El Toro Trail in the Luquillo Mountains, the only location from which this species was known (Vivaldi et al. 1981). The orchid has been reported from seven discrete sites, two in the palm forest to the east of El Toro, and five in the colorado and dwarf forests to the west and south of this same peak, where individuals have been found on approximately 40 to 60 trees (E. Garcia, personal communication). Collectors apparently eliminated the palm forest populations between 1969 and 1975.

*Lepanthes eltoensis* is a small, epiphytic orchid found growing on moss-covered trunks of upper elevation forests in the Luquillo Mountains. The orchid is approximately 4 centimeters tall, with numerous, slender, 3 to 7 sheathed stems terminated by a single leaf. Leaves are 9 to 24 millimeters long and 4 to 9 millimeters wide, entire, chartaceous, and obovate to oblanceolate. The inflorescence is a long peduncled flat raceme, about 1/3 as long as the leaves, and usually appressed to the back of these leaves. The sepals are narrowly deltoid to deltoid-lanceolate, ciliate, and acute at the apices. The dorsal sepal is 3.2 to 3.8 millimeters long and 1.2 to 2 millimeters wide, 3-nerved, and slightly adnate to the 2-nerved lateral sepals, which are about 3

millimeters long and 1.0 to 1.6 millimeters wide. The petals are transversely 2-lobed, 1-nerved, and reddish. The posterior lobes are somewhat longer than the anterior, the lip is 3-lobed, and the lateral lobes linear-ovate and about 1 millimeter long and .25 millimeters wide. *Lepanthes eltoensis* is distinguished from other members of the genus by its obovate to oblanceolate leaves, the ciliate sepals, and the length of the inflorescence (Vivaldi et al. 1981).

In the Luquillo Mountains *Lepanthes eltoensis* has been reported from the sierra palm, colorado, and dwarf forest associations, all at elevations greater than 850 meters. It has been reported from several species of trees, all supporting abundant mosses and liverworts. Relative humidity in these forests ranges from 90 to 100 percent and cloud cover is continuous during evening hours and the majority of the day. Annual precipitation ranges from 313 to 450 centimeters in the mountains. Igneous rocks cover the majority of the area.

Although this is an inconspicuous orchid, collectors apparently devastated the original population known from the sierra palm forest (Vivaldi et al. 1981). All known populations are found within the Caribbean National Forest (managed by the U.S. Forest Service) where collecting is not permitted, but these inaccessible areas are difficult to monitor. Known populations occur along the El Toro trail and a small trail to the south, and may be impacted by forest management practices, including trail maintenance and shelter construction. Hurricane Hugo (1989) recently devastated this National Forest, and although the storm apparently did not affect any of the known host trees, it did create numerous gaps along the El Toro trail, felling huge trees. The extreme rarity of this orchid makes the species extremely vulnerable to the loss of any one individual.

*Cranichis ricartii*, a small terrestrial orchid, was first discovered by Ruben Padrón and Dr. Juan Ricart in 1979 in the Maricao Commonwealth Forest of the western mountains of Puerto Rico. In this Forest it is found growing in humus of moist serpentine scrub forests of montane ridges at elevations above 680 meters. Found growing with *Cranichis tenuis*, this new species was described in 1989 (Ackerman 1989). In the Maricao Forest it has been reported from three locations, but it has not been observed at all of these sites every year. It was not observed at the two sites along the Alto del Descanso trail during 1990. A total of approximately 30 individual plants have been observed (R. Padrón,

personal communication). Selective cutting and the establishment of plantations in the Maricao Commonwealth Forest continue to be proposed as a management alternative.

Plants of *Cranichis ricartii* may reach 27 centimeters in height. The roots are few, fleshy, cylindric and villous. The several leaves are basal, erect, and about 2 to 3 centimeters long. The green, spreading blades are ovate to broadly elliptic, and 21 to 35 millimeters long and 14 to 20 millimeters wide.

Inflorescences are terminal, scapose, spicate, and pubescent. The raceme is many flowered and may reach up to 10 centimeters in length. Flowers are small, erect, non-resupinate, and green. The dorsal sepal is elliptic, obtuse, and about 1.8 millimeters long and 1.0 millimeter wide. The lateral sepals are broadly ovate, obtuse, adpressed to the lip, and about 1.9 millimeters long and 1.1 millimeters wide. The petals are filiformoblanceolate, 1.9 millimeters long, 0.2 millimeters wide, reflexed and adpressed along the margins of the dorsal sepal but becoming somewhat free with age. The lip is green with a white margin, simple, short-clawed, pinched near the base, fleshy, essentially glabrous, and 2.0 to 2.5 millimeters long. The column is short, stout, and conspicuously winged. The fruit is an ellipsoid capsule, 5 to 7 millimeters long (Ackerman 1989).

*Lepanthes eltoensis* was recommended for Federal listing by the Smithsonian Institution (Ayensu and DeFilipps 1978). The species was included among the plants being considered as endangered or threatened species by the Service, as published in the *Federal Register* (45 FR 82480) dated December 15, 1980; the November 28, 1983, update (48 FR 53680) of the 1980 notice; and the revised notices of September 27, 1985 (50 FR 39526) and February 21, 1990 (55 FR 6184). The species was designated category 1 (species for which the Service has substantial information supporting the appropriateness of proposing to list them as endangered or threatened) in each of the three notices. *Cranichis ricartii* was recommended for listing by Dr. James Ackerman, University of Puerto Rico, during a September 1988 meeting concerning the revision of candidate plant species list in Puerto Rico and the U.S. Virgin Islands.

In a notice published in the *Federal Register* on February 15, 1983 (48 FR 6752), the Service reported the earlier acceptance of the new taxa in the Smithsonian's 1978 book as being under petition within the context of section 4(b)(3)(A) of the Act, as amended in

1982. The Service subsequently made annual petition findings in each October from 1983 to 1989 that listing *Lepanthes eltoensis* was warranted but precluded by other pending listing actions of a higher priority, and that additional data on vulnerability and threats were still being gathered. A proposed rule to list *Lepanthes eltoensis* and *Cranichis ricartii*, published on October 10, 1990, constituted the final 1-year finding in accordance with section 4(b)(3)(B)(ii) of the Act.

#### Summary of Comments and Recommendations

In the October 10, 1990, proposed rule and associated notifications, all interested parties were requested to submit factual reports of information that might contribute to the development of a final rule. Appropriate agencies of the Commonwealth of Puerto Rico, Federal agencies, scientific organizations, and other interested parties were requested to comment. A newspaper notice inviting general public comment was published in the San Juan Star on October 28, 1990, and in El Dia on October 28, 1990. Five letters of comment were received. A public hearing was neither requested nor held.

The U.S. Forest Service supported the designation of *Lepanthes eltoensis* as endangered due to its endemism to the Caribbean National Forest, its limited distribution, overall rarity, and apparent decline in abundance following Hurricane Hugo. The Forest Service stated that the species is currently found on five discrete sites rather than the two described in the October 10, 1990, proposed rule. The agency stated that biologists were studying the distribution of the species and would provide the Fish and Wildlife Service that information upon its availability. Surveys conducted to date have located the species on from 40 to 60 trees in these areas (E. Garcia, personal communication). Threats to the species were described as vandalism and collection, trail maintenance and particularly post-hurricane rehabilitation, and microsite changes as a result of tree blowdown and breakage. Recovery efforts include evaluation of trail diversions and new trails, relocation of individuals and camouflaging or shading of exposed individuals.

The Natural History Society of Puerto Rico supported the designation of both orchids as endangered. The Society stated that *Cranichis ricartii* is a terrestrial orchid subject to the effects of erosion. Professor Juan L. R. Ricart and Mr. Rubén Padrón Vélez supported the listing of *C. ricartii* and stated that the

species had not been observed during the last year on the two Alto del Descanso trail sites.

The Natural Heritage Program of the Puerto Rico Department of Natural Resources supported the designation of both species of endemic orchids as endangered. The U.S. Army Corps of Engineers stated that the agency did not have any projects in the areas in which either of the orchids are found.

#### Summary of Factors Affecting the Species

After a thorough review and consideration of all information available, the Service has determined that *Lepanthes eltoensis* and *Cranichis ricartii* should be classified as endangered species. Procedures found at section 4(a)(1) of the Endangered Species Act (16 U.S.C. 1531 *et seq.*) and regulations (50 CFR part 424) promulgated to implement the listing provisions of the Act were followed. A species may be determined to be an endangered or threatened species due to one or more of the five factors described in section 4(a)(1). These factors and their application to *Lepanthes eltoensis* Stimson and *Cranichis ricartii* Ackerman are as follows:

##### A. The present or Threatened Destruction, Modification, or Curtailment of its Habitat or Range

Although *Lepanthes eltoensis* and *Cranichis ricartii* are both found in protected areas, the Caribbean National Forest and the Maricao Commonwealth Forest, forest management practices such as the establishment and maintenance of plantations, selective cutting, trail maintenance, and shelter construction may affect these orchids. The extreme rarity of both these species makes the loss of even a few individuals a critical loss to the species.

##### B. Overutilization for Commercial, Recreational, Scientific, or Educational Purposes

Both these orchids are small and easily overlooked; however, taking has been documented for *Lepanthes eltoensis*. Although plant collecting is prohibited in the Caribbean National Forest, as it is in the Maricao Commonwealth Forest, Vivaldi et al. (1981) reported that collectors had apparently eliminated the population which was known in the palm forest. Scars were evident in more than 50 palms.

##### C. Disease or Predation

Disease and predation have not been documented as factors in the decline of this species.

##### D. The Inadequacy of Existing Regulatory Mechanisms

The Commonwealth of Puerto Rico has adopted a regulation that recognizes and provides protection for certain Commonwealth listed species. However, *Lepanthes eltoensis* and *Cranichis ricartii* are not yet on the Commonwealth list. Federal listing will provide immediate protection, and, if the species are ultimately placed on the Commonwealth list, will enhance their protection and possibilities for funding needed research.

##### E. Other Natural or Manmade Factors Affecting its Continued Existence

Probably the most important factor affecting *Lepanthes eltoensis* and *Cranichis ricartii* in Puerto Rico are their limited distribution. Only five populations of *Lepanthes* and three of *Cranichis* are currently known to exist. *Cranichis* flowers in the fall, and preliminary studies indicate that seed set was only 32 percent, suggesting that the pollination mechanism may be inefficient. Hurricane Hugo recently devastated the Caribbean National Forest, creating microclimatic conditions unfavorable for *Lepanthes eltoensis* by causing numerous canopy gaps in the areas of known populations. Because so few individuals are known to occur, the risk of extinction is extremely high.

The Service has carefully assessed the best scientific and commercial information available regarding the past, present, and future threats faced by these species in determining to make this rule final. Based on this evaluation, the preferred action is to list *Lepanthes eltoensis* and *Cranichis ricartii* as endangered. Only five populations are currently known for *Lepanthes* and three for *Cranichis*. Two populations of *Lepanthes* were apparently eliminated by collectors. Habitat modification, altering microclimatic conditions, may dramatically affect both of these species. Therefore, endangered rather than threatened status seems an accurate assessment of the species' condition. The reasons for not proposing critical habitat for this species are discussed below in the "Critical Habitat" section.

##### Critical Habitat

Section 4(a)(3) of the Act, as amended, requires that to the maximum extent prudent and determinable, the Secretary designate any habitat of a species that is considered to be critical habitat at the time the species is determined to be endangered or threatened. The Service finds that designation of critical habitat is not prudent for these species. Both

*Lepanthes eltoensis* and *Cranichis ricartii* are presently known to occur at only a few sites, five for *L. eltoensis* and three for *C. ricartii*. The total number of plants is sufficiently small that vandalism and collection could seriously affect the survival of these species. Publication of critical habitat descriptions and maps in the **Federal Register** and local newspapers would increase public interest and possibly lead to additional threats to these plants.

Take is regulated by the Act with respect to endangered plants only in cases of (1) removal and reduction to possession from lands under Federal jurisdiction, or their malicious damage or destruction on such lands; and (2) removal, cutting, digging up, damaging, or destroying these plants in knowing violation of any Commonwealth law or regulation, including Commonwealth criminal trespass law. Although the Act technically provides protection for *Lepanthes eltoensis* because of its location on Federal land, this is not true for *Cranichis ricartii*. *Cranichis ricartii* is found only on Commonwealth land and it is not currently listed as a protected species under Commonwealth law. Consequently, this species will still have no legal protection from collection or vandalism as a result of Federal listing; and even with such protection, both species are sufficiently remote and unmonitored that effective law enforcement is nearly impossible.

While listing under the Act increases the public's awareness of a species' plight, it can also increase the desirability of a species to collectors. As discussed under Factor B in the "Summary of Factors Affecting the Species" section, one of the species, *Lepanthes eltoensis*, has been seriously impacted by collectors. Discovery and elimination of even one population of these rare orchids could have serious repercussions for the survival of the species. In the case of *Cranichis ricartii*, the species could also be adversely affected by increased visits to, and associated trampling of, occupied sites as a result of critical habitat designation.

As discussed above, it would not now be prudent to determine critical habitat for *Lepanthes eltoensis* and *Cranichis ricartii*. The only landowners involved are the U.S. Forest Service and the Commonwealth, and both are well aware of where the species are located and the importance of protecting their habitats. Protection of these species' habitats will also be addressed through the recovery process and through the section 7 consultation process.

#### Available Conservation Measures

Conservation measures provided to species listed as endangered or threatened under the Endangered Species Act include recognition, recovery actions, requirements for Federal protection, and prohibitions against certain practices. Recognition through listing encourages and results in conservation actions by Federal, Commonwealth, and private agencies, groups, and individuals. The Endangered Species Act provides for possible land acquisition and cooperation with the Commonwealth, and requires that recovery actions be carried out for all listed species. Such actions are initiated by the Service following listing. The protection required of Federal agencies and the prohibitions against certain activities involving listed plants are discussed, in part, below.

Section 7(a) of the Act, as amended, requires Federal agencies to evaluate their actions with respect to any species that is proposed or listed as endangered or threatened and with respect to its critical habitat, if any is being designated. Regulations implementing this interagency cooperation provision of the Act are codified at 50 CFR part 402. Section 7(a)(2) requires Federal agencies to ensure that activities they authorize, fund, or carry out are not likely to jeopardize the continued existence of a listed species or to destroy or adversely modify its critical habitat. If a Federal action may affect a listed species or its critical habitat, the responsible Federal agency must enter into formal consultation with the Service. No critical habitat is being proposed for *Lepanthes eltoensis* and *Cranichis ricartii*, as discussed above. Federal involvement relates to activities to be conducted by the U.S. Forest Service in the Caribbean National Forest.

The Act and its implementing regulations found at 50 CFR 17.61, 17.62, and 17.63 set forth a series of general prohibitions and exceptions that apply to all endangered plants. All trade prohibitions of section 9(a)(2) of the Act, implemented by 50 CFR 17.61, apply. These prohibitions, in part, make it illegal for any person subject to the jurisdiction of the United States to import or export any endangered plant, transport it in interstate or foreign commerce in the course a commercial activity, sell or offer it for sale in interstate or foreign commerce, or remove it from areas under Federal jurisdiction and reduce it to possession. In addition, for endangered plants, the 1988 amendments (Pub. L. 100-478) to the Act prohibit the malicious damage

or destruction on Federal lands and the removal, cutting, digging up, or damaging or destroying of endangered plants in knowing violation of any Commonwealth law or regulation, including Commonwealth criminal trespass law. Certain exceptions can apply to agents of the Service and Commonwealth conservation agencies. The Act and 50 CFR 17.62 and 17.63 also provide for the issuance of permits to carry out otherwise prohibited activities involving endangered species under certain circumstances. It is anticipated that few trade permits for *Lepanthes eltoensis* and *Cranichis ricartii* will ever be sought or issued, since the species is not known to be in cultivation and is uncommon in the wild. Requests for copies of the regulations on listed plants and inquiries regarding prohibitions and permits should be addressed to the Office of Management Authority, U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, room 432, Arlington, Virginia 222023 (703/358-2104).

#### National Environmental Policy Act

The Fish and Wildlife Service has determined that an Environmental Assessment, as defined under the authority of the National Environmental Policy Act of 1969, need not be prepared in connection with regulations adopted pursuant to section 4(a) of the Endangered Species Act of 1973, as amended. A notice outlining the Service's reasons for this determination was published in the **Federal Register** on October 25, 1983 (48 FR 49244).

#### References Cited

- Ackerman, James D. 1989. *Prescotia* and *Cranichis* of Puerto Rico and the Virgin Islands. *Lindleyana* (1): 42-47.
- Ayensu, E.S., and R.A. Defilippis. 1978. Endangered and threatened plants of the United States. Smithsonian Institution and World Wildlife Fund. Washington, D.C. xv+403 pp.
- Stimson, W. 1969. A revision of the Puerto Rican species of *Lepanthes* (Orchidaceae). *Brittonia* 21: 332-345.
- Vivaldi, J.L., R.O. Woodbury, and H. Diaz-Soltero. 1981. Status report on *Lepanthes eltoensis* Stimson. Submitted to U.S. Fish and Wildlife Service, Atlanta, Georgia. 31 pp.

#### Author

The primary author of this final rule is Ms. Susan Silander, Caribbean Field Office, U.S. Fish and Wildlife Service, P.O. Box 491, Boquerón, Puerto Rico 00622 (809/851-7297).

#### List of Subjects in 50 CFR Part 17

Endangered and threatened species, Exports, Imports, Reporting and recordkeeping requirements, and Transportation.

Regulation Promulgation

Accordingly, part 17, subchapter B of chapter I, title 50 of the Code of Federal Regulations, is amended as set forth below:

**PART 17—[AMENDED]**

1. The authority citation for part 17 continues to read as follows:

Authority: 16 U.S.C. 1361-1407; 16 U.S.C. 1531-1544; 16 U.S.C. 4201-4245; Pub. L. 99-625, 100 Stat. 3500; unless otherwise noted.

2. Amend 17.12(h) by adding the following, in alphabetical order under Orchidaceae, to the List of Endangered and Threatened Plants:

**§ 17.12 Endangered and threatened plants.**

\* \* \* \* \*  
(h) \* \* \*

Species		Historic range	Status	When listed	Critical habitat	Special rules
Scientific name	Common name					
Orchidaceae—Orchid family:						
<i>Lepanthes eilorensis</i> .....	None .....	U.S.A. (PR).....	E	451	NA	NA
<i>Cranichis ricartii</i> .....	None .....	U.S.A. (PR).....	E	451	NA	NA

Dated: October 29, 1991.  
Richard N. Smith,  
Acting Director, Fish and Wildlife Service.  
[FR Doc. 91-28655 Filed 11-27-91; 8:45 am]  
BILLING CODE 4310-55-M

**50 CFR Part 17**

RIN 1018-AB52

**Endangered and Threatened Wildlife and Plants; *Conradina verticillata* (Cumberland Rosemary) Determined To Be Threatened**

**AGENCY:** Fish and Wildlife Service, Interior.

**ACTION:** Final rule.

**SUMMARY:** The Service determines *Conradina verticillata* (Cumberland rosemary) to be a threatened species under authority of the Endangered Species Act (Act) of 1973, as amended. This rare woody plant is presently known from only 3 populations (44 colonies) in Tennessee and 1 population (4 colonies) in Kentucky. Most colonies are small and are threatened by activities that degrade water quality and by habitat destruction by campers, hikers, white-water enthusiasts, and off-road vehicles. This action extends Federal protection under the Act to Cumberland rosemary.

**EFFECTIVE DATE:** December 30, 1991.

**ADDRESSES:** The complete file for this rule is available for public inspection, by appointment, during normal business hours at the Asheville Field Office, U.S. Fish and Wildlife Service, 100 Otis Street, room 224, Asheville, North Carolina 28801.

**FOR FURTHER INFORMATION CONTACT:** Mr. Robert R. Currie at the above address (704/259-0321 or FTS 672-0321).

**SUPPLEMENTARY INFORMATION: Background**

*Conradina verticillata* Jennison (Cumberland rosemary) is a small shrub in the mint family (Lamiaceae) known only from the banks of short reaches of three river systems in north-central Tennessee and adjacent Kentucky. Cumberland rosemary is about 1.5 feet high with reclining branches that spread over the sandy or gravelly surface of sandbars and streambanks. The leaves are about 1 inch long, very narrow, and arranged in tight bunches that appear as whorls around the stems. The one-half-inch-long flowers are purple, lavender, or occasionally white in color and are borne in leaf-like clusters of bracts at the ends of the stems. Flowers appear from mid-May to early June. After flowering, four small, dark brown nutlets develop as the fruit matures (Patrick and Wofford 1981).

Cumberland rosemary was first collected by Albert Ruth in 1894 from the banks of the Clear Fork River near Rugby, Tennessee. Until its recognition as a distinct species by H. M. Jennison (Jennison 1933), it was considered to be a disjunct population of the coastal plain species *Conradina canescens* (Torr. & Gray) Gray. J. K. Small also recognized the species as distinct and named it *Conradina montana* (Small 1933). However, Small's description of the species was published several months after Jennison's; therefore, it is a nomenclatural synonym of *C. verticillata*.

Gray (1965) considered *Conradina verticillata* to be an old species that is now represented by relict populations that are widely disjunct from the four other members of the genus. It is triploid (three sets of chromosomes), while the other species are diploid (two sets of chromosomes). Consequently, it has

reduced seed germination and a reduced ability to reproduce and disperse sexually. It, like the other members of the genus, is adapted to a narrow range of environmental conditions. The current distribution, ecological adaptations, and evolutionary history of the species in the genus *Conradina* increase the importance of protecting this species from extinction. Future studies of this species and the other members of the genus may provide important information on the mechanisms of evolution. In addition to these important scientific values, the species is an attractive ornamental (Patrick and Wofford 1981).

Somers (*in litt.*) reported that there are 44 occurrences of Cumberland rosemary in Tennessee. He further recommended that these be considered part of three distinct populations—one along the Big South Fork Cumberland River and its tributaries in Morgan, Scott and Fentress Counties; one along the Caney Fork River in Cumberland and White Counties; and one along the Obed River system in Morgan and Cumberland Counties. Somers indicated that although the colonies in each of these populations are scattered along extended reaches of their respective river systems, the pollinators for each population can travel readily between colonies. Since all colonies within each river system can interbreed, they are, biologically, just one population. Patrick and Wofford (1981) reported that there are four colonies of Cumberland rosemary in Kentucky. All of the Kentucky colonies are along the Big South Fork Cumberland River in McCreary County. Therefore, if the population definition used in Tennessee is followed, the Kentucky colonies should be considered part of the Big South Fork Cumberland River population of Tennessee.